

APPENDIX II
DSDP GRAIN SIZE DETERMINATIONS FOR SITES 68-72

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
68	1	2	90.0	0.3	39.1	60.6	Silty Clay
68	1	3	70.0	0.1	37.6	62.3	Silty Clay
68	1	4	15.0	0.4	55.9	43.7	Clayey Silt
68	1	5	89.0	0.6	53.2	46.2	Clayey Silt
68	1	6	10.0	0.7	51.7	47.6	Clayey Silt
68	2	2	9.0	1.5	36.6	61.9	Silty Clay
68	2	4	22.0	0.8	43.8	55.4	Silty Clay
68	2	5	12.0	2.4	26.4	71.1	Silty Clay
69	2	1	10.0	11.2	41.6	47.2	Silty Clay
69	2	2	8.0	9.5	41.0	49.5	Silty Clay
69	2	3	20.0	7.6	36.3	56.1	Silty Clay
69	2	4	16.0	12.5	34.1	53.4	Silty Clay
69	2	5	19.0	7.5	38.6	53.9	Silty Clay
69	2	6	17.0	10.9	45.1	43.9	Clayey Silt
69	3	1	17.0	11.3	42.6	46.0	Silty Clay
69	3	2	8.0	14.9	41.6	43.5	Silty Clay
69	3	3	15.0	20.4	38.7	40.8	Sand-Silt-Clay
69	3	4	8.0	21.4	37.5	41.1	Sand-Silt-Clay
69	3	5	15.0	22.3	35.3	42.4	Sand-Silt-Clay
69	3	6	18.0	5.0	39.4	55.6	Silty Clay
69	4	1	5.0	2.5	48.8	48.7	Clayey Silt
69	4	2	8.0	5.2	59.0	35.9	Clayey Silt
69	4	3	8.0	4.7	58.2	37.1	Clayey Silt
69	4	4	8.0	6.1	45.7	48.2	Silty Clay
69	4	5	30.0	10.4	52.8	36.8	Clayey Silt
69	4	6	20.0	7.8	60.1	32.1	Clayey Silt
69	5	1	12.0	8.9	33.9	57.1	Silty Clay
69	5	1	54.0	8.6	39.4	52.0	Silty Clay
69	5	2	18.0	9.1	37.9	53.0	Silty Clay
69	5	3	92.0	1.1	33.5	65.4	Silty Clay
69	5	4	110.0	3.4	31.8	64.8	Silty Clay
69	5	5	72.0	0.8	36.8	62.3	Silty Clay
69	5	6	8.0	2.2	32.7	65.1	Silty Clay
69	6	1	17.0	11.3	38.6	50.2	Silty Clay
69	6	2	20.0	15.3	37.9	46.8	Silty Clay
69	6	3	20.0	10.6	42.0	47.4	Silty Clay
69	6	4	18.0	9.3	44.9	45.7	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
69	6	5	22.0	15.7	43.4	40.9	Clayey Silt
69	6	6	20.0	22.6	41.0	36.3	Sand-Silt-Clay
69A	1	1	78.0	3.2	56.4	40.4	Clayey Silt
69A	1	2	20.0	4.5	53.6	41.9	Clayey Silt
69A	1	3	3.0	2.2	44.3	53.5	Silty Clay
69A	1	4	3.0	2.9	41.9	55.2	Silty Clay
69A	1	5	10.0	3.6	41.3	55.1	Silty Clay
69A	1	6	16.0	2.7	41.9	55.4	Silty Clay
69A	2	1	16.0	2.4	39.1	58.4	Silty Clay
69A	2	2	3.0	2.6	48.8	48.7	Clayey Silt
69A	2	3	3.0	4.0	43.7	52.3	Silty Clay
69A	2	4	12.0	2.6	48.3	49.1	Silty Clay
69A	2	5	17.0	1.7	45.9	52.4	Silty Clay
69A	2	6	3.0	3.5	48.8	47.7	Clayey Silt
69A	3	2	3.0	1.4	44.3	54.2	Silty Clay
69A	3	3	16.0	2.4	40.1	57.5	Silty Clay
69A	3	4	4.0	0.9	39.2	59.9	Silty Clay
69A	3	5	12.0	1.6	36.0	62.4	Silty Clay
69A	4	1	18.0	0.8	42.3	56.9	Silty Clay
69A	4	2	20.0	1.5	42.9	55.6	Silty Clay
69A	4	5	10.0	1.8	43.8	54.5	Silty Clay
69A	4	6	16.0	1.4	41.7	57.0	Silty Clay
69A	5	1	15.0	10.2	29.9	59.9	Silty Clay
69A	5	2	18.0	1.1	63.4	35.5	Clayey Silt
69A	5	3	16.0	2.1	38.7	59.2	Silty Clay
69A	5	4	16.0	1.3	29.7	69.0	Silty Clay
69A	5	6	34.0	2.7	34.9	62.4	Silty Clay
69A	6	1	54.0	2.5	20.2	77.3	Clay
69A	6	2	6.0	1.6	30.7	67.7	Silty Clay
69A	8	1	3.0	2.3	36.5	61.1	Silty Clay
69A	8	2	3.0	4.7	39.3	56.0	Silty Clay
69A	8	2	50.0	10.0	35.6	54.3	Silty Clay
69A	8	6	60.0	0.9	43.6	55.4	Silty Clay
69A	9	1	60.0	15.3	42.5	42.1	Clayey Silt
69A	9	3	14.0	17.1	41.4	41.5	Silty Clay
69A	9	4	4.0	13.3	35.4	51.3	Silty Clay
69A	9	5	8.0	17.2	40.9	42.0	Silty Clay
69A	10	1	28.0	19.6	36.0	44.4	Silty Clay
69A	10	3	30.0	23.6	39.5	36.9	Sand-Silt-Clay
69A	10	4	64.0	3.1	41.0	55.9	Silty Clay
69A	10	6	16.0	16.2	40.0	43.8	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
69A	11	1	8.0	30.5	35.6	33.9	Sand-Silt-Clay
69A	11	2	91.0	22.3	38.9	38.8	Sand-Silt-Clay
69A	11	3	41.0	21.7	39.6	38.7	Sand-Silt-Clay
69A	11	4	50.0	33.7	37.7	28.7	Sand-Silt-Clay
69A	11	5	68.0	31.4	42.3	26.3	Sand-Silt-Clay
69A	11	6	60.0	21.6	46.2	32.3	Sand-Silt-Clay
70	1	2	6.0	2.5	30.7	66.8	Silty Clay
70	1	3	18.0	3.0	29.9	67.1	Silty Clay
70	1	4	18.0	4.6	39.9	55.5	Silty Clay
70	1	5	10.0	4.1	26.2	69.6	Silty Clay
70	1	6	31.0	3.9	26.6	69.5	Silty Clay
70	3	1	37.0	7.3	36.0	56.7	Silty Clay
70	3	2	17.0	7.3	26.5	66.2	Silty Clay
70	3	3	10.0	2.9	31.5	65.6	Silty Clay
70	3	4	14.0	4.5	27.5	68.0	Silty Clay
70	3	5	94.0	2.5	50.9	46.5	Clayey Silt
70	3	6	3.0	6.2	35.8	58.0	Silty Clay
70	4	1	32.0	7.0	33.4	59.7	Silty Clay
70	4	2	14.0	11.4	38.2	50.4	Silty Clay
70	4	3	4.0	3.5	24.6	71.9	Silty Clay
70	4	4	10.0	3.4	38.9	57.7	Silty Clay
70	4	5	4.0	5.2	27.9	66.9	Silty Clay
70	5	1	6.0	5.5	45.1	49.4	Silty Clay
70	5	2	26.0	1.9	50.0	48.0	Clayey Silt
70	5	3	17.0	16.3	43.6	40.1	Clayey Silt
70	5	4	81.0	13.6	38.6	47.8	Silty Clay
70	5	5	20.0	22.4	36.6	41.0	Sand-Silt-Clay
70	5	5	105.0	18.3	40.3	41.4	Silty Clay
70	5	6	33.0	17.0	40.5	42.5	Silty Clay
70	6	1	40.0	6.6	45.9	47.5	Silty Clay
70	6	2	18.0	2.0	64.8	33.2	Clayey Silt
70	6	3	50.0	3.0	63.2	33.8	Clayey Silt
70	6	4	65.0	2.9	56.3	40.8	Clayey Silt
70	6	5	30.0	1.4	56.1	42.5	Clayey Silt
70	6	6	18.0	2.4	64.1	33.5	Clayey Silt
70	7	1	33.0	4.3	52.5	43.2	Clayey Silt
70	7	2	62.0	1.3	45.8	52.9	Silty Clay
70	7	3	54.0	3.5	52.4	44.1	Clayey Silt
70	7	4	83.0	6.5	14.3	79.2	Clay
70	7	5	96.0	2.2	59.4	38.4	Clayey Silt
70	7	6	8.0	2.1	49.9	47.9	Clayey Silt

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
70	8	1	7.0	3.9	46.9	49.2	Silty Clay
70	8	2	16.0	1.5	54.6	43.9	Clayey Silt
70	8	3	70.0	0.6	42.9	56.5	Silty Clay
70	8	4	51.0	0.7	45.6	53.7	Silty Clay
70	8	5	5.0	2.6	40.3	57.1	Silty Clay
70	8	6	5.0	2.8	42.1	55.2	Silty Clay
70	9	5	20.0	3.4	46.2	50.4	Silty Clay
70	10	1	38.0	0.9	35.4	63.7	Silty Clay
70	10	3	87.0	1.6	35.3	63.1	Silty Clay
70	10	4	108.0	2.3	48.2	49.5	Silty Clay
70	10	5	14.0	0.6	45.1	54.3	Silty Clay
70	10	6	10.0	1.2	46.3	52.5	Silty Clay
70	11	5	25.0	0.9	39.1	60.0	Silty Clay
70	11	6	24.0	1.2	31.2	67.6	Silty Clay
70	12	2	5.0	1.3	31.1	67.6	Silty Clay
70	12	3	6.0	1.2	32.1	66.7	Silty Clay
70	12	4	123.0	2.5	54.1	43.4	Clayey Silt
70	12	5	38.0	1.2	51.3	47.5	Clayey Silt
70A	1	2	15.0	2.8	36.6	60.6	Silty Clay
70A	1	2	40.0	1.3	47.4	51.3	Silty Clay
70A	1	3	62.0	3.3	52.8	43.9	Clayey Silt
70A	1	4	80.0	0.8	50.6	48.6	Clayey Silt
70A	1	5	45.0	4.1	52.7	43.2	Clayey Silt
70A	1	6	48.0	3.0	73.4	23.7	Clayey Silt
70A	2	4	9.0	3.7	51.7	44.5	Clayey Silt
70A	2	5	35.0	1.7	42.3	56.1	Silty Clay
70A	2	6	72.0	1.2	54.1	44.7	Clayey Silt
70A	4	2	66.0	1.1	47.1	51.8	Silty Clay
70A	4	3	50.0	1.3	49.8	48.8	Clayey Silt
70A	4	5	25.0	1.3	50.5	48.2	Clayey Silt
70A	4	6	20.0	1.1	39.5	59.5	Silty Clay
70A	5	6	20.0	1.6	35.5	62.9	Silty Clay
70A	6	1	10.0	1.8	39.4	58.8	Silty Clay
70A	6	4	20.0	1.3	40.4	58.3	Silty Clay
70A	6	5	23.0	2.1	46.2	51.6	Silty Clay
70A	6	6	20.0	1.4	50.9	47.7	Clayey Silt
70A	7	4	20.0	1.2	41.0	57.7	Silty Clay
70A	7	5	20.0	2.4	48.1	49.5	Silty Clay
70A	8	4	20.0	1.2	46.2	52.6	Silty Clay
70A	8	5	20.0	1.0	46.6	52.4	Silty Clay
70A	8	6	20.0	1.9	46.9	51.2	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
70A	9	2	10.0	2.3	37.2	60.4	Silty Clay
70A	9	3	70.0	1.4	50.7	47.9	Clayey Silt
70A	9	4	32.0	2.9	42.3	54.7	Silty Clay
70A	10	2	15.0	3.3	43.1	53.6	Silty Clay
70A	10	2	35.0	3.4	43.2	53.3	Silty Clay
70A	10	3	18.0	1.8	36.0	62.2	Silty Clay
70A	10	4	56.0	2.1	43.7	54.2	Silty Clay
70A	10	5	32.0	1.3	36.3	62.4	Silty Clay
70A	11	2	10.0	1.0	30.5	68.5	Silty Clay
70A	11	3	20.0	1.4	29.3	69.3	Silty Clay
70A	11	4	17.0	1.5	25.3	73.2	Silty Clay
70A	11	5	20.0	0.9	40.3	58.8	Silty Clay
70A	12	1	20.0	1.7	38.5	59.9	Silty Clay
70A	12	2	20.0	0.8	33.7	65.4	Silty Clay
70A	12	3	20.0	0.5	37.4	62.1	Silty Clay
70A	12	4	70.0	1.2	38.2	60.6	Silty Clay
70A	13	2	40.0	1.0	35.5	63.5	Silty Clay
70A	13	4	80.0	0.8	32.0	67.2	Silty Clay
70A	14	2	28.0	1.1	40.3	58.7	Silty Clay
70A	14	3	20.0	1.2	39.2	59.7	Silty Clay
70A	15	1	96.0	1.6	30.6	67.8	Silty Clay
70A	15	3	40.0	0.4	38.4	61.2	Silty Clay
70A	15	4	33.0	1.3	26.0	72.7	Silty Clay
70A	16	2	60.0	0.5	30.4	69.1	Silty Clay
70A	17	2	20.0	0.6	37.3	62.1	Silty Clay
70A	17	3	20.0	0.4	28.8	70.8	Silty Clay
70A	17	4	20.0	0.6	38.7	60.8	Silty Clay
70A	18	1	20.0	1.1	31.3	67.6	Silty Clay
70A	18	2	20.0	0.9	31.3	67.8	Silty Clay
70A	19	2	20.0	2.3	41.8	55.9	Silty Clay
70A	19	3	20.0	3.1	40.0	56.9	Silty Clay
70A	22	2	20.0	0.5	47.5	52.0	Silty Clay
70A	22	3	20.0	0.7	49.1	50.2	Silty Clay
70A	23	2	20.0	1.5	37.3	61.2	Silty Clay
70A	24	2	20.0	1.1	35.7	63.2	Silty Clay
70A	24	3	20.0	1.3	41.5	57.2	Silty Clay
70A	25	2	20.0	1.8	49.5	48.7	Clayey Silt
70A	25	3	20.0	1.7	48.0	50.2	Silty Clay
70A	27	3	40.0	16.0	56.4	27.5	Clayey Silt
70A	28	1	30.0	3.0	54.4	42.5	Clayey Silt
71	1	1	53.0	9.0	39.8	51.2	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
71	1	2	30.0	19.7	30.8	49.5	Silty Clay
71	2	3	17.0	5.6	47.8	46.6	Clayey Silt
71	2	4	50.0	8.0	54.8	37.2	Clayey Silt
71	2	5	17.0	4.8	38.8	56.4	Silty Clay
71	3	1	10.0	5.6	38.9	55.4	Silty Clay
71	3	2	17.0	5.3	40.2	54.5	Silty Clay
71	3	3	15.0	5.5	40.8	53.7	Silty Clay
71	3	4	10.0	2.7	36.1	61.2	Silty Clay
71	3	5	10.0	4.1	42.9	53.0	Silty Clay
71	4	1	28.0	3.7	37.6	58.7	Silty Clay
71	4	2	10.0	1.5	34.3	64.1	Silty Clay
71	4	3	28.0	2.4	34.8	62.7	Silty Clay
71	4	4	20.0	2.4	37.5	60.1	Silty Clay
71	4	5	14.0	2.6	38.9	58.5	Silty Clay
71	5	4	60.0	2.4	31.5	66.1	Silty Clay
71	5	5	32.0	2.5	39.6	57.8	Silty Clay
71	5	6	30.0	2.5	30.2	67.3	Silty Clay
71	6	1	25.0	2.7	24.4	72.9	Silty Clay
71	6	3	24.0	1.9	26.3	71.8	Silty Clay
71	6	4	7.0	2.5	26.6	70.9	Silty Clay
71	6	5	10.0	2.3	24.1	73.6	Silty Clay
71	7	1	19.0	3.4	35.2	61.3	Silty Clay
71	7	2	20.0	4.5	33.0	62.5	Silty Clay
71	7	3	10.0	2.8	39.5	57.7	Silty Clay
71	7	4	16.0	3.4	29.5	67.0	Silty Clay
71	7	5	10.0	7.0	34.0	59.1	Silty Clay
71	7	6	40.0	2.9	31.6	65.6	Silty Clay
71	8	1	10.0	3.7	36.8	59.5	Silty Clay
71	8	2	20.0	2.8	33.2	64.0	Silty Clay
71	8	5	24.0	1.3	34.4	64.2	Silty Clay
71	9	1	20.0	1.5	38.5	60.0	Silty Clay
71	9	2	20.0	2.8	32.8	64.3	Silty Clay
71	9	3	20.0	1.6	29.9	68.5	Silty Clay
71	9	4	20.0	2.0	33.0	65.0	Silty Clay
71	9	5	20.0	3.7	35.3	61.1	Silty Clay
71	10	1	20.0	0.8	36.9	62.3	Silty Clay
71	10	2	20.0	1.1	30.9	68.1	Silty Clay
71	10	3	20.0	0.8	30.4	68.8	Silty Clay
71	10	4	21.0	1.1	33.7	65.2	Silty Clay
71	10	5	20.0	4.3	38.2	57.5	Silty Clay
71	10	6	3.0	2.5	35.6	61.9	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
71	11	4	12.0	2.3	30.3	67.4	Silty Clay
71	11	5	20.0	1.9	27.6	70.5	Silty Clay
71	12	1	45.0	3.5	28.8	67.6	Silty Clay
71	12	2	20.0	5.9	30.0	64.0	Silty Clay
71	12	4	38.0	7.1	32.3	60.7	Silty Clay
71	12	5	16.0	1.9	29.6	68.5	Silty Clay
71	13	1	20.0	3.3	32.8	63.9	Silty Clay
71	13	3	20.0	3.8	34.1	62.1	Silty Clay
71	13	5	10.0	5.1	31.9	63.0	Silty Clay
71	14	1	70.0	0.3	6.3	93.3	Clay
71	14	3	30.0	0.5	5.6	94.0	Clay
71	14	5	20.0	0.4	7.0	92.6	Clay
71	15	5	20.0	3.3	32.0	64.7	Silty Clay
71	17	3	25.0	3.4	26.2	70.4	Silty Clay
71	17	4	20.0	4.3	35.9	59.8	Silty Clay
71	17	5	20.0	2.4	43.7	53.9	Silty Clay
71	17	6	30.0	10.1	38.2	51.8	Silty Clay
71	18	3	35.0	6.3	31.7	62.0	Silty Clay
71	18	4	20.0	5.5	36.0	58.4	Silty Clay
71	20	2	40.0	9.2	29.6	61.2	Silty Clay
71	20	6	35.0	5.4	37.4	57.2	Silty Clay
71	21	2	40.0	0.9	90.3	8.8	Silt
71	21	4	32.0	11.3	44.6	44.1	Clayey Silt
71	21	6	10.0	12.9	42.1	45.0	Silty Clay
71	22	2	34.0	11.2	42.3	46.5	Silty Clay
71	22	4	20.0	3.8	42.7	53.4	Silty Clay
71	22	6	20.0	7.1	46.8	46.0	Clayey Silt
71	23	3	20.0	10.0	50.6	39.4	Clayey Silt
71	23	4	20.0	6.7	44.7	48.6	Silty Clay
71	23	6	20.0	4.5	39.7	55.9	Silty Clay
71	24	3	20.0	3.5	48.8	47.7	Clayey Silt
71	24	4	14.0	3.1	51.5	45.4	Clayey Silt
71	24	6	20.0	5.7	44.3	50.0	Silty Clay
71	25	3	15.0	7.7	48.8	43.6	Clayey Silt
71	25	5	12.0	3.4	49.8	46.7	Clayey Silt
71	26	2	10.0	2.1	45.4	52.5	Silty Clay
71	28	4	20.0	3.1	44.4	52.5	Silty Clay
71	26	6	20.0	2.5	47.1	50.4	Silty Clay
71	28	4	20.0	2.0	45.3	52.7	Silty Clay
71	28	6	20.0	4.9	39.1	56.1	Silty Clay
71	29	3	30.0	11.0	52.4	36.7	Clayey Silt

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
71	29	5	35.0	4.9	48.8	46.3	Clayey Silt
71	30	2	20.0	5.8	47.9	46.2	Clayey Silt
71	30	4	14.0	4.1	44.0	51.9	Silty Clay
71	30	6	126.0	2.8	38.5	58.7	Silty Clay
71	31	2	130.0	2.4	35.3	62.3	Silty Clay
71	31	4	44.0	5.3	40.9	53.8	Silty Clay
71	31	6	10.0	5.2	40.8	54.0	Silty Clay
71	32	2	12.0	1.9	42.9	55.1	Silty Clay
71	32	4	12.0	0.6	41.0	58.4	Silty Clay
71	32	6	34.0	3.8	43.1	53.1	Silty Clay
71	33	5	4.0	4.2	38.0	57.8	Silty Clay
71	33	6	40.0	4.4	38.6	57.0	Silty Clay
71	34	2	50.0	6.7	41.9	51.4	Silty Clay
71	34	4	30.0	3.2	41.5	55.3	Silty Clay
71	34	6	20.0	4.0	45.8	50.2	Silty Clay
71	35	2	14.0	8.5	38.6	52.9	Silty Clay
71	35	4	20.0	3.6	41.2	55.2	Silty Clay
71	35	6	20.0	3.0	41.2	55.8	Silty Clay
71	36	2	20.0	1.4	44.4	54.2	Silty Clay
71	36	4	10.0	2.7	36.8	60.5	Silty Clay
71	36	6	20.0	2.9	40.5	56.6	Silty Clay
71	38	1	40.0	0.6	41.6	57.8	Silty Clay
71	38	2	16.0	1.2	43.8	55.0	Silty Clay
71	38	4	30.0	4.2	44.9	50.9	Silty Clay
71	38	6	55.0	2.3	35.8	61.9	Silty Clay
71	39	2	14.0	1.6	38.4	59.9	Silty Clay
71	40	1	35.0	2.2	45.5	52.3	Silty Clay
71	40	2	60.0	2.2	41.1	56.7	Silty Clay
71	40	3	19.0	2.2	44.1	53.7	Silty Clay
71	40	5	20.0	2.3	37.9	59.8	Silty Clay
71	40	6	23.0	1.6	42.0	56.4	Silty Clay
71	42	1	35.0	3.8	46.0	50.2	Silty Clay
71	42	2	30.0	1.2	47.2	51.6	Silty Clay
71	42	3	12.0	1.3	44.4	54.3	Silty Clay
71	42	4	12.0	1.3	47.3	51.5	Silty Clay
71	42	5	8.0	0.6	39.9	59.5	Silty Clay
71	42	6	20.0	1.7	43.0	55.3	Silty Clay
71	43	2	18.0	1.5	44.6	54.0	Silty Clay
71	43	3	20.0	1.3	51.9	46.8	Clayey Silt
71	44	1	64.0	1.5	46.5	52.0	Silty Clay
71	44	2	13.0	0.7	42.9	56.4	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
71	44	3	20.0	0.9	45.4	53.7	Silty Clay
71	44	4	22.0	0.8	45.5	53.7	Silty Clay
71	44	5	19.0	1.3	41.0	57.7	Silty Clay
71	44	6	17.0	0.6	40.7	58.7	Silty Clay
71	46	1	55.0	2.6	37.6	59.9	Silty Clay
71	46	2	20.0	2.8	38.2	59.0	Silty Clay
71	46	3	20.0	2.2	38.2	59.6	Silty Clay
71	46	4	19.0	1.4	41.5	57.2	Silty Clay
71	46	5	20.0	8.2	38.2	53.6	Silty Clay
71	46	6	20.0	7.1	46.2	46.7	Silty Clay
71	47	2	20.0	7.0	60.5	32.5	Clayey Silt
71	47	3	20.0	2.7	53.4	43.9	Clayey Silt
71	47	4	20.0	5.8	40.9	53.3	Silty Clay
71	47	5	20.0	6.8	44.8	48.4	Silty Clay
71	48	2	20.0	3.9	44.8	51.2	Silty Clay
71	48	3	20.0	4.0	48.0	47.9	Clayey Silt
72	1	2	11.0	10.4	20.6	69.0	Silty Clay
72	1	3	10.0	7.1	15.9	77.0	Clay
72	1	6	8.0	6.2	18.3	75.5	Clay
72	2	1	100.0	4.7	23.2	72.1	Silty Clay
72	2	2	14.0	5.3	22.4	72.4	Silty Clay
72	2	3	20.0	1.8	22.8	75.4	Clay
72	2	4	16.0	2.6	27.7	69.6	Silty Clay
72	2	5	20.0	1.4	25.5	73.1	Silty Clay
72	2	6	15.0	1.9	23.0	75.1	Clay
72	3	1	18.0	1.7	16.6	81.7	Clay
72	3	3	17.0	2.1	20.7	77.3	Clay
72	3	4	9.0	2.0	23.9	74.1	Silty Clay
72	3	5	21.0	1.1	19.6	79.3	Clay
72	3	6	11.0	2.0	21.5	76.5	Clay
72	4	1	40.0	2.2	35.4	62.4	Silty Clay
72	4	2	11.0	1.3	30.1	68.6	Silty Clay
72	4	3	17.0	2.0	27.7	70.3	Silty Clay
72	4	4	20.0	2.4	31.2	66.4	Silty Clay
72	4	5	11.0	1.7	32.8	65.5	Silty Clay
72	4	6	13.0	2.4	33.5	64.1	Silty Clay
72	5	1	10.0	2.6	40.5	56.9	Silty Clay
72	5	2	17.0	2.3	50.9	46.8	Clayey Silt
72	5	3	27.0	3.8	42.8	53.4	Silty Clay
72	5	5	17.0	2.6	46.8	50.7	Silty Clay
72	5	6	22.0	4.4	44.0	51.6	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
72	6	1	27.0	0.3	39.4	60.3	Silty Clay
72	6	2	36.0	0.2	42.3	57.5	Silty Clay
72	6	3	10.0	0.2	45.4	54.4	Silty Clay
72	6	4	20.0	0.6	46.8	52.6	Silty Clay
72	6	5	15.0	0.4	52.4	47.2	Clayey Silt
72	6	6	13.0	0.9	53.9	45.2	Clayey Silt
72	7	1	5.0	1.0	52.6	46.4	Clayey Silt
72	7	2	5.0	4.4	48.1	47.5	Clayey Silt
72	7	3	10.0	2.8	48.6	48.6	Silty Clay
72	7	4	20.0	4.0	46.1	50.0	Silty Clay
72	7	5	5.0	3.6	47.7	48.7	Silty Clay
72	7	6	5.0	3.6	44.4	52.0	Silty Clay
72	8	2	78.0	1.3	49.1	49.6	Silty Clay
72	8	5	10.0	4.3	48.5	47.2	Clayey Silt
72	8	6	10.0	2.8	48.5	48.6	Silty Clay
72	9	2	10.0	2.8	51.4	45.8	Clayey Silt
72	9	3	10.0	1.0	49.4	49.6	Silty Clay
72	9	4	12.0	1.3	44.4	54.3	Silty Clay
72	9	5	5.0	0.2	42.6	57.2	Silty Clay
72	9	6	50.0	4.1	50.1	45.8	Clayey Silt
72	10	3	7.0	5.0	48.6	46.4	Clayey Silt
72	10	5	117.0	5.2	52.1	42.7	Clayey Silt
72	11	1	34.0	2.5	39.7	57.8	Silty Clay
72A	1	1	132.0	12.2	18.4	69.4	Silty Clay
72A	1	2	5.0	8.8	21.1	70.1	Silty Clay
72A	1	3	10.0	11.6	28.3	60.1	Silty Clay
72A	1	4	2.0	17.7	19.0	63.3	Silty Clay
72A	2	1	5.0	5.1	18.1	76.8	Clay
72A	2	2	5.0	10.3	23.4	66.3	Silty Clay
72A	2	3	15.0	6.0	21.7	72.3	Silty Clay
72A	2	4	12.0	2.6	18.8	78.7	Clay
72A	2	5	15.0	8.5	24.3	67.2	Silty Clay
72A	3	2	12.0	8.1	23.1	68.8	Silty Clay
72A	3	3	7.0	3.1	21.7	75.2	Clay
72A	3	4	5.0	8.9	21.6	69.5	Silty Clay
72A	3	5	10.0	7.4	21.3	71.3	Silty Clay
72A	4	1	35.0	7.7	53.0	39.3	Clayey Silt
72A	4	2	2.0	5.9	20.5	73.6	Silty Clay
72A	4	3	10.0	7.2	21.6	71.2	Silty Clay
72A	4	4	46.0	6.5	21.3	72.1	Silty Clay
72A	4	6	71.0	7.7	27.9	64.4	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
72A	5	1	60.0	9.1	23.7	67.2	Silty Clay
72A	5	2	5.0	9.6	20.5	69.9	Silty Clay
72A	5	3	5.0	6.9	23.1	69.9	Silty Clay
72A	5	4	5.0	10.5	22.3	67.2	Silty Clay
72A	5	5	10.0	3.9	24.2	71.9	Silty Clay
72A	5	6	8.0	3.2	20.6	76.2	Clay
72A	6	1	5.0	3.6	22.2	74.2	Silty Clay
72A	6	3	10.0	2.0	27.4	70.6	Silty Clay
72A	6	4	30.0	3.5	21.6	75.0	Silty Clay
72A	6	5	10.0	5.2	24.2	70.6	Silty Clay
72A	6	6	25.0	1.8	24.1	74.1	Silty Clay
73	1	1	10.0	11.7	42.6	45.8	Silty Clay
73	1	2	85.0	7.5	31.3	61.2	Silty Clay
73	2	1	20.0	12.2	29.7	58.2	Silty Clay
73	2	2	10.0	6.7	26.6	66.8	Silty Clay
73	2	3	20.0	10.4	17.4	72.1	Silty Clay
73	2	4	15.0	5.0	22.0	72.9	Silty Clay
73	2	5	30.0	7.0	22.9	70.1	Silty Clay
73	3	2	30.0	10.9	16.1	73.0	Silty Clay
73	3	3	20.0	9.9	31.3	58.8	Silty Clay
73	3	4	20.0	12.6	24.3	63.1	Silty Clay
73	3	5	20.0	11.6	30.2	58.2	Silty Clay
73	3	6	16.0	8.7	20.7	70.6	Silty Clay
73	4	1	20.0	8.8	30.5	60.7	Silty Clay
73	4	2	20.0	10.2	27.6	62.2	Silty Clay
73	4	3	10.0	8.3	26.7	65.0	Silty Clay
73	4	4	20.0	6.3	21.9	71.8	Silty Clay
73	4	5	20.0	4.2	19.1	76.8	Clay
73	4	6	20.0	4.8	28.6	66.6	Silty Clay
73	5	2	20.0	4.4	23.5	72.1	Silty Clay
73	5	3	20.0	4.1	3.5	92.4	Clay
73	5	6	20.0	13.4	32.5	54.1	Silty Clay
73	6	3	20.0	7.6	37.7	54.7	Silty Clay
73	6	5	20.0	4.7	29.2	66.2	Silty Clay
73	6	6	20.0	4.2	36.8	59.0	Silty Clay
73	7	1	20.0	12.5	36.6	50.9	Silty Clay
73	7	4	20.0	3.8	33.3	62.9	Silty Clay
73	7	5	30.0	5.0	40.5	54.5	Silty Clay
73	7	6	20.0	11.7	32.0	56.3	Silty Clay
73	8	1	15.0	5.2	38.9	55.9	Silty Clay
73	8	2	20.0	3.7	36.6	59.8	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
73	8	3	20.0	15.6	32.5	51.8	Silty Clay
73	8	4	10.0	8.3	34.2	57.5	Silty Clay
73	8	5	20.0	3.7	43.1	53.2	Silty Clay
73	8	6	20.0	17.9	40.6	41.5	Silty Clay
73	9	2	20.0	10.8	40.0	49.2	Silty Clay
73	9	3	20.0	5.9	42.6	51.5	Silty Clay
73	9	4	10.0	7.0	43.5	49.5	Silty Clay
73	9	5	20.0	7.2	47.4	45.4	Clayey Silt
73	9	6	10.0	1.6	39.5	58.9	Silty Clay
73	10	0	20.0	11.0	37.6	51.5	Silty Clay
73	10	2	20.0	1.5	44.2	54.3	Silty Clay
73	10	3	20.0	1.2	44.1	54.7	Silty Clay
73	10	4	20.0	1.8	33.1	65.2	Silty Clay
73	10	5	20.0	1.8	40.1	58.1	Silty Clay
73	10	6	20.0	2.1	48.2	49.7	Silty Clay
73	11	1	30.0	1.5	49.4	49.1	Clayey Silt
73	11	2	20.0	1.4	48.0	50.5	Silty Clay
73	11	3	20.0	1.8	35.3	62.9	Silty Clay
73	11	4	20.0	1.7	44.5	53.8	Silty Clay
73	11	5	20.0	2.1	41.1	56.9	Silty Clay
73	11	6	10.0	2.2	45.2	52.6	Silty Clay
73	12	1	20.0	1.4	55.3	43.3	Clayey Silt
73	12	2	20.0	0.8	52.0	47.3	Clayey Silt
73	12	3	20.0	1.5	51.9	46.7	Clayey Silt
73	12	4	20.0	1.2	49.1	49.6	Silty Clay
73	12	5	20.0	1.5	52.5	46.0	Clayey Silt
73	12	6	20.0	1.1	55.7	43.2	Clayey Silt
73	13	1	20.0	1.7	50.1	48.2	Clayey Silt
73	13	2	20.0	1.2	52.1	46.7	Clayey Silt
73	13	3	20.0	1.6	53.2	45.2	Clayey Silt
73	13	4	20.0	0.9	61.5	37.7	Clayey Silt
73	13	5	20.0	0.5	56.5	43.0	Clayey Silt
73	14	1	20.0	1.0	35.0	64.0	Silty Clay
73	14	2	20.0	1.2	40.8	57.9	Silty Clay
73	14	3	20.0	0.9	40.7	58.4	Silty Clay
73	14	4	20.0	1.2	41.1	57.7	Silty Clay
73	14	6	20.0	1.3	42.8	55.9	Silty Clay
73	15	1	45.0	0.5	30.3	69.2	Silty Clay
73	15	2	20.0	1.2	32.6	68.6	Silty Clay
73	15	3	20.0	0.5	32.2	67.3	Silty Clay
73	15	4	20.0	0.0	31.0	69.0	Silty Clay

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
73	15	5	20.0	1.1	35.2	63.7	Silty Clay
73	15	6	20.0	0.8	32.3	66.9	Silty Clay
73	16	1	20.0	1.0	35.2	63.9	Silty Clay
73	16	2	20.0	1.7	43.5	54.8	Silty Clay
73	16	3	20.0	2.4	39.6	58.0	Silty Clay
73	16	4	20.0	1.4	37.0	61.6	Silty Clay
73	16	5	20.0	2.1	42.4	55.5	Silty Clay
73	16	6	20.0	2.0	44.3	53.8	Silty Clay
73	17	1	40.0	1.7	37.4	60.9	Silty Clay
73	17	2	20.0	1.7	40.5	57.7	Silty Clay
73	17	3	20.0	3.3	46.9	49.8	Silty Clay
73	17	4	20.0	3.3	43.0	53.7	Silty Clay
73	17	5	20.0	2.2	43.7	54.1	Silty Clay
73	17	6	20.0	2.3	39.6	58.1	Silty Clay
73	18	4	20.0	4.6	41.0	54.4	Silty Clay
73	18	5	20.0	3.5	40.0	56.5	Silty Clay
73	18	6	20.0	7.1	42.4	50.4	Silty Clay
73	19	1	20.0	4.9	36.5	58.6	Silty Clay
73	19	2	20.0	4.3	40.1	55.6	Silty Clay
73	19	3	20.0	3.6	41.2	55.2	Silty Clay
73	19	4	20.0	3.9	48.2	47.9	Clayey Silt
73	19	5	30.0	4.2	51.3	44.5	Clayey Silt
73	19	6	20.0	4.7	45.4	49.8	Silty Clay
73	20	4	20.0	1.6	44.8	53.7	Silty Clay
73	20	5	20.0	1.6	47.1	51.2	Silty Clay
74	1	1	60.0	3.7	39.0	57.4	Silty Clay
74	1	2	20.0	10.7	32.2	57.1	Silty Clay
74	1	3	20.0	0.8	36.8	62.4	Silty Clay
74	1	4	20.0	1.5	33.3	65.2	Silty Clay
74	1	5	20.0	3.2	36.0	60.8	Silty Clay
74	1	6	20.0	1.4	36.1	62.5	Silty Clay
74	2	1	65.0	1.0	35.1	64.0	Silty Clay
74	2	2	20.0	2.3	45.6	52.2	Silty Clay
74	2	3	20.0	1.0	47.7	51.3	Silty Clay
74	3	1	75.0	2.5	50.4	47.1	Clayey Silt
74	3	2	20.0	1.2	44.1	54.6	Silty Clay
74	3	3	20.0	5.7	48.6	45.6	Clayey Silt
74	3	4	20.0	1.4	51.4	47.2	Clayey Silt
74	3	5	20.0	1.8	48.6	49.6	Silty Clay
74	4	1	30.0	6.7	53.3	40.0	Clayey Silt
74	4	2	20.0	0.5	51.7	47.8	Clayey Silt

Hole	Core	Section	Interval	Per Cent Sand	Per Cent Silt	Per Cent Clay	Classification
74	4	3	20.0	0.2	46.6	53.2	Silty Clay
74	4	4	20.0	0.4	40.7	58.9	Silty Clay
74	4	5	20.0	0.4	51.9	47.7	Clayey Silt
74	5	1	40.0	1.0	48.5	50.5	Silty Clay
74	5	2	20.0	2.0	44.7	53.3	Silty Clay
74	5	3	20.0	0.5	50.7	48.8	Clayey Silt
74	5	4	20.0	2.9	50.6	46.5	Clayey Silt
74	5	5	20.0	1.7	50.5	47.8	Clayey Silt
74	6	1	20.0	0.9	46.1	52.9	Silty Clay
74	6	2	20.0	0.4	43.5	56.1	Silty Clay
74	6	3	20.0	0.2	48.5	51.4	Silty Clay
74	6	3	70.0	0.4	48.1	51.5	Silty Clay
74	6	4	20.0	0.8	44.8	54.4	Silty Clay
74	6	5	20.0	0.6	47.2	52.2	Silty Clay
74	6	6	20.0	0.2	45.4	54.3	Silty Clay
74	7	2	20.0	0.4	47.2	52.4	Silty Clay
74	7	3	20.0	0.2	48.6	51.2	Silty Clay
74	7	4	20.0	0.2	44.0	55.8	Silty Clay
74	7	5	20.0	0.3	48.8	50.9	Silty Clay
74	8	2	20.0	0.2	39.1	60.7	Silty Clay
74	8	3	20.0	0.1	31.5	68.4	Silty Clay
74	9	2	20.0	0.2	41.1	58.6	Silty Clay
74	9	3	20.0	0.2	46.5	53.2	Silty Clay
74	9	4	20.0	0.1	45.1	54.8	Silty Clay
74	9	5	20.0	0.4	35.8	63.8	Silty Clay
74	9	6	20.0	0.6	41.4	58.0	Silty Clay