

INDEX

- Abyssal sedimentation, 376
environment, 845
Acanthodiscus antarcticus Zone, 915
Acoustic character, 1123
Acoustically transparent sediments, 200, 237, 283, 375
Acritarchs, 726
Adeoniform bryozoa, 809
Admiralty intrusives, 1120
Age determinations, basis for, 10
Agglutinated, foraminifera, 370
paleocene, 833
systematic paleontology, 833
Algae, colonial, 26
Alpine fault, 202
Amuri limestone, 1062
Analyses for rare-earth elements in basalt, 1103
Analytical methods, clay mineralogy, 1077
Anaulus subantarcticus Zone, 923
Antarctic
bottom water, 19, 1156, 1163, 1164
convergence, 19, 122, 125, 202, 479, 757, 1040, 1084,
1150, 1152, 1167
deglaciation, 327
glaciation, 3, 19, 743, 754, 759, 780, 1042, 1161, 1162,
1164, 1167
ice sheet, 743, 750, 751, 752, 779, 780, 801, 805
effects of, 801
formation of, 752
influence, 1081
paleooceanography and glaciation, 1164
paleomagnetic history, 3
rifting,
from Australia 225, 275, 284, 317, 330, 1077, 1135
from Tasmania 272, 555
Antipodes fracture Zone, 38
Archaemonads, 873
Late Cretaceous, 873
late Eocene, 876
Miocene and Pliocene, 876
Oligocene, 876
systematic paleontology, 876
Auckland Island, 21
Australia, 330, 323
and Antarctica, rifting between 225, 275, 284, 317,
330, 1077, 1135
Australian pole positions, 751
B. climata Zone-*P. striata* Zone, 374
Basalt, 321, 369
analyses for rare-earth elements, 1103
classification of, 1100
Site 278, 1097, 1103
Site 279, 196, 1103, 1097, 1103, 1105
Site 280, 231, 1099, 1104
Site 282, 318, 1100, 1104
Site 283, 366, 1100
Basic volcanic activity, 321, 330
Basin margin, 238
Basis for age determinations, 10
foraminifera, 12
nannofossils, 12
Bedded subfacies, 1059, 1149
Benthonic foraminifera, 1163
Biddulphia sparsepunctata Zone, 923
Biogenic productivity, Antarctic Convergence, 3, 132
Biological productivity, 125
Biostratigraphic hiatuses, 277
Biostratigraphic investigations, paleooceanography
and, 4
Biostratigraphic sequence, Cenozoic, Subantarctic, 192
Biostratigraphic zonation, 3
Biostratigraphy, nannofossils, 469
Paleocene planktonic, foraminifera, 769
Site 275, 23
Site 276, 41
Site 277, 48
Site 278, 126
Site 279, 197
Site 280, 232
Site 281, 276
Site 282, 323
Site 283, 369
Site 284, 406
Bioturbation, 196, 368
Blackites rectus Zone, 281
Botryoidal glauconite, 22
Bottom currents, 23, 27, 121, 125, 132, 327, 376, 1039,
1136, 1138, 1161
high velocity, 239
Bottom water, 19, 126, 201, 239, 366, 780, 1041
circulation, 238
production, 759
Boundary current, 20, 27
weak, 1143
western, 41
Bounty Island, 21
Braarudosphaeraceae, 477
Breccia, 275
Brunhes-Matuyama paleomagnetic epoch boundary,
132
Bryozoa, adeoniform, 809
affinities with Australian faunas, 812
catenicelliform, 809
cellariiform, 809
late Miocene, 809
late Pleistocene, 809
Site 282, 809
species diversity, late Miocene and late Pleistocene,
809
vinculariiform, 809
zoarial types, 809

- Bulk density of sediments, 6
 Burrow mottling, 23, 320, 321, 1049, 1050, 1056, 1060, 1148, 1151
 Burrows, 125, 368
 Butt formation, 1062
 Calcareous facies, 1150
 Calcium carbonate compensation depth, SEE: Carbonate compensation depth
 Calcium carbonate solution, 1164
 Camp cove conglomerate, 21
 Campbell Island, 21, 23, 1147, 1151
 Campbell Plateau, 19, 23, 27, 38, 913, 1083, 1150, 1151, 1152, 1157, 1160, 1164, 1166, 1167
 crustal structure, 1139
 region, 1138
 Campbell Plateau-Bounty Basin, 1124
Cannartus petterssoni Zone, 559
 Carbonate compensation depth, 231, 238, 369, 376, 479, 754, 806, 1056, 1077
 Catenicelliform bryozoa, 809
 Cellariiform bryozoa, 809
 Cenozoic, 19
 Antarctic glaciations, 1043
 biostratigraphic sequence, 45, 192
 deep water temperatures, 752
 foraminifera biostratigraphy, 449
 high latitude surface temperature, 751
 Mesozoic boundary, 56
 paleocirculation, 285
 paleotemperature, 743
 Radiolaria, 544
Cerataulus-odontotropis Zone, 923
 Challenger Plateau, 403, 1151
Chasea ornata Zone, 923
 Chatham Rise, 21
 Chemical precipitation features, 1039
 Chemical analysis, manganese nodules, 1083
 Chemical etching, 1039
 Chemical weathering, 1041
 Chert, 1084, 1151
 Chert nodules, 48
 Chertification, 1149, 1150
Chiasmolithus oamaruensis Zone, 281, 372
 Chlorite, 1078, 1081
 Circum-Antarctic Current, 3, 731, 1082, 1155, 1156, 1157, 1158, 1160, 1164, 1167
 Circumpolar Current, 134, 202, 284, 285, 318, 330, 555, 1084
 Circumpolar flow, 239
 Classification of basalt, 1100
 Clay mineralogy, analytical methods, 1077
 Clay minerals, 1077, 1093
 Climate change, Eocene-Oligocene boundary, 752
 nannofossils as indicators of, 477
 Climatic cooling, Miocene, 198, 200
 Climatic conditions, Pleistocene, 323
 events, chronology of, 770
 variations, 201
 Clinoptilolite, 22
 Coccoliths SEE: nannofossils
Coccilithus pelagicus Zone, 52, 129, 199, 234, 279, 325, 408
 Coiling ratio, foraminifera, 771
 Colonial algae, 26
 Color designations, numerical, 7
 Complex point schist, 23, 1147
 series, 21
 Condensed sequence, 43
 Cooling, late Miocene-early Pliocene, 777
 late Iongaporutuan, 777
 Miocene, 198, 200
 Coprolites, 1093
 Coral and Tasman Sea regions, 1163
 Coral and Tasman Sea unconformity, 1161
 Coral Sea, 1159, 1166
Corbisema hastata Zone, 846
Corbisema hastata-C. Apiculata Zone, 684
 hexacantha Zone, 684
 spinosa Zone, 684
 triacantha Zone, 849
 Core forms, method of preparing, 7
 Cores, handling of, 6
 Cretaceous-Tertiary boundary, palynomorphs, 729
 Cristobolite, 22
 Crustal structure, Campbell Plateau, 1139
 Curie temperatures, 1111
 Currents
 bottom, 121, 125, 132, 327, 376, 1039, 1136, 1138, 1161
 circumpolar, 134, 285, 318
 mottles, 23
 turbidity, 1060
 western boundary, 366, 1066
Cyclicargolithus neogammation Zone, 130, 131, 200, 281
 reticulata to reticulofenestra hampdenensis interval, 54
 reticulata to reticulofenestra bisecta interval, 54
 Debris laden glacial icebergs, 41
 Deep oceanic environment, 321
 Deep-sea circulation, 1161
 Deep-sea erosion, 780, 1160, 1164, 1167
 Cenozoic, 4
 Deglaciation, antarctic, 327
 Depositional environments, 27, 237, 238, 1056
 Detrital sedimentation, 1077
 Detrital sand, 1151
 Diagenesis, 40, 231
 Diagenesis, nannofossils, 470
 Diatom, North Pacific diatom zone III, 851
 Diatoms,
 Acanthodiscus antarcticus Zone, 915
 Anaulus subantarcticus Zone, 923
 Bidulphia sparsepunctata Zone, 923
 Cerataulus-odontotropis Zone, 923
 Chasea ornata Zone, 923
 early Miocene, 132
 Epithelion russicum Zone, 923
 Horodiscus rugosus Zone, 923
 interval A, 372
 interval B, 372
 interval C, 372
 interval D, 372
 interval E, 372
 Kentrodiscus armatus Zone, 923
 late Eocene, 282

- late mid Miocene, 131
 late Miocene-early Pliocene, 131
 late Oligocene, 132
 late Pleistocene, 131, 282
 mid-Miocene, 131
 mid-Oligocene, 132
 middle Miocene, 200, 282
 middle Pliocene, 282
 Miocene to early Pliocene, 235
 north Pacific diatom zone III
 paleoecology, 923
 paleogeographic distribution, 924
 Pleistocene-recent flora, 200
 Pliocene, 131
 Pliocene-Pleistocene, 131
Pseudopyxilla jouseae Zone, 915
 reworked, 42
 Site 275, 24
 Site 276, 42
 Site 277, 55
 Site 278, 131
 Site 279, 200
 Site 280, 235
 Site 281, 282
 Site 282, 327
 Site 283, 372
 systematic paleontology, 924
 thanatocoenosis, 55
Dictyocha aculeata Zone, 683
deflandrei Zone, 847
fibula Zone, 850
frenguelli Subzone, 847
hexacantha Zone, 847
medusa Zone, 684
pseudofibula Zone, 850
 to *Distephanus* ratio, 56
Dictyocha/Distephanus ratio, 56, 132, 236, 282, 374, 677
 Differential solution, 751
 Dinoflagellates, 374, 1031
 Eocene and Oligocene, 731
 Site 280, 724
 Site 281, 726
 Site 282, 727
 Site 283, 728
 Upper Cretaceous, 1032
Discoaster barbadiensis Zone, 853
brouweri Zone, 408
deflandrei Zone, 130, 197, 200, 281, 326
multiradiatus interval, 55
multiradiatus to *Helolithus kleinpelli* interval, 55
quinqueramus Zone, 850
saipanensis Zone, 54
Discoasteroides kuepperi through *Discoaster multiradiatus* interval, 55
Discoasteroides kuepperi to *Reticulofenestra dictyoda* interval, 55
 Discoasters, 477
 Disconformities, 45, 47, 237, 410, 803, 1042, 1077
Distephanus octangulatus Zone, 853
crux Zone, 684
longispinus Zone, 850
octogonus Zone, 683
octonarius Zone, 850
speculum pentagonus Zone, 849
speculum speculum Zone, 850
 Dolomite rhombs, 273
 Drake Passage, 1155, 1167
 East Antarctic ice sheet, 743, 752
 Ebridians, 879
 late Eocene, 879
 Miocene, 879
 Oligocene, 879
 systematic paleontology, 879
 Endoskeletal dinoflagellates,
 Late Cretaceous, 882
 late Eocene, 882
 Miocene, 882
 Oligocene, 882
 Pleistocene, 882
 Pliocene, 882
 systematic paleontology, 882
 Emerald Basin, 121, 757, 1135, 1136
Emiliania huxleyi Zone, 853
 Eocene, 26
 Antarctic, glaciation, 1042
 glaciation, 1041
 montmorillonite, 1081
 nannofossils, 326, 370
 transgression, 1118
 Eocene and Oligocene dinoflagellate assemblages, 731
 Eocene-Oligocene boundary, 279, 1160, 1161, 1163, 1165, 1167
 climate change, 752
 nannofossils, 54
 palynology, 728
 Eolian abrasion, 1039
Epithelion russicum Zone, 923
 Erosion, 19, 329, 1160, 1164
 Erosion and winnowing, 43
 Erosional surface, 283
 Eucla Basin, 1165
 Euxinic conditions, 1081
 Evolutionary lineages, Radiolaria, 544
 Facies,
 calcareous, 1150
 clay mineralogic, 1161
 siliceous ooze, 1149
 Faulting, 1138, 1143
 Feldspar-phyric basalt, 1103
 Ferruginous coatings, silicate grains, 1065
 Flourpatite, 1083
 Foraminifer, *Globigerina (G.) Euapertura* Zone, 41
 Foraminifera,
 agglutinated, 370
 agglutinated, Paleocene, 833
 basis for age determinations, 12
 biostratigraphy, Paleocene planktonic, 769
 coiling ratio, 771
 Discoaster deflandrei Zone, 197
 Globanomalina wilcoxensis Zone, 52
 Globigerina (G.) brevis Zone, 50, 51, 325
 bulloides Zone, 129
 evapetrura Zone, 48, 50, 524
 woodi connecta Zone, 198, 279, 323

- woodi woodi* Zone, 324
woodi Zone, 129
(*S.*) *angiporoides* Zone, 50, 129, 234, 324
linaperta, 51, 279, 325
Globigerina (G.) theka index index Zone, 51
Globigerinoides trilobus trilobus Zone, 198, 279
Globorotalia (G.),
conomiozea, Zone, 278, 408
conica Zone, 129
miotomida miotumida, 278, 323, 809
truncatulinoides, 24, 50, 129, 198, 232, 277, 323,
406, 454, 809
(*M.*) *crater crater* Zone, 52
(*T.*) *aculeata* Zone, 454
inconspicua Zone, 51
inflata Zone, 129, 198, 278, 407
mayeri mayeri Zone, 197, 198, 232, 278
miotumida Zone, 408
puncticulata Zone, 129, 141, 278, 407
Globotruncana calcarata Zonule, 26
elevata Subzone, 26
Orbulina suturalis Zone, 279
Paleocene faunas, 370, 769
Pleistocene-recent fauna, 24
praeorbolina glomerosa curva Zone, 197, 198, 279
pseudogloboquadrina primitiva Zone, 52
Reticulofenestra pseudoumbilica Zone, 197
Site 275, 24
Site 276, 41
Site 277, 50
Site 278, 128
Site 279, 198
Site 280, 232
Site 281, 277
Site 282, 323
Site 283, 370
Site 284, 406
systematic paleontology, 454
systematic paleontology, agglutinated, Paleocene,
833
Fracture zone, 134, 1139
Fractures, 237
Garden cove formation, 21, 23, 1031, 1147
Geological goals, Leg 29, 3
Giant ripples, 1138
Gilbert Event, 132
Gilsa Event, 132, 758
Glacial quartz grains, 1039
Glacial conditions, 1081
Glacial history, Antarctic, 754, 1161, 1162, 1167
Glacial icebergs, debris laden, 41
Glacial marine till, 1042
Glacial quartz, 1040
Glacial-marine sediments, 1042
Glaciation, 285
Glaciers, 743
Glacio-eustatic sea-level, 805
Glauconié, 1093
surface features, 1094
Glaucomite, 23, 39, 46, 125, 227, 230, 273, 276, 368,
1053, 1081, 1084
botryoidal, 22
K-ar ages, Site 280, Site 281, 1037
Glaucomite pellets, 22
Glaucomatic sand, 273, 1151
Globanomalina wilcoxensis Zone, 52
Globigerina (G.) woodi connecta Zone, 198, 323
(*G.*) *brevis* Zone, 51, 197, 279, 325
(*G.*) *bulloides* Zone, 129
(*G.*) *euapertura* Zone, 41, 50, 324
(*G.*) *woodi woodi* Zone, 324
(*G.*) *woodi* Zone, 129
(*S.*) *angiporoides angiporoides* Zone, 50, 129
(*S.*) *angerporoides angiporoides* Zone, foraminifera,
234, 324
(*S.*) *linaperta* Zone, 51, 325
(*S.*) *triloculinoides* Zone, 52
linaperta Zone, 279
Globigerinatheka (G.) index index Zone, 51
Globigerinoides trilobus trilobus Zone, 198, 279
Globorotalia (G.) miotumida miotumida Zone, 278
(*G.*) *truncatulinoides* Zone, 24, 50
(*G.*) *conomiozea* Zone, foraminifera, 408
(*G.*) *miotumida miotumida* Zone, foraminifera, 323
(*G.*) *truncatulinoides* Zone, foraminifera, 129, 198,
277, 278, 232, 323, 406
(*M.*) *crater crater* Zone, 52
(*T.*) *aculeata* Zone, 454
(*T.*) *conica* Zone, foraminifera, 129
(*T.*) *inconspicua* Zone, 51
(*T.*) *inflata* Zone, 129, 198, 278, 407
(*T.*) *mayeri mayeri* Zone, 197, 198, 232, 278
(*T.*) *puncticulata* Zone, 129, 278, 407
(*T.*) *puncticulata* Zone, foraminifera, 41
conomiozea Zone, 278
miotumida Zone, foraminifera, 408
miotumida miotumida Zone, foraminifera, 809
Globotruncana calcarata Zonule, foraminifera, 26
elevata Subzone, foraminifera, 26
Graded beds, 231, 1059
Grape analysis, 6
Gravel, 1152
Great Australian bight, 1124
Hautawan stage, 801
Heavy minerals, 1077
Helicopontosphaera reticulata Zone, 281, 853
Hiatus, Paleocene, 1164
High-latitude assemblage, Radiolaria, 1012
High-latitude surface temperature during the Cenozoic,
751
Horodiscus rugosus Zone, 923
Hyaloclastites, 1162
Ice rafting, 780, 1150, 1151, 1163
Ice-rafted debris, 125, 134, 272, 405, 1162
sediments, 1039, 1042, 1084
Ice sheet, East Antarctic, 743
Iceberg limit, 1041
Iceberg tracks, 1041
Icebergs, 1039, 1042
Infauna, 1052
Interval A. diatoms, 372
Interval B. diatoms, 372

- Interval C. diatoms, 372
 Interval D. diatoms, 372
 Interval E. diatoms, 372
 Intra-oligocene unconformity, 1157
 Iron, 22
 Iron-stained silicate grains, 1065
 Iselin Bank, 272
 Iselin Basin, 1143
 Isotopic composition of oceans, effect of Antarctic ice sheet on, 801
 Kaolinite, 1081
 Kapitean cooling, 776
 Kapitean stage, 801, 805, 806
Kentrodiscus armatus Zone, 923
 Kooigsberger ratios, 1109
 Kuru-Kamchatka Trench, 845
 Labeling of, samples, 6
 Late Campanian-Maestrichtian, 26
 Late Cenozoic,
 deep-sea erosion, 4
 paleoclimatic curve, 777
 Late Cretaceous, 19, 22, 26, 27, 37
 archaemonads, 873
 edoskeletal dinoflagellates, 882
 miospores, 1031
 Radiolaria, 26
 Late Cretaceous and early Paleogene palynology, 375
 Late Eocene,
 archaemonads, 876
 diatoms, 282
 ebridians, 879
 edoskeletal dinoflagellates, 882
 nannofossils, 370
 palynology, 374
 Late Eocene to late Oligocene unconformity, 276
 Late mid-Miocene diatoms, 131
 Late Miocene,
 bryozoa, 809
 Kapitean Stage, 805
 regression, 812
 warming, 777
 Late Miocene-early Pliocene,
 cooling, 777
 diatoms, 131
 Late Oligocene diatoms, 132
 Late Oligocene to late Eocene silicoflagellates, 56
 Late Pleistocene,
 bryozoa, 809
 diatoms, 131, 282
 Late Pleistocene-early Pleistocene boundary, 406
 Late Pliocene,
 nannofossils, 370
 Waipidian stage, 804
 Late Pliocene-Pleistocene, nannofossils, 41
 Late Tongaporutuan, cooling, 777
 Late Tongaporutuan stage (late Miocene), 805
 Latest Pliocene Mangapanian stage, 803
 Lava flow, 196, 1103
 Leg 29,
 geological goals, 3
 tectonic investigations, 3
 Lenticular lamination, 1050
 Lower Cretaceous, remanié palynoflora, 731
 Lower Tertiary biogeographic province, 731
 Lowermost Tertiary palynofloras, 729
Lyramula furcula Zone, 684, 845
 Lysocline, 55, 129, 134, 476
 Macquarie Ridge, 121, 125, 134, 196, 201, 757, 1135, 1151, 1156, 1159, 1167
 Magnetic anomalies, 121, 225, 365, 1143
 Magnetic inclination, 1110
 Magnetic mineralogy, 1109, 1111
 Magnetic pattern, Site 280, 237
 Magnetic quiet zone, 3, 329
 Magnetic viscosity coefficient, 1112
 Manganese, 22
 Manganese, crusts, 1083
 chemical analysis of, 1083
 micronodules, 1056, 1083, 1084
 nodule pavement, 1084
 nodules, 125, 226, 227, 1039, 1151, 1083, 1084
 oxide, 39
 pavement, 1157
 precipitation, 1084
 solution, 1084
 Mangapanian stage, 803
 Marginal rift, 20
 Marshall paraconformity, 1158
 Matuyama reversed epoch, 757
 Mead Hill formation, 1062
 Median destructive fields, 1110
Mesocena apiculata Subzone, 847
Mesocena circulus Subzone, 850
Mesocena diodon Subzone, 683
 Metamorphism, regional, 41
 Microfossil of, unknown affinity, Eocene to Paleocene, 909
 Micronodule, 22, 230, 1053, 1056, 1060, 1083
 Microprobe analysis, 1083
 Mid Oligocene, diatoms, 132
 Middle Eocene,
 palynology, 375
 palyynomorphs, 729
 Middle Miocene, 131, 200, 282
 Middle Pleistocene disconformity, 779
 Middle Pliocene,
 diatoms, 282
 warming, 777
 Middle to late Eocene palynology, 374
 Miocene, climatic, cooling, 198, 200
 ebridians, 879
 edoskeletal dinoflagellates, 882
 nannofossils, 325
 Miocene and Pliocene archaemonads, 876
 Miocene to early Pliocene diatoms, 235
 Miocene-Pliocene boundary, 770
 warming, 777
 Miospores, 24
 Miospores, Late Cretaceous, 1031
 Mirza Formation, 1062
 Montmorillonite, 1078, 1081
 Mottles, burrow, 23, 367, 1148, 1151
 current, 23
 zoophycos, 1151

- Nannofossils, 469
 Nannofossils, basis for age determinations, 12
 biostratigraphy, 469
Blackites rectus Zone, 281
 braarudosphaeraceae, 477
Chiasmolithus oamaruensis Zone, 281, 372
coccolithus pelagicus Zone, 52, 129, 199, 234, 279, 325, 408
Cyclicargolithus neogammation Zone, 130, 131, 200, 281
Cyclicargolithus reticulata to *Reticulofenestra hampdenensis* interval, 54
Cyclicargolithus reticulata to *Reticulofenestra bisecta* interval, 54
 diagenesis, 470
Discoaster barbadiensis Zone, 853
Discoaster brouweri Zone, 408
Discoaster deflandrei Zone, 130, 200, 281, 326
Discoaster multiradiatus interval, 55
Discoaster multiradiatus to *Heliolithus kleinpellii* interval, 55
Discoaster quinqueramus Zone, 850
Discoaster saipanensis Zone, 54
Discoasteroides kuepperi through *Discoaster multiradiatus* interval, 55
Discoasteroides kuepperi to *Reticulofenestra dictyoda* interval, 55
 Discoasters, 477
Emiliania huxleyi Zone, 853
 Eocene, 326, 370
 Eocene-Oligocene boundary, 54
Helicopontosphaera reticulata Zone, 853, 281
 indicators of climatic change, 477
 late Eocene, 370
 late Pliocene, 370
 late Pliocene-Pleistocene, 41
 Miocene, 325
 Oligocene, 326
 overgrowth on, 470
 Paleocene-Eocene unconformity, 55
 paleoecology, 470
 Pleistocene, 325, 370
 Pleistocene, Pliocene, 370
 pontosphaeraceae, 477
 prinsiaceae, 480, 481
Pseudoemiliania lacunosa Zone, 52, 130, 199, 281
 Recent-Pleistocene, 24
Reticulofenestra bisecta to *Cyclicargolithus reticulata* interval, 54
Reticulofenestra bisecta Zone, 53, 326
Reticulofenestra dictyoda to *Discoasteroides kuepperi* interval, 55
Reticulofenestra hampdenensis to *Reticulofenestra placomorpha* interval, 54
Reticulofenestra oamaruensis through *Cyclocargolithus reticulata* interval, 54
Reticulofenestra placomorpha through *Discoasteroides kuepperi* interval, 54
Reticulofenestra placomorpha to *Reticulofenestra oamaruensis* interval, 54
Reticulofenestra pseudoumbilica Zone, 130, 199, 220, 234, 408
Reticulofenestra reticulata Subzone, 853
Reticulofenestra bisecta Zone, 131
 Site 275, 24, 853
 Site 276, 41
 Site 277, 52
 Site 278, 129, 853
 Site 279, 198
 Site 280, 234, 853
 Site 281, 279
 Site 282, 325
 Site 283, 370, 853
 Site 284, 408
 solution of, 470
Sphenolithus belemnos Zone, 849
Sphenolithus ciperoensis Zone, 849
Sphenolithus distentus Zone, 849
Sphenolithus heteromorphus Zone, 849
Sphenolithus predistentus Zone, 853
 stratigraphy, coccoliths, 845
 systematic paleontology, 481
Triquetrorhabdulus carinatus Zone, 849
 winnowing of, 470
 Nasellarian, Radiolaria, 563, 564
Naviculopsis biapiculata Zone, 684, 848
 constricta Zone, 847
 lata Zone, 849
 navicula Zone, 849
 quadrata Zone, 849
 robusta Zone, 684
 trispinosa Subzone, 847
 New Zealand Plateau, 1135
 Nodule pavements, 1083, 1084
 Nodules,
 chemical analysis, manganese, 1083
 manganese, 226, 227, 1039, 1083, 1084, 1151
 phosphate, 226, 227, 1084
 Normal faults, 1139, 1143
 North Pacific diatom zone III, 851
 Northern Hemisphere ice sheet, 804
 Numerical, color designations, 7
 Ocean basin development, 1152
 Ocean floor spreading, 23, 238
 Oceanic circulation, 135, 321, 330, 1152
 Oceanic crust, 1143
 Oligocene,
 archaemonads, 876
 dinoflagellate assemblages, 731
 disconformity, 1077
 ebridians, 879
 edoskeletal dinoflagellates, 882
 nannofossils, 326
 unconformity, 279
 Oligocene unconformity, 1164
 Oligocene-late Eocene, unconformity, 283
 Ontong-Java Plateau, 1164
 Open circulation, 23
 Opoitan stage, 803, 805
Orbulina suturalis Zone, 279
 Organic carbon, 1052, 1056, 1060
 Ostracode faunas, 1163
 Otway Basin, 1165
 Otway rift system, 1143

- Outcrop, 1136
 Oxygen isotope, 745, 769, 779, 1042, 1162, 1163, 1167
 Paleosurface temperatures of water, 236
 Paleoceanography, 759
 Paleoceanographic changes, 238
 Paleocene faunas, foraminifera, 370, 769, 833
 Paleocene-Eocene unconformity, 55
 Paleocene-Eocene boundary, 1158, 1164
 Paleocirculation, 202, 226
 Cenozoic, 285
 Paleoclimatic curve, late Cenozoic, 777
 history, temperate southern latitudes, 778
 sequence, 743
 Paleoecology,
 diatoms, 923
 nannofossils, 470
 Paleoenvironment, 677
 Paleogeographic distribution, diatoms, 924
 Paleoglacial history, Antarctic, 3, 19, 1040, 1042
 Paleolatitude, 751
 Paleomagnetic epoch boundary, Brunhes-Matuyama, 132
 Paleomagnetic events, worldwide correlation of, 780
 history, Antarctic area, 3
 stratigraphy, 758
 Paleoceanographic fluctuations, 410
 variations, 1041
 Paleoceanography and glaciation, Antarctic, 1164
 Paleotemperatures, 56, 374, 479, 745, 750, 777, 802
 Palynology, 723
 acritarchs, 726
 Cretaceous, 729, 731
 dinoflagellate cysts, 374
 early Eocene, 375
 Eocene-Oligocene boundary, 728
 Late Cretaceous and early Paleocene, 375
 late Eocene, 374
 late Paleocene, 375
 lower Tertiary, 729
 middle Eocene, 375, 729
 middle to late Eocene, 374
 preparation, 724
 remainié forms, Site 280, 724
 reworked Mesozoic, 375
 saccate grains, 724
 saccate pollen grains, 724
 Site 275, 26, 1031
 Site 280, 236, 724
 Site 281, 282, 726
 Site 282, 327, 727
 Site 283, 728
 Site 284, 730
Paradictyocha dumitrica Zone, 683
Patulibracchium dickinsoni Zone, 26, 1012, 1013
 Pelagic depositions, 1136
 Peru-Chile Trench, 845
 Phosphate, nodules, 226, 227, 1084
 Phosphatic rock, 1083
 Pillow basalt, 125, 131, 321, 329, 1100, 1103
 Pillow flow, 1097
 Pillow lava, 369, 1100
 Pillow structures, 321
 Plate motions, 1135
 Pleistocene,
 climatic conditions, 323
 discussion of isotopic record, 803
 edoskeletal dinoflagellates, 882
 nannofossils, 325, 370
 sea level, 323
 transgression, 812
 Plio-Pleistocene boundary, 479
 Pliocene,
 diatoms, 131
 edoskeletal dinoflagellates, 882
 nannofossils, Pleistocene, 370
 Pliocene bedrock, 41
 Pliocene-Quaternary boundary, 758, 770
 Pliocene-Pleistocene, diatoms, 131
 Pliocene-Pleistocene sediments, 41
 Pole of inaccessibility, 746
 Polished silicate grains, 1065
 Polycystine Radiolaria, 563
 Ponded turbidites, 132
 Pontosphaeraceae, 477
 Porifera, 327
 Cenozoic, 544
 early Gilbert, 282
 evolutionary lineages, 544
 high latitude assemblage, 1012
 Late Cretaceous, 26
 late Paleocene, *B. climata* Zone-*P. striata* Zone, 374
 Matuyama (late Pliocene), 282
 nasellarian, 563, 564
 Patulibracchium dickinsoni Zone, 26, 1012, 1013
 polycystine, morphology of, 563
 Site 275, 26
 Site 276, 42
 Site 277, 55
 Site 278, 132, 553
 Site 279, 200
 Site 280, 555
 Site 281, 282, 555
 Site 283, 372
 species diversity, 1013
 Spongaster pentas Zone, 552
 Stichocorys peregrina Zone, 552
 stratigraphy, 545
 systematic paleontology, 567, 1013
 Upper Cretaceous, 1011
 Zone A, 552
 Zone B, 552
 Zone D, 552
 Zone E, 552
 Zone G, 552
 Zone I, 553
 Zone K, 553
 Zone L, 553
 Zone V, 552
 Zone Z, 553
 Zone ZH, 552
 Rare-earth elements in basalt, analyses for, 1103, 1105
 Reduced ocean circulation, 27

- Reducing environment, 321
 Reflector, Site 275, 27
 Refraction lines, 1144
 Regional metamorphism, 41
 Regression, late Miocene, 812
 Regressional analysis, 1123
 Remainié forms, 724, 729, 731
 Remanent magnetic properties, 1109
Reticulofenestra bisecta to *Cyclocargolithus reticulata* interval, nannofossils, 54
Reticulofenestra bisecta Zone, 53, 326
Reticulofenestra dictyoda to *Discoasteroides kuepperi* interval, 55
Reticulofenestra hampdenensis to *Reticulofenestra placomorpha* interval, 54
Reticulofenestra oamaruensis through *Cyclocargolithus reticulata* interval, 54
Reticulofenestra placomorpha through *Discoasteroides kuepperi* interval, 54
Reticulofenestra placomorpha to *Reticulofenestra oamaruensis* interval, 54
Reticulofenestra pseudoumbilica Zone, 130, 197, 234, 408
reticulata Subzone, 853
bisecta Zone, 131
pseudoumbilica Zone, 280
 Reworked diatoms, 42
 Reworking, 22
 Rifting, 239, 1142
 between Australia and Antarctica, 225, 275, 284, 317, 320
 Tasmanian area and Antarctica, 272
 Ripples, 365, 375
 Robertson Bay Group, 1117
Rocella gemma Zone, 684
 Ross Sea, 27, 330
 Schist basement, 1152
 Scotia Sea, 1164
 Sea level, Pleistocene, 323
 Sea-floor spreading, 365
 Sea-ice formation, 1163
 Sediment classification, 9
 distribution, 1135
 texture, 1052
 Sedimentation,
 abyssal, 376
 detrital, 1077
 Sedimentation rates, 1059, 1094
 Site 277, 56
 Site 278, 132, 134
 Site 279, 200
 Site 280, 237
 Site 281, 283
 Site 282, 327, 1060
 Site 283, 375
 Site 284, 409, 770
 Sediments,
 acoustically transparent, 200
 bulk density of, 6
 Tasman Basin, 1136
 Seismic data,
 Site 275, 27
 Site 277, 56
 Site 278, 132
 Site 279, 200
 Site 280, 237
 Site 281, 283
 Site 282, 327
 Site 283, 375
 Seismic reflectors, 1123
 Septarian nodule, 368
 Shallow-water conditions, 276
 fauna and flora, 1055, 1060
 microfossils, 1060
 Shannon-Wiener diversity index, 778
 Shear Zone, 1142
 Shipboard scientific procedures, 6
 Silicate grains,
 abrasional episode, 1066
 ferruginous coatings, 1065
 silica coatings, 1066
 Siliceous microfossils, Site 284, 409
 Siliceous ooze facies, 1149
 Siliceous productivity, 238
 Silicitite, 39
 Silicoflagellates, 677
 Corbisema hastata Zone, 846
 Corbisema hastata-C. apiculata Zone, 684
 Corbisema hexacantha Zone, 684
 Corbisema spinosa Zone, 684
 Corbisema triacantha Zone, 849
 Dictyoche aculeata Zone, 683
 Dictyoche deflandrei Zone, 847
 Dictyoche fibula Zone, 850
 Dictyoche frenguelli Subzone, 847
 Dictyoche hexacantha Zone, 847
 Dictyoche medusa Zone, 684
 Dictyoche pseudofibula Zone, 850
 Dictyoche/Distephanus Ratio, 56, 132, 236, 282, 374, 677
 Distephanus crux Zone, 684
 Distephanus longispinus Zone, 850
 Distephanus octangulatus Zone, 853
 Distephanus octogonus Zone, 683
 Distephanus octonarius Zone, 850
 Distephanus speculum pentagonus Zone, 849
 Distephanus speculum speculum Zone, 850
 late Oligocene to late Eocene, 56
 Lyramula furcula Zone, 684, 845
 Mesocena apiculata Subzone, 847
 Mesocena circulus Subzone, 850
 Mesocena diodon Subzone, 683
 Naviculopsis biapiculata Zone, 684, 848
 Naviculopsis constricta Zone, 847
 Naviculopsis lata Zone, 849
 Naviculopsis navicula Zone, 849
 Naviculopsis quadrata Zone, 849
 Naviculopsis robusta Zone, 684
 Naviculopsis trispinosa Subzone, 847
 paleosurface temperatures of water, 236
 paleoenvironment, 677
 Paradictyoche dumitrica Zone, 683
 Rocella gemma Zone, 684
 Site 275, 26
 Site 277, 56

- Site 278, 132
 Site 280, 235
 Site 281, 282
 Site 283, 374
 stratigraphy, 845
 subantarctic, 282
 systematic paleontology, 685, 853
 zonation, 683, 845
 Silification, 48, 1054, 1055
 Site 275, 19
 alkalinity, 23
 background and objectives, 19
 biostratigraphy, 23
 diatoms, 24
 foraminifera, 24
 geochemical measurements, 23
 lithology, 22
 nannofossils, 24, 853
 operations, 21
 palynology, 26, 1031
 pH, 23
 Radiolaria, 26
 reflector, 27
 salinity, 23
 seismic data, 27
 siliceous sediments, Late Cretaceous, 913
 silicoflagellates, 26
 summary and conclusions, 27
 Site 276, 37
 background and objectives, 37
 basement, 37
 biostratigraphy, 41
 diatoms, 42
 foraminifera, 41
 lithology, 39
 nannofossils, 41
 operations, 38
 primary objectives, 38
 Radiolaria, 42
 summary and conclusions, 42
 Site 277, 45
 alkalinity, 48
 background and objectives, 45
 biostratigraphy, 48
 Cenozoic/Mesozoic boundary, 56
 diatoms, 55
 disconformity, 57
 foraminifera, 50
 geochemical measurements, 48
 lithology, 46
 nannofossils, 52
 operations, 46
 pH, 48
 Radiolaria, 55
 salinity, 48
 sedimentation rates, 56
 seismic data, 56
 silicoflagellates, 56
 summary and conclusions, 57
 tectonic activity, 56
 unconformity, 50, 52
 Site 278, 121
 alkalinity, 126
 background and objectives, 121
 basalt, 1097, 1103
 biostratigraphy, 126
 diatoms, 131
 disconformity, 759
 foraminifera, 128
 geochemical measurements, 126
 lithology, 123
 nannofossils, 129, 853
 operations, 122
 pH, 126
 Pliocene-Pleistocene boundary, 758
 Radiolaria, 132, 553
 radiolarian, paleomagnetic curve, 759
 salinity, 126
 scientific objectives, 122
 sedimentation rates, 132, 134
 seismic data, 132
 silicoflagellates, 132
 summary and conclusions, 134
 tectonic activity, 134
 unconformity, 130, 1041
 Site 279, 191
 alkalinities, 196
 background and objectives, 191
 basalt, 196, 1097, 1103
 basaltic source area, 196
 basement, 192, 200
 biostratigraphy, 197
 diatoms, 200
 foraminifera, 198
 geochemical measurements, 196
 lithology, 193
 nannofossils, 198
 operations, 192
 pH, 196
 Radiolaria, 200
 rare-earth elements analyses, basalt, 1105
 salinities, 196
 sedimentation rates, 200
 seismic data, 200
 summary and conclusions, 201
 Site 280, 225
 acoustic basement, 237
 alkalinity, 232
 background and objectives, 225
 basalt, 231, 1099, 1104
 basement, 226
 biostratigraphy, 232
 carbonate compensation depth, 231
 diatoms, 235
 dinoflagellates, 724
 foraminifera, 232
 geochemical measurements, 231
 intrusives, 231
 lithology, 226
 magnetic pattern, 237
 nannofossils, 234, 853
 operations, 226

- palynology, 236, 724
 remaini  forms, 724
 pH, 231
 Radiolaria, 555
 salinity, 232
 sedimentation rates, 237
 seismic data, 237
 silicoflagellates, 235
 Site 281, glauconite, K-ar ages, 1037
 summary and conclusions, 237
 Site 281, 271
 acoustically transparent sediment, 283
 alkalinity, 276
 background and objectives, 271
 biostratigraphy, 276
 diatoms, 282
 dinoflagellates, 726
 foraminifera, 277
 geochemical measurements, 276
 glauconite, K-ar ages, Site 280, 1037
 lithology, 272
 nannofossils, 279
 operations, 272
 palynology, 282, 726
 pH, 276
 primary objectives, 272
 Radiolaria, 282, 555
 salinity, 276
 sedimentation rate, 283
 seismic data, 283
 silicoflagellates, 282
 summary and conclusions, 283
 Site 282, 317
 alkalinity, 323
 background and objectives, 317
 basalt, 318, 1100, 1104
 biostratigraphy, 323
 bryozoa, 809
 diatoms, 327
 dinoflagellates, 727
 foraminifera, 323
 geochemical measurements, 323
 lithology, 318
 nannofossils, 325
 operations, 318
 palynology, 327, 727
 pH, 323
 porifera, 327
 salinity, 323
 sedimentation rates, 327, 1060
 seismic data, 327
 summary and conclusions, 329
 Site 283, 365
 acoustically transparent sediments, 375
 alkalinity, 369
 background and objectives, 365
 basalt, 366, 1100
 basement, 376
 biostratigraphy, 369
 diatoms, 372
 dinoflagellate assemblages, 728
 foraminifera, 370
 geochemical measurements, 369
 lithology, 366
 nannofossils, 370, 853
 operations, 366
 palynology 374, 728, 729
 pH, 369
 Radiolaria, 372
 salinity, 369
 sedimentation rates, 375
 seismic data, 375
 silicoflagellates, 374
 summary and conclusions, 376
 Site 284, 403
 alkalinity, 405
 background and objectives, 403
 biostratigraphy, 406
 foraminifera, 406
 geochemical measurements, 405
 lithology, 404
 nannofossils, 408
 operations, 403
 palynology, 730
 pH, 405
 pyrite, 405
 salinity, 405
 sedimentation rates, 409, 770
 siliceous microfossils, 409
 summary and conclusions, 410
 Slumping, 812
 Smear-slide descriptions, 9
 Solander Trough-Emerald Basin, 1142
 Solution of nannofossils, 470
 Sonic logs, 1127
 Sonic measurements, 1127
 Sonic-velocity determinations, 6
 Sonobuoy data, 1123
 results, 1124
 techniques, 1123
 Source area, 231
 South Pole, 746
 South Tasman Basin, 845
 South Tasman Rise, 225, 272, 275, 284, 1077, 1117,
 1150, 1152, 1157, 1159, 1161, 1164, 1166, 1167
 Southeast Indian Ocean, 1147
 Southwest Pacific Basin, 37
Sphenolithus belemnos Zone, 849
 ciperoensis Zone, 848
 distentus Zone, 849
 heteromorphus Zone, 849
 predistentus Zone, 853
Spongaster pentas Zone, 552
 Spreading axis, 376
 Spreading in the Tasman Sea, 369, 1157
Stichocorys peregrina Zone, 552
 Stratigraphy,
 coccoliths, nannofossils, 845
 Radiolaria, 545
 silicoflagellates, 845
 Subaqueous abrasion, 1039
 Subfacies, bedded, 1149
 Submarine canyons, 27, 1136, 1138
 Subsidence, 284

- Subtropical Convergence, 19, 277, 769
 Subtropical water mass, 317
 Surface temperature during the Cenozoic, high-latitude, 751
 Systematic paleontology, agglutinated, paleocene foraminifera, 833
 archaemonads, 876
 diatoms, 924
 ebridians, 879
 edoskeletal dinoflagellates, 882
 foraminifera, 454
 nannofossils, 481
 Radiolaria, 567, 1013
 silicoflagellates, 685, 853
 Tasman Basin sediments, 1136
 Tasman Rise, 317, 1165, 1083
 Tasman Sea, 55, 132, 200, 365, 769, 1059, 1124, 1136, 1147, 1149, 1159, 1166
 oceanographic conditions, 369
 spreading center, 1157
 spreading in the, 369
 Tasman Sea Basin, 1135
 Tasman Sea-Coral Sea region, 330, 1161, 1163
 Tasmania, 317, 330, 1135, 1143, 1148, 1149, 1152, 1161, 1164, 1165
 Tasmanian continental shelf, 323
 Tasmanian-Antarctic separation, 238, 272
 Tectonic activity, 56, 134, 321
 Tectonic investigations, Leg 29, 3
 Tectonic pattern, 369
 Tectonism, 330
 Temperatures during the Cenozoic, deep-water, 752
 Terrigenous silt and clay facies, 1147
 Teurian stage, 845
 Thanathocoensis, 282
 diatoms, 55
 Thermomagnetic analysis, 1109, 1111
 Tonga-Kermadec Trench, 1157
 Transform fault zones, 1161
 Transgression, Eocene, 1118
 Pleistocene, 812
 Tridymite, 22
Triquetrorhabdulus carinatus Zone, 849
 Tropical zones, 480
 Tucker Cove formation, 21
 Tucker Cove limestone, correlation with Site 277 sediments, 48
 Turbidites, 1136, 1149, 1151, 1152
 ponded, 132
 Turbidity, currents, 1060
 Unconformities, 132, 197, 277, 321, 323, 324, 327, 329, 330, 366, 367, 369, 376, 1039, 1077, 1084
 Eocene-Oligocene, 279
 intra-Oligocene, 1157
 late Eocene to late Oligocene, 276
 major, 201, 283
 minor, 200
 nannofossils, Paleocene-Eocene, 55
 Oligocene, 279
 Oligocene-late Eocene, 283
 Site 277, 50, 52
 Site 278, 130, 1041
 Upwelling, 5, 125, 134, 238, 1167
 Velocity discontinuities, 375
 distribution, 375
 gradient, 327, 375
 Vinculariform bryozoa, 809
 Viscous remanent magnetization, 1109, 1112
 Volcanic activity, 1081
 ash, 1041
 detritus, 1042
 material, 1082
 Volcanism, 196, 1081, 1139, 1151
 Volcanogenic sediment, 1084
 Waiau depression, 1142
 Waipipian cooling, 776
 Waipipean stage, 801, 804, 806
 Warming,
 late Miocene, 777
 middle Pliocene, 777
 Miocene-Pliocene boundary, 777
 Weathered landmass, 1081
 West Antarctic ice sheet, 752, 780
 Western boundary current, 41, 43, 366, 1066
 Western Antarctica, 1162
 Whangai formation, 1062
 Winnowing, 41, 470
 Woolshed formation, 1062
 Worldwide correlation of paleomagnetic events, 780
 Zoarial types, bryozoa, 809
 Zonal scheme, foraminiferal, 449
 Zonation, silicoflagellates, 683
 Zone A. Radiolaria, 552
 Zone B. Radiolaria, 552
 Zone D. Radiolaria, 552
 Zone E. Radiolaria, 552
 Zone G. Radiolaria, 552
 Zone I. Radiolaria, 553
 Zone K. Radiolaria, 553
 Zone L. Radiolaria, 553
 Zone V. Radiolaria, 552
 Zone Z. Radiolaria 553
 Zone ZH. Radiolaria, 552
 Zoophycos, 195, 227, 1151