

INDEX

- Acaeniotyle umbilicata* Zone, 24, 26, 53, 90, 168, 201, 580, 581, 583, 584, 587
 defined, 588
- Acoustic basement, Site 305, 85
 defined, 932
- Acoustic section, defined, 932
- Acoustic stratigraphy, Northwestern Pacific, 930
- Acoustic units, Shatsky Rise, 932
- Actinocyclus oculatus* Zone, 871, 872, 873
- Algae, 537
- Alievium gallowayi* Zone, 586
praegallowayi Zone, 586
- Alkalinity of interstitial water
 Site 303, 22
 Site 304, 50
 Site 305, 83
 Site 308, 240
 Site 313, 320
- Alteration of carbonate grains, 525
- Amphipyndax *enesseffi* Zone, 323, 586
- Ankerite, 563
- Anomalies, M Series, 948
- Aptian foraminifera, 707
- Artostrobium tumidulum* Zone, 26, 90, 244, 580, 581, 585
 defined, 593
- Artostrobium urna* Zone, 245, 585, 586, 587
 defined, 587
- Axoprunum angelinum* Zone, 90, 244, 581, 585, 784
 defined, 593
- Barremian foraminifera, 708
- Basalt
 chemical composition of, 565
 Leg 32, petrography of, 564
 Site 303, 22, 563
 Site 304, 48, 563
 Site 307, 197, 563
 Site 313, 315, 319, 567
- Basalt recovery, Leg 32, 10
- Basalt-sediment interface, 48
- Bekoma bidarfensis* Zone, 322, 585, 594
- Benthonic foraminifera, 322, 538, 540, 703
- Biostratigraphic hiatus, Site 308, 521
- Biostratigraphic summary
 Site 303, 24, 942
 Site 304, 52, 942
 Site 305, 85
 Site 306, 166, 941
 Site 307, 199, 942
 Site 308, 218, 942
 Site 309, 229
 Site 310, 241, 941
 Site 311, 300, 942
 Site 313, 321, 945
- Biostratigraphic zonations, Leg 32, 10
- Bioturbated sediments, 83, 316, 318
- Breccia, 439
- Broinsonia parca* Zone, 321, 687
- Bryozoa, 537
 Kōko Seamount (Site 308), 219, 803
 systematic descriptions, 838
- Buryella clinata* Zone, 322, 585
 defined, 591
- Calcium carbonate compensation depth, See Carbonate compensation depth
- Calocyclus costata* Zone, 322, 585
- Cannartus laticonus* Zone, 585
petterssoni Zone, 580, 581
- Carbonate cements, 526
- Carbonate compensation depth, 430, 926
 Site 303, 22, 926
 Site 304, 49, 926
 Site 307, 928
 Site 308, 239
 Site 310, 233, 929
 Site 313, 930
- Carbonate diagenesis, 521, 892, 952, 904
 and lithification, effects on isotopic paleotemperature, 509
- Carbonate grains, alteration of, 525
- Carbonate mineralogy, Site 308, 524
- Cassigerinella chipolensis-P. barbadoensis* Zone, 754
- Catinaster calyculus* Subzone, 679
- Cenozoic biostratigraphy
 Site 303, 24
 Site 304, 52
 Site 305, 85
 foraminifera, 321
 nannofossils, 244, 322
 Radiolaria, 322, 585
- Central North Pacific water mass, Neogene, 950
- Ceratolithus acutus* Zone, 784
cristatus Subzone, 677
primus Zone, 783
rugosus Zone, 784, 785
tricorniculatus Zone, 772
- Chert, 239, 429
 defined, 430
 formation of, 444, 941
 nodules, 22, 318, 436
 Site 303, 434
 Site 304, 436
 Site 305, 432
 Site 306, 434
 Site 307, 436
 Site 310, 434
 Site 313, 434
- Chiasmolithus oamaruensis* Subzone, defined, 682
- Chiloguembelina cubensis* Zone, 753
- Climatic indicator, *Dictyocha-Distephanus* ratio, 26, 53
- Climatic variations
 North Pacific, 786
 worldwide, 518

- Coccolithus formosus* Zone, 785
miopelagicus Zone, 785
Cores, handling of, 7
Cretaceous
 foraminifera, 703
 paleotemperatures, 515
 Radiolaria, 580, 581, 585
 Zonation, 586
Cretaceous-Tertiary boundary, 518, 725
 Site 305, 89
 Site 310, 929
 Site 313, 724
Cross-bedding, 542
Crustacean coproliths (*Favreina*), 827
Cyclicargolithus floridanus Subzone, defined, 682
 Denticula hustedtii Zone, 866, 872
 lauta Zone, 866
 kamtschatica Zone, 866, 873
 seminae v. *fossilis*, 866, 871, 872
 D. kamtschatica Zone, 866, 871, 872, 873
 seminae Zone, 866, 873
Diagenesis, 521, 892, 903, 952
Diagenetic effects on the isotopic composition of nanofossils and foraminifera, 511
Diagenetic grade, strontium as an indicator of, 925
Diagenetic texture, 903
Diatoms
 Actinocyclus oculatus Zone, 871, 872, 873
 Denticula hustedtii Zone, 872
 -*D. lauta* Zone, 866
 kamtschatica Zone, 866, 873
 seminae v. *fossilis* Zone, 866, 871, 872
 -*D. kamtschatica* Zone, 866, 871, 872, 873
 seminae Zone, 873
 Noegene, 865
 Nitzschia jouseae Zone, 866, 872, 873
 paleoclimatic interpretations from, 876
 Pseudoeumotia doliolus Zone, 229, 866, 871, 872, 873
 Rhizosolenia curvirostris Zone, 871, 873, 876
 R. praebergonii Zone, 872
 Roperia tessellata Zone, 25
 Site 194, 873
 Site 303, 25, 866
 Site 309, 229
 systematics, 876
 Thalassiosira convexa Zone, 866, 873
Dictyochoa aspera Zone, 25, 26
 epidon Zone, 25
 fibula Zone, 25
Dictyochoa-Distephanus ratio, climatic indicator, 26, 53, 684
Dictyococcites bisectus Subzone, 682
Dictyomitra somphedia Zone, 26, 53, 90, 168, 200, 201, 245, 580, 581, 583, 584, 585, 587
 defined, 587
Discoaster barbadiensis Zone, 682
 berggrenii Zone, 783
 binodosus Subzone, defined, 682
 diastypus Zone, 683, 687
 hamatus Zone, 679
 lodoensis Zone, 219, 220, 244, 680, 803, 953
 multiradiatus Zone, 322
 pentaradiatus Zone, 679
 surculus Zone, defined, 678
 -*D. tamalis* zonal boundary, 784
 tamalis Zone, 784
Dissolution of foraminifera, 753, 786
Distribution of siliceous sediments, Leg 32, 443
Dolomite crystals, 899
 rhombs, 165, 197, 319, 896
Early Aptian foraminifera, 707
Early Cenomanian foraminifera, 703
Early Cretaceous
 foraminifera, 708, 719
 ostracodes, 719
Early Eocene foraminifera, 725, 803
 Radiolaria, 591
Eiffellithus eximus Zone, 244, 686
 turriseiffeli Zone, 168, 685
Emiliana ovata Subzone, defined, 678
Emperor Seamount, 5
Eocene stratigraphic hiatus,
Equatorial zone of high productivity, 935
Erimo Seamount, 394
Eucyrtidium matuyamai Zone, 244, 581, 585, 768
Eucyrtis tenuis Zone, 24, 26, 53, 90, 168, 201, 580, 581, 583, 584, 587, 607
Favreina (Crustacean coproliths), 48, 53, 563, 827
 description of, 827
Fish debris, 300, 301
Fish teeth, 200, 854
Foraminifera
 Aptian, 707
 Barremian, 708
 benthonic, 322, 703
 Cassigerinella chipolensis-*P. barbadeoensis* Zone, 754
 Cenomanian, 703
 Cenozoic, 371
 Chiloguembelina cubensis Zone 753
 Cretaceous, 703
 dissolution of, 753, 786
 early Aptian, 707
 Early Cretaceous 708, 719
 early-mid Albian, 707
 events 769, 771
 Globigerina ciperoensis Zone 754
 Globigerinatheka semiinvoluta Zone, 735
 G. subconglobata subconglobata Zone, 735
 Globorotalia, 89, 725
 aragonensis Zone, 88, 321, 725, 739
 datum 772
 evolutionary series, 771
 formosa formosa Zone, 219, 725, 727, 803
 lehneri Zone, 735, 739
 pentacamarata Zone, 88, 725
 pseudobulloides Zone, 739
 pseudomenarddi Zone, 739
 pusilla pusilla Zone, 89, 725
 subbotinae Zone, 321, 725, 728
 trinidadensis Zone, 85, 89, 725
 truncatulinoides Zone, 229
 uncinata Zone, 89, 725, 739
 velascoensis Zone, 39, 725
 Globotruncana calcarata Zone, 321
 carinata Zone, 89
 concovata Zone, 724

- gansseri* Subzone, 724
primitiva Zone, 724
larger, 825
middle and late Eocene, 735
Mesozoic, 321
Oligocene, 754
Orbulinoides beckmanni Zone, 739
Paleocene, 725
Praeglobotruncana helvetica Zone, 724
preservation, 724, 725, 897
Rotalipora appenninica Zone, 244, 724
Site, 303, 25
Site 304, 53
Site 305, 88, 703, 707, 724, 725, 735
Site 306, 707, 708
Site 307, 168, 200
Site 308, 219, 727
Site 309, 229
Site 310, 241, 724, 737, 754
Site 311, 300
Site 313, 321, 724, 737, 754
Turborotalia ampliapertura Zone, 754
opima opima Zone, 753
pachyderma Datum, 783
zonation, Rio Grande Rise, 772
Zone N23/N22, 88
Zone N22/N21, 241
Zone N21/N20, 88
Zone N19/N18 zonal boundary, 777
Zone N17, 772
Zone N12/N13 zonal boundary, 783
Zone N10/N12, 241
Zone P22, 785
Zone P20/P19, 321
Zone P21, 321
Framboidal pyrite, 522, 786
Geochemical measurements
Site 303, 22
Site 305, 83
Site 306, 165
Site 307, 198
Site 308, 218, 240
Site 311, 299
Site 313, 319
Geochemical methods, shipboard, 17
Geologic record on oceanic plateaus, 949
Gephyrocapsa Zone, 677
oceanica Zone, 168, 229, 678, 686
Globigerina ciperoensis Zone, 754
Globigerinatheka semiinvoluta Zone, 735
subconglobata subconglobata Zone, 735
Globorotalia angulata Zone, 89, 725
aragonensis Zone, 88, 321, 725, 739
datum, 772
evolutionary series, 771
formosa formosa Zone, 219, 725, 727, 803
lehneri Zone, 735, 739
pentacamerata Zone, 88, 725
pseudobulloides Zone, 739
pseudomenardii Zone, 739
pusilla pusilla Zone, 89, 725
subbotinae Zone, 321, 725, 725
trinidadensis Zone, 85, 89, 725
truncatulinooides Zone, 229
uncinata Zone, 89, 725, 739
velascoensis Zone, 89, 725, 739
Globotruncana calcarata Zone, 321
carinata Zone, 89
concovata Zone, 724
gansseri Subzone, 724
primitiva Zone, 724
Groove casts, 319
Hawaiian magnetic lineations, 193, 201, 295, 311
Hawaiian Ridge, 5, 443
volcanogenic sediments on, 540
Hawaiian Seamount Chain, 395
Celicoptosphaera kamptneri Subzone, defined, 679
Hess Rise, See Site 310
Hiatus, biostratigraphic
mid-Miocene, 952
Site 308, 521
Site 310, 238, 241, 686
Site 313, 931
Tertiary-Cretaceous, 22, 49
Horizon Guyot, 313, 325
Hot spots, 296, 948, 953
theory of, 215
Ichthyoliths, 854
description of species, 856
changes in descriptive system, 854
Interstitial water chemistry, Site 303, 22, 23
Site 304, 50
Site 305, 83, 900
Site 306, 900
Site 308, 240
Site 310, 240
Site 313, 320
Isotope Data, Pacific and Northwest Europe, comparison of, 518
Isotopic paleotemperature, effects of carbonate diagenesis and lithification on, 509
Isthmolithus recurvus Subzone, 682
Ita Matai Seamount, 525
Japanese Islands, 17
Japanese magnetic lineations, 17, 45
Keathly lineations, 201
Kōko Guyot, 5, 394, 443, 527, 686
bryozoa, 803
oolites, 540
ostracodes, 803
volcanism near, 220
volcanogenic sediments, 537
See also Site 308, Site 309
Kuril Trench, 394, 934
Kuroshio Current, 394, 865
Kuroshio Extension Current, 18, 25, 444, 766, 927, 930, 934
Kuroshio-Oyashio Current System, 22
Lamprocyrtis heteroporos Zone, 90, 244, 581, 585, 593, 784
defined, 594
Larger foraminifera, Kōko Guyot, 825
Leg 32, basalt recovery, 10
biostratigraphic zonations, 10

- distribution of siliceous sediments, 443
- explanatory notes and conventions, 6
- lithologic conventions, 8
- main scientific goals, 5
- major objectives,
- operational summary, 5
- petrography of basalt, 564
- seismic reflection profiles, 394
- track, 393
- Lithification of carbonates, 904
- Lithologic conventions, 8
- Lithologic summary, Site 303, 19
 - Site 304, 47
 - Site 305, 78, 892
 - Site 306, 161, 892
 - Site 307, 195
 - Site 308, 217
 - Site 309, 229
 - Site 310, 235
 - Site 311, 298
 - Site 313, 315
- Lithraphidites alatus* Zone, 168, 244, 685, 686
- Load casts, 319
- Lower transparent layer, defined, 932
- Lysocline, 766, 949
- M Series, anomalies, 948
- Macrofossils, 217, 229, 823
- Magellan Plateau, 169
- Magellan Rise, 247, 935
- Magnesium in sediments, 899
- Magnetic anomalies, Northwest Pacific, 17
- Magnetic lineations and plate motion, 935
- Magnetic mineralogy, 571
- Magnetization stability, 572
- Malaga Mudstone, 785
- Manganese nodules, 896
- Manihiki Plateau, 949
- Marthasterites contortus* Zone, 683
- Mellish Bank, 247
- Mendocino Escarpment, 395
- Mesozoic biostratigraphy, Site 303, 24
 - Site 304, 53
 - Site 305, 85
 - Site 310, 244, 245
 - Site 313, 321, 322
- Mesozoic-Cenozoic boundary, 85
- Micronodules, pyrite, 217
- Micula mura* Zone, 85
- Mid-Miocene stratigraphic hiatus, 952
- Mid-Pacific Mountains, See also Site 313, 395, 574, 687, 724, 765, 935
- Miocene/Pliocene boundary, 768
- Mollusks, 537
- Molokai Fracture Zone, 935
- Murray Fracture Zone, 935
- Nannofossils
 - Broinsonia parca* Zone, 321, 687
 - Catinaster calyculus* Subzone, 679
 - Cenozoic, 244, 322
 - Ceratolithus acutus* Zone, 784
 - cristatus* Subzone, 784
 - primus* Zone, 783
 - rugosus* Zone, 784, 785
 - tricorniculatus* Zone, 772
- Chiasmolithus oamaruensis* Subzone, defined, 682
- Coccolithus formosus* Zone, 785
 - miopelagicus* Zone, 785
- Cyclicargolithus floridanus* Subzone, defined, 682
- description of new species, 688
- Dictyococcites bisectus* Subzone, 682
 - defined, 682
- Discoaster barbadiensis* Zone, 682
 - berggrenii* Zone, 783
 - binodosus* Subzone, defined, 682
 - diastypus* Zone, 683, 687
 - hamatus*, 679
 - lodoensis* Zone, 219, 220, 244, 686, 803, 953
 - multiradiatus* Zone, 322
 - pentaradiatus* Zone, 679
 - surculus* Subzone, 679
 - defined, 678
- surculus/D. tamalis* zonal boundary, 784
- tamalis* Zone, 784
- Eiffellithus eximus* Zone, 244, 686
 - turiseiffeli* Zone, 168, 685
- Emiliana ovata* Zone, defined, 678
- Geophyrocapsa oceanica* Zone, 168, 229, 678, 686
- Gephyrocapsa* Zone, 677
- Helicopontosphaera kamptneri* Subzone, defined, 679
- Isthmolithus recurvus* Zone, 682
- Lithraphidites alatus* Zone, 168, 244, 685, 686
- Marthasterites contortus* Zone, 683
- Mesozoic, 244, 322
- Micula mura* Zone, 85
- Parhabdolithus angustus* Zone, 168, 685
 - preservation, 897
- Pseudoemiliana lacunosa* Zone, 678
 - Site 303, 25, 683
 - Site 304, 53, 684
 - Site 305, 89, 684
 - Site 306, 168, 685
 - Site 307, 200, 686
 - Site 308, 219, 686
 - Site 309, 229, 686
 - Site 310, 244, 686
 - Site 311, 300, 686
 - Site 311, 300, 686
 - Site 313, 322, 687
- Sphenolithus distentus* Zone, 299, 300, 682, 686
- Tetralithus trifidus* Zone, 244, 321, 322, 686, 687
- Tribrachiatum contortum* Zone, 683
- Triquetrorhabdulus rugosus* Subzone, 772
- Natural remanent magnetization, 571
- Neogene, Central North Pacific water mass, 950
 - climatic variations, North Pacific, 786
 - diatoms, 865
 - paleoclimates, 786
 - Radiolaria, 244, 580, 581, 585, 591
- Neogene/Paleogene unconformity, 785
- Nitzschia jouseae* Zone, 866, 872, 873
- Nodules, chert, 22, 318, 436
- North Pacific climatic variations, Neogene, 786
- Northwest Pacific, magnetic anomalies, 17
 - acoustic stratigraphy, 930

- Oceanic plateaus, geologic record on*, 949
- Ommatartus antepenultimus* Zone, 26, 53, 244, 585, 594
penultimus Zone, 585
 defined, 594
- Ommatartus penultimus/O. antepenultimus* zonal boundary, 785
- Ontong-Java Plateau, 169, 247
- Oolites, 540
- Opal-CT, 80, 164, 434, 436, 441
 defined, 420
- Opaque layer, defined, 932
- Operational summary, 5
- Operations, Site 303, 18
 Site 304, 45
 Site 305, 76
 Site 306, 159
 Site 307, 194
 Site 308, 216
 Site 309, 227
 Site 310, 234
 Site 311, 296
 Site 313, 314
- Orbulinoides beckmanni* Zone, 739
- Ostracodes, 219, 719, 803
- Oxygen and carbon analyses, 509
- Oxygen and carbon isotopes in sediments, 901
- Oyashio Current, 766, 865
- Pacific plate motion, 925
 spreading rate, 938
 tectonic evolution, 938
- Paleoclimates, Neogene, 786
- Paleoclimatic indicators, *Dictyocha/Distephanus* ratio, 684
 diatoms, 876
- Paleolatitude, 573, 574, 948
- Paleotemperatures 514
 effects of carbonate diagenesis and lithification on, 509
 Cretaceous, 515
 Site 305, 518
 Site 306, 518
 Site 310, 518
- Parhabdolithus angustus* Zone, 168, 685
- Petrography of basalt, 564
- Phoenix Islands, 5, 17
- Phoenix lineations, 296, 935
- Physical properties, Site 303, 23
 Site 304, 50
 Site 305, 83
 Site 306, 165
 Site 306, 198
 Site 307, 198
 Site 308, 218
 Site 310, 240
 Site 311, 300
 Site 313, 320
- Physical property measurements, method of, 10
- Pillow Basalt, 22
- Pliocene-Pleistocene boundary, 768
- Porcellanite, 164, 166, 196, 239, 429
 defined, 430
 formation of, 442, 444
- Site 303, 435
 Site 304, 436
 Site 305, 432
 Site 306, 434
 Site 307, 436
 Site 310, 434
 Site 313, 434
- Praeglobotruncana helvetica* Zone, 724
- Preservation of fossils, 896
 foraminifera, 724, 725, 897
 Radiolaria, 90, 583
- Pseudoemiliania doliolus* Zone, 678
- Pseudoenotia doliolus* Zone, 229, 686, 866, 871, 872, 873
- Pumice, 78
- Pyrite, framboidal, 522, 786
 micronodules, 217
- Radiolaria
Acaeniotyle umbilicata Zone, 24, 26, 53, 90, 168, 201, 580, 581, 583, 584, 587
praegallowayi Zone, 586
Amphipyndax enessefi Zone, 323, 586
Artostrobium tumidulum Zone, 26, 90, 244, 580, 581, 584
 defined, 593
urna Zone, 245, 585, 586, 587
 defined, 587
Axoprunum angelinum Zone, 90, 244, 581, 584, 784
 defined,
Bekoma bidarfensis Zone, 322, 585, 594
Buryella clinata Zone, 322, 585
 defined, 591
Calocyclella costata Zone, 322, 585
Cannartus laticonus Zone, 585
petterssonii Zone, 580, 581
 Cenozoic, 322, 585
 Cretaceous, 580, 581, 585
 zonation, 586
Dictyomitra somphedia Zone, 26, 53, 90, 168, 200, 201, 245, 580, 581, 583, 584, 585, 587
 defined, 587
Eucyrtidium matuyamai Zone, 244, 581, 585, 768
 defined, 594
Eucyrtis tenuis Zone, 24, 26, 53, 90, 168, 201, 580, 581, 583, 584, 587, 607
Lamprocyrtis heteroporos Zone, 90, 244, 581, 585, 593, 784
 Mesozoic, 245, 322
 Neogene, 244, 580, 581, 585
Ommatartus antepenultimus Zone, 26, 53, 244, 585
penultimus Zone, 585
Sethocapsa trachyostraca Zone, 168, 210, 584, 607
 Site 303, 26, 500
 Site 304, 53, 581
 Site 305, 90, 581
 preservation of, 90
 Site 306, 168, 583
 preservation of, 583
 307, 200, 584
 309, 229
 10, 244, 585
 Site 311, 301

- Site 313, 322, 585
Sphaeropyle langii Zone, 580, 581, 585, 593, 594, 769, 784
Sphaerostylus lanceola Zone, 168, 584, 587
Spongaster pentas Zone, 593, 594
Stichocorys langii Zone, 581
peregrina Zone, 26, 53, 90, 244, 580, 581, 593, 594 defined, 594
Stichocorys peregrina/O. penultimus zonal boundary, 785
systematic paleontology, 607
Remanent magnetization, stability of, 572
Rhizosolenia curvirostris Zone, 871, 873, 876
Rhizosolenia praebergonii Zone, 872
Rio Grande Rise, 772
Ripple marks, 319
Roperia tessellata Zone, 25
Rotalipora apenninica Zone, 244, 724
Salinity of interstitial water, Site 303, 23
Site 304, 50
Site 305, 83
Site 310, 240
Site 313, 320
Sandstone, volcanic, 526
turbidite, 954
Sedimentary structures
groove casts, 319
load casts, 319
ripple marks, 319
terminology used, 10
Sedimentation rates, 784
method of determining, 10
Site 303, 24
Site 304, 49, 52
Site 305, 90, 766
Site 306, 168
Site 307, 201
Site 310, 245, 247, 766, 930
Site 313, 323
Seismic profiles, correlation with drilling results, Leg 32, 394
Site 303, 24
Site 304, 51
Site 306, 165
Site 311, 298
Site 313, 321
Senonian sediments, 724
Sethocapsa trachyostraca Zone, 168, 201, 584, 607
Shales, 942
pelagic, 239
Shatsky Rise, 5, 45, 159, 199, 245, 394, 438, 509, 518, 685, 724, 788, 822
acoustic units, 932
carbonate compensation depth, 927
See also Site 305, Site 306
Silicification, process of, 441
Silicoflagellates, description of new species, 687
Dictyochoa aspera Zone, 25, 26
epiodon Zone, 25
fibula Zone, 25
Dictyochoa/Distephanus ratio, paleoclimatic indicator, 684
Site 303, 25, 683
Site 304, 53
Site 305, 685
Site 303, Japanese magnetic lineations, 17
background and objectives, 17
basalt, 22, 563
biostratigraphic Summary, 24, 942
carbonate compensation depth, 22, 926
chert, 434
correlation of seismic reflection profiles with drilling results, 24
diatoms, 25, 866
foraminifera, 25, 719
geochemical measurements, 22
lithologic summary, 19
nannofossils, 25, 683
operations, 18
physical properties, 23
porcellanite, 435
Radiolaria, 26, 580
sedimentation rates, 24
sediments, 20
silicoflagellates, 25, 682
sonobuoy, 18
summary and conclusions, 26
Site 304, Japanese magnetic lineations, 45
background and objectives, 451
basalt, 48, 563
biostratigraphic summary, 52, 942
carbonate compensation depth, 49, 926
chert, 436
correlation of seismic profiles with drilling results, 51
foraminifera, 53, 719
geochemical measurements, 49
lithologic summary, 47
nannofossils, 53, 684
operations, 45
physical properties, 50
porcellanite, 435
Radiolaria, 53, 581
sedimentation rates, 49, 52
sediments, 47
silicoflagellates, 53
sonobuoy, 56
summary and conclusions, 54
Site 305, Shatsky Rise, 75
acoustic basement, 85
background and objectives, 76
biostratigraphic summary, 85, 941
correlation of seismic reflection profiles with drilling results, 85
Cretaceous-Tertiary boundary, 89
foraminifera, 88, 703, 707, 724, 735, 754
Geochemical measurements, 83, 899, 900
isotope data, 901
lithology, 78, 892
magnesium in sediments, 899
nannofossils, 89, 684
operations, 76
Paleotemperatures, 518
porcellanite, 432
preservation of fossils, 90, 725, 896

- Radiolaria, 90, 581
- sediments, 78
- silicoflagellates, 685
- sonobuoy, 77
- stratigraphic hiatus, 90, 724, 785
- summary and conclusions, 90
- Site 306, Shatsky Rise, 159
 - background and objectives, 159
 - chert, 454
 - correlation of seismic reflection profiles with drilling results, 165
 - foraminifera, 707, 708
 - geochemical measurements, 165, 900
 - geochemistry of sediments, 899
 - isotope data, 901
 - lithology, 161, 892
 - magnesium in sediments, 899
 - nannofossils, 168, 685
 - operations, 159
 - paleotemperatures, 518
 - physical properties, 165
 - porcellanite, 434
 - preservation of fossils, 583, 896
 - Radiolaria, 168, 583
 - sedimentation rates, 168
 - sediments, 162
 - summary and conclusions, 169
- Site 307, Hawaiian magnetic lineations, 193, 928
 - background and objectives, 193
 - basalt, 297, 563
 - biostratigraphic summary, 199, 942
 - carbonate compensation depth, 928
 - chert, 436
 - correlation of seismic profiles with drilling results, 198
 - fish teeth, 200
 - foraminifera, 168, 200
 - geochemical measurements, 198
 - lithologic summary, 195
 - nannofossils, 200, 686
 - natural remanent magnetization, 571
 - operations, 194
 - paleolatitude, 574
 - physical properties, 198
 - porcellanite, 436
 - Radiolaria, 200, 584
 - sedimentation rates, 201
 - sediments, 196
 - seismic survey, 194
 - sonobuoy, 194
 - summary and conclusions, 201
- Site 308, Kōko Guyot, 215
 - background and objectives, 215
 - biostratigraphic hiatus, 521
 - biostratigraphic summary, 218
 - bryozoa, 219
 - carbonate compensation depth, 239
 - carbonate mineralogy, 321
 - foraminifera, 219, 538, 727
 - lithologic summary, 217
 - macrofossils, 217, 523
 - nannofossils, 219, 686
 - operations, 216
 - ostracodes, 219
 - physical properties, 218
 - seismic survey, 216
 - subsidence, 218, 220
 - summary and conclusions, 220
- Site 309, Kōko Guyot, 227
 - background and objectives, 227
 - biostratigraphic summary, 229, 942
 - diatoms, 22
 - foraminifera, 229, 540, 825
 - lithologic summary, 229
 - macrofossils, 229
 - nannofossils, 229, 686
 - operations, 227
 - radiolaria, 229
 - seismic survey, 228
 - summary and conclusions, 229
- Site 310, Hess Rise, 5, 233, 395, 438, 686, 724, 788, 929
 - background and objectives, 233
 - biostratigraphic summary, 241, 941
 - chert, 424
 - carbonate compensation depth, 233, 929
 - correlation of seismic profiles with drilling results, 241
 - Cretaceous-Tertiary boundary, 930
 - Diatoms, 866
 - foraminifera, 241, 724, 737, 754
 - lithologic summary, 235
 - nannofossils, 244, 686
 - operations, 234
 - paleotemperatures, 518
 - porcellanite, 434
 - physical properties, 240
 - Radiolaria, 244, 245, 585
 - sedimentation rates, 245, 247, 766, 930
 - sediments, 238
 - stratigraphic hiatus, 238, 239, 241, 244, 245, 686, 724, 785
 - summary and conclusions, 245
- Site 311, Hawaiian magnetic lineations, 295
 - background and objectives, 295
 - biostratigraphic summary, 300, 942
 - correlation of seismic profiles with drilling results, 298
 - foraminifera, 300
 - geochemical measurements, 299
 - lithologic summary, 298
 - nannofossils, 300, 686
 - operations, 296
 - physical properties, 300
 - Radiolaria, 301
 - sediments, 298
 - summary and conclusions, 301
- Site 312, Hawaiian magnetic lineations, 311
- Site 313, Mid-Pacific Mountains, 313, 930
 - background and objectives, 313
 - basalt, 315, 319, 567
 - biostratigraphic summary, 321, 945
 - carbonate compensation depth, 930
 - chert, 434
 - correlation of seismic profiles with drilling results, 321

- Cretaceous-Tertiary boundary, 724
- foraminifera, 321, 724, 727, 737, 754
- geochemical measurements, 319
- lithologic summary, 315
- nannofossils, 322, 687
- operations, 314
- porcellanite, 434
- physical properties, 320
- Radiolaria, 322, 585
- sedimentation rates, 323
- sediments, 315
- sonobuoy, 314, 321
- stratigraphic hiatus, 724, 930
- summary and conclusions, 324
- Sonobuoy, Site 303, 18
 - Site 304, 46
 - Site 305, 77
 - Site 307, 194
 - Site 313, 314, 321
- Sphaeropyle langii* Zone, 580, 581, 585, 593, 594, 769, 784
 - defined, 594
- Spaerotstylus lanceola* Zone, 168, 504, 587
 - defined, 591
- Sphenolithus distentus* Zone, 299, 300, 682, 686, 954
 - pseudoradians* Zone, 682
- Spongaster pentas* Zone, 593, 594
- Spreading rate, Pacific plate, 938
- Stichocorys langii* Zone, 581
 - peregrina* Zone, 26, 53, 90, 244, 580, 581, 585, 593, 594
- Stichocorys peregrina/O. penultimus* zonal boundary, 785
- Stratigraphic hiatus, Site 305, 90, 724
 - Site 310, 238, 239, 241, 245, 686, 724
 - Site 313, 724, 931
- Strontium in sediments, 899
 - as an indicator of diagenetic grade, 925
- Subsidence, Site 308, 218, 220
- Systematic descriptions, bryozoans, 838
 - foraminifera, 804
 - Radiolaria, 607
 - diatoms, 876
- Tagochau limestone, 826
- Tectonic evolution, Pacific plate, 938
- Tertiary-Cretaceous hiatus, 22, 49
- Tetralithus malticus* Zone, 685
 - trifidus* Zone, 244, 321, 322, 686, 687
- Thalassiosira convexa* Zone, 866, 873
- Track, Leg 32, 393
- Tribrachiatius contortus* Subzone, defined, 683
- Triquetrorhabdulus rugosus* Subzone, 772
- Turbidite sandstones, 954
- Turbidites, 325
- Turborotalia ampliaperta* Zone, 754
 - opima opima* Zone, 753
 - pachyderma* datum, 783
- Upper transparent layer, defined, 932
- Volcanic ash, 546
- Volcanic glass, 866
- Volcanic sandstone, 216, 318, 526
- Volcanic turbidites, 299
- Volcanism, Kōko Guyot, 220
- Volcanogenic sediments,
 - Hawaiian Ridge, 540
 - Kōko Guyot, 537
 - Mid-Pacific Mountains, 542
- X-ray mineralogy, Leg 32 material, 547
 - methods, 547
- Zoophycos, 318