

INDEX

- Absolute age, sediment basement contact, 208
 - Site 333, 934
 - Site 334, 935
 - Site 335, 937
- Absolute plate motion, 547
- Accumulation, mineral phases, 729
- Activation energies, 547
- Adiabatic cooling, 681
- African plate, 329
- Alleuisolucine/isoleucine measurements, 637
- Alteration, basalt, 656
 - flow units, Site 332, 811
 - Site 335, 811
- Alteration effect on granitophile trace elements, 563
- Alteration features, 858
- Alteration index, 818
- Alteration mineralogy, 795
- Alteration minerals (main) in basalts, 834
- Alteration of basalts, 995
- Alteration states, magnetic minerals, 547
- Alteration zones, uranium in, 551
- Altered flow units
 - Site 332, chemistry, 817
 - mineral chemistry, 815
 - Site 335, chemistry, 817
 - mineral chemistry, 815
- Alternating field demagnetizations, 547
- Amaurolithus primus* Subzone, 920
- Ambient vapor pressure of water, 547
- American plate, 329, 341
- Amygdules, 814
- AN compressional velocity, basalt, 547
- Analytical procedures for lead, 613
 - strontium, 613
- Anhysteretic remanence (ARM), 547
- Anomaly modeling using observed, NRM properties, 547
- Anomaly 5, 239
- Atlantic Fracture Zone, 331
- Augites, 764
- Azores mantle blob activity, 591, 595
- Background and objectives
 - Site 332, 61
 - Site 333, 201
 - Site 334, 239
 - Site 335, 292
- Basal layer/composition of, 547
- Basalt, alteration, 656, 834, 995
 - AN compressional velocity, 547
 - carbonates, 778
 - chemical interaction of seawater and, 547
 - clay minerals, 776
 - classification of, 567
 - hysteresis measurements, 547
 - iron hydroxides, 782
 - isotopic compositions, 613
 - leucoxene, 781
 - low temperature alteration by seawater, 833
 - magnetic properties, 547
 - manganese coating, 781
 - mean seismic refraction velocity for, 547
 - melting point, 547
 - mineral analysis, 847
 - opaque minerals, 778
 - oxide minerals, 243
 - oxygen isotopes, 607, 617
 - paleomagnetism, 547
 - paragenesis of secondary minerals, 783
 - petrology of, 711
 - pyrite, 779
 - rare-earth elements, 599
 - resistivity values, 547
 - seawater contamination, 608
 - secondary minerals, 775
 - silica minerals, 782
 - Site 332B, gold in, 578
 - iridium in, 578
 - palladium in, 578
 - smectite, 833, 836
 - solidification of, 547
 - strontium isotopic composition, 599, 607, 613
 - submarine alteration, 569
 - sulfate minerals, 782
 - sulfide minerals, 243, 859
 - thermal conductivity measurements, 657
 - thermomagnetic analysis, 547
 - thorium, 607
 - trace elements, 567, 800
 - uranium, 607
 - yttrium in, 567
 - zeolites, 778
- Basalt magma, strontium 87/strontium 86 initial ratio in, 613
- Basaltic glass, fission track chronology, 625
 - geochemistry, 729
 - normative mineralogy, 729
- Basaltic rocks, secondary minerals, 825
 - Site 332B, 681
- Basement, lithology of, 205, 242, 292
 - temperature gradient in, 547
- Basement ages based on paleontology, 987
 - Leg 37, 981
- Basement holes, heat-flow measurements in, 547
- Basement rocks
 - ferromagnetism, 547
 - in situ, magnetism of, 547
 - magnetic properties, 547
 - magnetic stability, 547
 - opaque mineralogy, 857
 - paleomagnetism, 547

- paramagnetism, 547
- remanent magnetization, 547
- rock magnetism, 547
- seismic velocity measurements, 547
- superparamagnetism, 547
- susceptibility, 547
- Basement-sediment contact, temperature, 547
- Basement units, lithologic and magnetic, 547
- Benthonic forams, 967
- Biostratigraphy
 - Site 333, 206
 - Site 334, 247
 - Site 335, 297
- Carbon-carbonate analyses, Leg 37 sediments, 637
- Carbonates, basalt, 778
 - secondary minerals, 825
- Catinaster calyculus* Subzone, 917, 920, 979
- Catinaster coalithus* Zone, 917
- Cation deficiency, 547
- Cation deficiency, titanomagnetites, 858
- Ceará Abyssal Plain, 329
- Chemical analyses of peridotites, gabbros, and eucrites, 741
- Chemical analyses, standards, 547
- Chemical changes associated with low-temperature alteration, 783
- Chemical correlation of Site 332 to Site 333, 681
- Chemical groups, Site 332B, 663
- Chemical interaction of seawater and basalt, 547
- Chemical stratigraphy
 - Site 332A, 744
 - Site 332B, 743
- Chemical study of pyroxenes, 764
- Chemistry, altered flow units
 - glass cooling rinds, 653
 - Sites 332, 335, 817
 - Site 332A, 695
 - Site 332B, 696
- Chemistry and origin of Leg 37 basalts, 992
- Chondritic abundances, 708
- Chromite, 814
- Chromite, textures and phase chemistry, 841
- Classification of basalts, 567
- Clay minerals, 797
- Clay minerals, basalt, 776
- Clays, secondary minerals, 827
- Cobalt in igneous rocks, 568
- Complex resistivity, 547
- Composition and refraction velocity, layer 3, 547
- Compressional wave velocities, serpentinized oceanic rocks, 547
- Concordancy diagram, 604
- Conduction mechanism, 547
- Conductive cooling models, 347
- Conductivity and heat flow, Site 334, 547
 - heat flow, Site 333A, 547
 - Site 335, temperature, 547
- Conductivity measurements, basement, 547
- Constitution of submarine basalt lava flows, 4
- Construction of layer 2, 3
- Correlation of Sites 332A and 332B, major element analyses, 647
- Coscinodiscus yabei* Partial-Range Zone, 968, 969, 980
- Cotectic compositions, 660
- Cotectic fractionation, 681
- Cotectic liquids, 681
- Crustal layer 2A, 547
- Crustal layer 2B, 547
- Crustal seismic structure, 547
- Crystal accumulation, 656
- Cumulate textures, 681
- Curie point
 - mean demagnetizing field (MDF), 547
 - NRM intensity, 547
 - saturation magnetization, 547
 - susceptibility, 547
- Curie points and hysteresis, VRM/correlation of, 547
- Curie temperature profiles, 547
- Curie temperature studies, 547
- Curie temperatures, 547
- Cussia paleacea* Partial-Range Zone, 977, 980
- Distribution of degree of titanomagnetite cation deficiency, 547
- Decay of thermal effects by drilling disturbance, 547
- Deep Drill Valley, 3, 201, 341
- Demagnetization, 547
- Diatoms, *Coscinodiscus yabei* Partial-Range Zone, 968, 969, 980
 - Cussia paleacea* Partial-Range Zone, 977 Leg 37, 979
 - Nitzschia miocenica* Partial Range Zone, 968
 - Nitzschia porteri* Partial Range Zone, 968, 980
 - Nitzschia jouseae* Partial Range Zone, 967, 968, 979, 980
- Pseudoeunotia doliolus* Range Zone 977, 980
- Rhizosolenia praebergonii* Partial Range Zone, 967, 980
 - Site 332, 967
- Site 333, 967
- Site 334, 968
- Site 335, 974
- Thalassiosira convexa* Partial Range Zone, 967, 979
 - Tid Zone 1, 977
 - Tid Zone 8, 968
 - Tid Zone 19, 969
 - Tid Zone 20, 969
- Dictyocha/Distephanus* ratio, 980
- Dictyocha aculeata* Zone, 920, 980
- Dictyocha aspera* Zone, 920, 980
- Dictyocha perlaevis ornata*, new silicoflagellate subspecies, 922
- Dictyocha stapedia* Zone, 917, 977, 980
- Differentiation cycles, 732
- Differentiation patterns, magmas, 729
- Direction and intensity of NRM, 547
- Directional stability, 547
- Discoaster asymmetricus* Subzone, 918, 979
- Discoaster bellus* Subzone, 917, 979
- Discoaster berggrenii* boundary, 909
- Discoaster berggrenii* Subzone, 920
- Discoaster hamatus* Zone, 917
- Discoaster kugleri* Subzone, 920, 979
- Discoaster tamalis* Subzone, 917, 979
- Discoaster tamalis/D. asymmetricus* Subzone, 979
- Discoaster tamalis/D. asymmetricus* Subzone boundary, 979

- Dissipation factor, resistivity and, 547
- Distephanus polyactis crassus*, new silicoflagellate subspecies, 922
- Distribution coefficient, gabbros, 767
- Disturbance decay time, 547
- Divitrification of glasses, 729
- Domain state of magnetic minerals, layer 2 basalts, 547
- Domain structure based on optical microscopy, 547
- Downhole variations in alteration, 783
- Drilling disturbance, decay of thermal effects, 547
- Drilling procedures, temperature disturbance due to, 547
- Drilling temperature disturbance, 547
- Earth's total field measurements, 341
- Economic minerals in layer 2, 4
- Elastic properties, gabbros, 547
- Elastic strain energy, 547
- Electrical conductivity, 547
 - variations with pressure and temperature, 547
 - variations with ambient vapor pressure of water and with temperature, 547
- Electrical properties, basalt, 547
- Electrical resistivity, igneous rocks, 547
- Electrical resistivity and temperature, 547
- Electrical resistivity, variation with depth in crust, 547
- Electron microprobe analyses, 695, 705
- Emission spectrometry, 695
- Energy (heat) of desorption, 547
- Environmental factors affecting fission track retention, 625
- Eu anomalies, 707
- Eucrites, chemical analyses of, 741
- Evolution of gases and vapors, 547
- Evolutionary history of layer 2A, 3
- Exsolution lamellae, 763
- Exsolution textures, 763
- Fabric and strain, gabbros, 757
- Fabric of peridotites, 757
- FAMOUS area, 547
 - geology of, 4
- FAMOUS area rocks, comparison to Site 332B rocks, 702
- FAMOUS dives, 341
- FAMOUS project, techniques utilized in, 4
- Fault planes, 206
- Ferromagnetism, basement rocks, 547
- Ferromanganese phases, fractionation of, 705
- Fission track chronology, basaltic glass, 625
 - dating, 625
 - maps, 548
 - paleomagnetic and paleontological ages, comparison of, 627, 981
- Fission track retention, environmental factors affecting, 625
- Flaser gabbros, 757
- Flow units
 - Site 332, alteration, 811
 - petrography, 811
 - Site 335, alteration, 811
 - petrography, 814
- Foram zonation, methods used, 929
- Foram zone boundaries, defined, 929
- Foraminifera, Site 333, 208
- Forams
 - benthonic, Leg 37, 967
 - Leg 37, 929, 977
 - Site 332, 930
 - 332A, 930
 - 332B, 932
 - Site 333, 932
 - 333A, 934
 - Site 334, 247, 934
 - Site 335, 297, 935
 - Systematic paleontology, 937
 - Zone N14, 292, 297, 936, 979
 - Zone N15, 934, 935, 979
 - Zone N15/N16 boundary, defined, 930
 - Zone N16, 935
 - Zone N16/N17 boundary, 247
 - Zone N16/N17 boundary/defined, 929
 - Zone N17, 247, 297, 935
 - Zone N19, 297, 932, 935, 977
 - Zone N19/N20 boundary/defined, 929
 - Zone N20, 63, 64, 208, 297, 932, 934, 935, 977, 978
 - Zone N20/N21 boundary, 208, 932
 - Zone N20/N21 boundary/defined, 929
 - Zone N21, 63, 64, 208, 297, 932, 934, 935, 979
 - Zone N23, 63, 247, 934
- Fossil preservation, Leg 37, 980
- Fractional crystallization, 547, 653, 654, 681
- Fractionation, 732
- Fractionation of ferromanganese phases, 705
- Fracture Zone A, 347
- Fracturing, effect on refraction velocities, 547
- Gabbros
 - distribution coefficient, 767
 - elastic properties, 547
 - eucrites, chemical analyses of, peridotites, 741
 - fabric and strain, 757
 - mineral analysis, 847
 - petrology of, 711
 - physical properties, 547
 - Site 334, 763, 841
- Geochemical investigations
 - methods of, 631
 - sediments, 631
- Geochemical stratigraphy
 - Hole 332A, 657
 - Hole 332B, 663
 - Hole 332D, 746
 - Hole 333A, 746
 - Site 334, 747
 - Site 335, 748
- Geochemistry
 - basaltic glass, 729
 - Hole 332A, 699
 - Hole 332B, trace and minor element, 661
 - Site 334, 681, 700
 - Site 335, 681, 701
- Geochemical correlation, Hole 332A and Hole 332B, 744
- Geology of FAMOUS area, 4
- Geomagnetic reversals recorded in sediments, 547
- Geothermal evolution, 653
- Geothermal gradient, 681
- Glass, secondary minerals, 825

- Glass analyses, Hole 332A, 654
- Glass cooling rinds, 653, 681
 - chemistry, 653
- Glasses, devitrification of, 729
- Gold in basalt, Hole 332B, 578
 - peridotites, Site 334, 578
- Grain density, igneous rocks, 547
- Grain size, susceptibility and the ratio of titan-omagnetite content to, 547
- Granitophile trace elements, alteration effect on, 563
- Habit of occurrence, sulfides, 875
- Halmyrolysis, 547, 729
- Heat flow
 - ocean probe measurements, 347
 - Site 333, 206
 - Hole 333A, temperature, conductivity, 547
 - Site 334, 243
 - Site 335, 297
 - Site 335, temperature, conductivity, 547
 - temperature measurement techniques, 547
 - Heat flow and hydrothermal circulation, layer 2, 992
 - Heat flow and heat production in layer 2, 4
 - Heat flow measured near ridge crests, accuracy of, 547
 - Heat-flow measurements
 - basement holes, 547
 - ocean ridges, 347
 - sediments, 547
 - Heat-flow results, Leg 37, 547
 - Heat-flow values, hydrothermal circulation, source of, 347
 - Heat of desorption, 547
 - High-pressure fractionation, 681
 - High-pressure experiments, igneous rocks, 547
 - High-vacuum experiments, igneous rocks, 547
 - Hole bottom temperatures, method for obtaining accurate measurements from, 547
 - Hornblende gabbro, petrography of, 763
 - Hydrothermal circulation
 - effect upon heat flow, 547
 - layer 2, heat flow and, 992
 - source of heat flow values, 347
 - Hydroxides, 858
 - Hydromagnetophile elements, 547
 - Hypersthene gabbro, petrography, 763, 764
 - Hysteresis, VRM and correlation of Curie points, 547
 - Hysteresis loops, 547
 - Hysteresis measurements, basalts, 547
 - Hysteresis of conductivity isotherms, 547
 - Igneous rocks
 - cobalt in, 568
 - electrical resistivity, 547
 - grain density, 547
 - high-pressure experiments, 547
 - high-vacuum experiments, 547
 - nickel in, 568
 - porosity and water content, 547
 - physical properties
 - seismic velocity, 547
 - strontium in, 568
 - sulfide occurrence, 875
 - sulfur isotope composition, 622
 - thermal conductivity, 547
 - whole rock chemistry, 725
 - zinc in, 568
 - Ilmenite, 858
 - Incompatible element, 706, 708
 - Induced magnetization, 547
 - Initial susceptibility, 547
 - Internal stresses, 547
 - Intrusive rocks, layering, 847
 - Iridium in basalt, 578
 - Iron hydroxides in basalt, 782
 - Isoleucine, racemization of, 633
 - Isotopic anomalies, 569
 - Isotopic composition, basalts, 613
 - Isotopic fractionations between minerals and water, 617
 - K-T curves, 547
 - Kane Fracture, 329
 - Kings Trough, 335
 - Königsberger ratio, 547
 - Lattice thermal conductivity, 547
 - Lattice thermal conductivity, variations with pressure and temperature, 547
 - Layer 2
 - construction of, 3, 547
 - basalts, 547
 - economic minerals in, 4
 - heat flow and hydrothermal circulation, 992
 - heat flow and heat production in, 4
 - lithology, 987
 - magnetic properties, 991
 - structure, 990
 - Layer 2A
 - evolutionary history of, 3
 - nature of, 3
 - thickness and velocity of, 547
 - Layer 2B
 - petrologic and seismic evidence for the composition of, 547
 - thickness and velocity of, 547
 - Layer 3
 - composition and refraction velocity, 547
 - mafic rocks in, 547
 - problems associated with separation of layer 2 from, 3
 - Layering, intrusive rocks, 847
 - Lead
 - analytical procedures for, 613
 - strontium exchange, sea water and, ocean floor basalt, 614
 - Lead growth curve, 617
 - Lead isotopic composition, 613
 - Leg 37
 - chemistry and origin of basalts, 992
 - diatoms, 979
 - forams, 929, 977
 - heat-flow results, 547
 - nannofossil zonation, 917
 - nannofossils, 909, 979
 - objectives, 3
 - silicoflagellate zonation, 917, 980
 - underway surveys, 329
 - Leg 37 basalts, sulfur in, 561

- Leg 37 rocks
 - oxygen isotope investigations, 603
 - seismic velocity, 547
- Leg 37 sediments, carbon-carbonate analyses, 637
- Leucoxene in basalt, 781
- Lithologic and magnetic basement units, 547
- Lithologic units, Hole 332B, 658
- Lithologic units, Site 334, 681
- Lithology, layer 2, 987
 - Hole 332A, 654
 - Hole 332B, 658
 - Hole 333A, 681
 - Site 335, 681
- Lithology of basement, 205, 242
- Lithophile elements, 729
- Low-temperature alteration of basalt by seawater, 833
- Low-temperature alteration of basalts, 775
- Low-temperature alteration, chemical changes associated with, 783
- Low-field susceptibility, 547
- Lowrie-Fuller Test, 547
- LREE enrichment, 707
- M-T curve, 547
- Mafic rocks in layer 3, 547
- Magma chambers, 657
- Magma fractionation, 657
- Magma generation, 547
- Magma group, 653
 - Hole 332A, 655
 - Hole 332B, 659
- Magmas, differentiation patterns, 729
- Magmatic evolution, 653
- Magnetic anisotropy, 547
- Magnetic anomalies, 547
- Magnetic anomaly pattern, Median Valley, 4
- Magnetic granulometric experimental procedures, 547
- Magnetic minerals
 - alteration states, 547
 - layer 2 basalts, domain state of, 547
- Magnetic minerals and domain structure, 547
- Magnetic overprinting, 547
- Magnetic paleofield intensity, determination of, 547
- Magnetic properties
 - basalts, 547
 - basement rocks, 547
- Magnetic properties of basalts containing low cation deficiency titanomagnetite, 547
- Magnetic stability, basement rocks, 547
- Magnetic state of upper layer 2, 547
- Magnetic viscosity coefficient, 547
- Magnetic stability, basement rocks, 547
- Magnetism, major problems, 547
- Magnetism of basement rocks in situ, 547
- Magnetite
 - multidomain, 547
 - secondary, 859
- Magnetization and paleomagnetic field intensity, 547
- Magnetization in situ, 547
- Magnetometer, Earth's total field measurements, 341
- Major element chemistry, Site 333A, 681
- Major element analyses
 - correlation of Hole 332A and Hole 332B, 647
 - method of, 643
 - Hole 332, 649
 - Hole 332A, 646
 - Hole 332B, 646
 - Site 334, 649
 - Site 335, 651
- Major element chemistry, 705
 - Hole 332B, 659
- Major element determinations, shipboard comments on, 645
- Major problems, magnetism, 547
- Manganese coating, basalt, 781
- Mean conductivity, Hole 332B, 547
- Mean demagnetizing field (MDF) and Curie point, 547
- Mean seismic refraction velocity for basalts, 547
- Median destructive field (MDF), 547
- Median Valley
 - description of, 4
 - magnetic anomaly pattern, 4
- Melting point, basalts, 547
- Membrane polarization, 547
- Metasomatic garnets, absence of at Site 335, 893
- Methodology, X-ray mineralogy, 895
- Methods
 - fission track dating, 625
 - geochemical investigations, 631
 - paleomagnetic measurements, 547
 - rock magnetic measurements, 547
 - velocity measurements, 547
- Microlite, replacement by smectites, 833
- Mid-Atlantic Ridge, 341
 - igneous crust, Miocene nannos in, 917
- Mid-Ocean Ridge basalt, 681
 - uranium in, 547
- Mineral analysis
 - basalt, 847
 - gabbro, 847
 - peridotite, 847
 - silicate minerals, 847
 - sulfide minerals, 847
- Mineral chemistry, altered flow units
 - Site 332, 815
 - Site 335, 815
- Mineral phases, 653
 - accumulation, 729
- Mineralogical and chemical relationships, 702
- Mineralogy and chemistry, secondary minerals, 825
- Minerals, uranium concentrations in fresh, 553
- Multidomain magnetite, 547
- Nannofossils
 - Leg 37, 909
 - Miocene in mid-Atlantic ridge igneous crust, 917
 - Site 332, 917
 - Site 333, 918
 - Site 334, 918
 - zonation, 917
 - Catinaster calyculus* Subzone, 917, 920, 979
 - Catinaster coalithus* Zone, 917
 - Discoaster asymmetricus* Subzone, 918, 979
 - Discoaster bellus* Subzone, 917, 979
 - Discoaster berggrenii* Subzone, 920
 - Discoaster hamatus* Zone, 917

- Discoaster kugleri* Subzone, 920, 979
- Discoaster tamalis* Subzone, 917, 979
- Discoaster tamalis*/*D. asymmetricus* Subzone, 979
- Discoaster tamalis*/*D. asymmetricus* Subzone boundary, 979
 - Leg 37, 979
 - Site 332, 65
 - Site 333, 208
 - Site 334, 247
 - Site 335, 298, 920
 - solution of, 917
 - Zone NN10, 290, 909
 - Zone NN13, 298
 - Zone NN15, 65, 208, 298, 909
 - Zone NN15-NN16 boundary, 909, 979
 - Zone NN16, 65, 208, 909
 - Zone NN17, 298
 - Zone NN19, 65
 - Zone NN21, 208, 247
 - Zone NN7, 292, 298, 909
 - Zone N11, 298
 - Zone N21, 65
- Nannos, Zone NN18, 298
- Natural remanent magnetization, 292, 547
- Nature of layer 2A, 3
- Near-surface crystal fractionation, 708
- Negative (NRM) inclinations, 547
- Neutron activation, 695
- New subspecies (silicoflagellates)
 - Dictyocha perlaevis ornata*, 922
 - Distephanus polyactis crassus*, 922
- Nickel igneous rocks, 568
- Nitzschia jouseae* Partial-Range Zone, 980, 967, 968, 979, 980
- Nitzschia miocenica* Partial-Range Zone, 968
- Nitzschia porteri* Partial-Range Zone, 968, 980
- Noble metal content, ocean-floor basalts, 578
- Noncumulate host liquids, 660, 681
- Normal inclinations, 547
- Normative mineralogy, basaltic glass, 729
- NRM analysis, purpose, technique, range of results, 547
- NRM components, spatial distribution, 547
- NRM inclinations
 - sediments, 547
 - stable shallow, 547
- NRM inclinations in situ, 547
- NRM intensities, in situ, 547
- NRM intensity and
 - Curie point, 547
 - ratio of titanomagnetite content to saturation magnetization, 547
- NRM properties, anomaly modeling using observed, 547
- Objectives, Leg 37, 3
- Ocean probe measurements, heat flow, 347
- Ocean ridges, heat-flow measurements, 347
- Ocean-floor basalts, noble metal content, 578
- Oceanic basalts, low temperature alteration of, 775
- Oceanic basement, increase in refraction velocity with depth, 547
- Oceanographer Fracture Zone, 332
- Olivine, textures and phase chemistry, 841
- Olivine cumulate, 707
- Olivine fractionation, 707
- Olivine tholeiites, 732
- Ommatartus antepenultimus* Zone, 247, 930
- Opaque mineralogy, basement rocks, 857
- Opaque minerals, 547
 - basalt, 778
- Operations
 - Site 333, 201
 - Site 334, 240
 - Site 335, 292
- Ophiolites, 547
- Origin of
 - plutonic complex, Site 334, 995
 - stable directions, 547
- Orthopyroxene, 763
- Oxide minerals, basalt, 243
- Oxides, plutonic rocks, 858
- Oxidized, titanomagnetite, 547
- Oxygen isotope exchange between seawater and crust, 618
- Oxygen isotope fractionations, 603
- Oxygen isotope geochemistry
 - basalts, 617
 - plutonic rocks, 618
- Oxygen isotope investigations, Leg 37 rocks, 603
- Oxygen isotopes, basalt, 607
- Palagonite, 798, 825
- Paleoclimatology, 980
- Paleolatitude
 - Site 332, 547
 - Site 333, 547
- Paleomagnetic and paleontological ages, comparison of, 981
- Paleomagnetic correlation, Holes 332A and 332B, 547
- Paleomagnetic evidence, layer 2 construction, 547
- Paleomagnetic field intensity, 547
- Paleomagnetic field intensity, magnetization and, 547
- Paleomagnetic inclinations, Site 334, 243
- Paleomagnetic inclinations and absolute plate motion, 547
- Paleomagnetic measurements, methods, 547
- Paleomagnetic stratigraphy, 664
- Paleomagnetic stratigraphy, comparison with paleontology, 981
- Paleomagnetic units, 658
- Paleomagnetism
 - basalts, 547
 - basement rocks/Leg 37, 242, 547
 - sediments, 547
 - Site 333, 206
- Paleontology
 - basement ages based on, 987
 - paleomagnetic stratigraphy, comparison with, 981
- Paleotemperatures, 637, 920
- Palladium in basalt, Site 332B, 578
- Paragenesis of secondary minerals, basalt, 783
- Paramagnetism, basement rocks, 547
- Partial fusion, 653
- Partial melting, 547, 707
- Partition coefficients for uranium, 553
- Peridotite, mineral analysis, 847
- Peridotite, Site 334, phase chemistry studies on, 841
- Peridotites
 - chemical analyses of, 741

- fabric of, 757
 - petrology of, 711
 - Site 334, gold in, 578
- Petrography of, hornblende gabbro, 763
- Petrography, flow units
 - Site 332, 811
 - Site 335, 814
- hypersthene gabbro, 763, 764
- Hole 332A, 695
- Hole 332B, 696
- Site 334, 700
- Site 335, 701
- Petrologic and seismic evidence for the composition of layer 2B, 547
- Petrology of
 - basalts, 711
 - gabbros, 711
- Petrology of igneous rocks
 - Site 332, 711
 - Site 334, 714
- Petrology of peridotites, 711
- Phase chemistry and zonings, spinels, 883
- Phase chemistry studies on gabbro, Site 334, 841
- Phase chemistry studies on peridotite, Site 334, 841
- Physical properties
 - basalts, 547
 - gabbros, 547
 - igneous rocks, 547
 - Site 333, 206
 - Site 334, 243
 - Site 335, 297
 - ultramafic rocks, 547
- Pico Fracture Zone, 332
- Picrite flow, 814
- Pigeonite, 765
- Pillow basalts, 247, 681
- Pillow lavas, 653, 811, 814
- Plagioclase, textures and phase chemistry, 841
- Plagioclase accumulation, 707
- Plagioclase cumulate, 706, 707, 708
- Plate motion, 547
- Pliocene-Pleistocene boundary, Site 333, 918
- Plutonic complex
 - Site 334, 682
 - origin of, 995
- Plutonic rocks
 - oxides, 858
 - oxygen isotope geochemistry, 618
 - sulfides in, 859
- Poisson's ratio
 - use in distinguishing high velocity sediments from low velocity basalts, 547
 - weathering, effect on, 547
 - serpentinized oceanic rocks, 547
 - troodos ophiolite complex, 547
 - velocity, relationship between, 547
- Polarities, 547
- Porosity and water content, igneous rocks, 547
- Potassium argon dating
 - Hole 332B, 629
 - Site 334, 629
 - Site 335, 629
- Potassium budget of ocean, 833
- Primary, sulfides, 857
- Primary liquid, 707
- Primary magmas, 681, 993
- Pseudo single-domain (PSD), 547
- Pseudoeunotia doliolus*, 977, 980
- Plutonic rocks, origin of, 681
- Pyrite in basalt, 779
- Pyrite mineralization, 880
- Pyroxenes
 - chemical study of, 764
 - textures and phase chemistry of, 841
- Quartz tholeiites, 732
- Racemization of isoleucine, 633
- Radiolaria
 - Ommatartus antepenultimus* Zone, 247, 930
 - Site 332, 65
 - Site 333, 208
 - Site 334, 247
 - Site 335, 298
- Rare-earth abundances
 - Hole 332A, 592
 - Hole 332B, 593
 - Site 335, 594
- Rare-earth elements
 - Hole 332A, 581
 - Hole 332B, 582
 - Hole 333A, 581
 - Site 334, 581
 - Site 335, 581
- Rare-earth elements, basalt, 599
- Ratio of titanomagnetite content to grain size, NRM intensity and, 547
- Rayleigh Law, 547
- Rayleigh loop, 547
- RE pattern characteristics, 594
- Relative drill effort (RDE), definition of, 547
- Relative vapor pressure, 547
- Remanent magnetic properties, 547
- Remanent magnetization, basement rocks, 547
- Resistivity and dissipation factor, 547
- Resistivity values, basalt, 547
- Reversed inclinations, 547
- Rhizosolenia praebergonii* Partial Range Zone, 967, 980
- Rock magnetic measurements, methods, 547
- Rock magnetism, basement rocks, 547
- Romanche depression, 578
- Saturation, effect on seismic velocity, 547
- Saturation magnetization, NRM intensity and, 547
- Saturation magnetization and susceptibility, 547
- Saturation magnetization and Curie point, 547
- SD magnetite, 547
- Seawater and crust, oxygen isotope exchange between, 618
- Seawater and ocean floor basalt, 614
- Seawater contamination, basalt, 608
- Secondary
 - magnetite, 859
 - sulfides, 857
- Secondary formation of magnetite, 547
- Secondary minerals
 - basaltic rocks, 775, 825
 - carbonates, 825
 - clays, 827
 - glass, 825
 - mineralogy and chemistry, 825

- palagonite, 825
- zeolites, 825
- Sediment accumulation rate, 547
 - Hole 332A, 932
 - Site 334, 974
 - Site 335, 977
- Sediment-basement contact, absolute age, 208
- Sediment-basement contact
 - Site 333, 934
 - Site 334, 935
 - Site 335, 937
- Sediments
 - geochemical investigations, 631
 - geomagnetic reversals recorded in, 547
 - heat flow measurements, 547
 - lithology of, 204, 241, 292
 - NRM inclinations, 547
 - paleomagnetism, 547
 - Site 332, 26
 - sulfur isotope composition, 621
 - thermal conductivity, 547
- Seismic refraction measurements, interpretation in terms of rock compositions, 547
- Seismic velocity, Leg 37 rocks, 547
- Seismic velocity measurements, basement rocks, 547
- Seismic velocity, igneous rocks, 547
- Serpentinization, 848
- Serpentinized oceanic rocks
 - compressional wave velocities, 547
 - Poisson's ratio, 547
- Shallow inclinations, 547
- Shallow level fractionation, 653
- Silica minerals, basalt, 782, 847
- Silicoflagellates
 - Dictyocha aculeata* Zone, 920, 980
 - Dictyocha aspera* Zone, 920, 980
 - Dictyocha perlaevis ornata*, new subspecies, 922
 - Dictyocha stapedia stapedia* Zone, 917, 977, 980
 - Distephanus polyactis crassus*, new subspecies, 922
 - Leg 37, 917, 980
 - Site 332, 917
 - Site 333, 918
 - Site 334, 920
 - Site 335, 921
 - solutions of, 918
 - systematic paleontology, 922
- Single domain, 547
- Site survey, Site 333, 201
- Site 332
 - alteration, flow units, 811
 - chemistry, altered flow units, 817
 - diatoms, 967
 - forams, 930
 - mineral chemistry, altered flow units, 815
 - nannofossils, 65, 917
 - paleolatitude, 547
 - petrography, flow units, 811
 - petrology of igneous rocks, 711
 - radiolaria, 65
 - sediments, 26
 - silicoflagellates, 917
 - chemical correlation of with Site 333, 661
- Site 332A
 - chemical stratigraphy, 744, 657
 - chemistry, 695
 - forams, 930
 - geochemistry, 699, 744
 - glass analyses, 654
 - lithology, 654
 - magma group, 655
 - major element analyses, 646
 - petrography, 695
 - rare-earth abundances, 592
 - rare-earth elements, 581
 - sediment accumulation rates, 932
 - trace and minor element chemistry, 656
 - trace elements, 581
- Site 332B
 - basaltic rocks, 681
 - chemical groups, 663
 - chemical stratigraphy, 743
 - chemistry, 696
 - forams, 932
 - geochemical correlation with Site 332A, 774
 - geochemical stratigraphy, 663
 - gold in basalt, 578
 - iridium in basalt, 578
 - lithologic units, 658
 - magma groups, 659
 - major element analyses, 646
 - major element chemistry, 659
 - mean conductivity, 547
 - paleomagnetism of basalt, 547
 - palladium in basalt, 578
 - petrography, 696
 - potassium-argon dating, 629
 - rare-earth abundances, 593
 - rare-earth elements, 582
 - temperature conductivity, 547
 - trace and minor element, geochemistry, 661
- Site 333
 - absolute age, sediment-basement contact, 934
 - background and objectives, 201
 - basement, lithology of, 205
 - biostratigraphy, 206
 - chemical correlation of with Site 332, 681
 - Deep Drill Valley, 201
 - diatoms, 967
 - foraminifera, 208, 932
 - heat flow, 206
 - nannofossils, 208, 918
 - operations, 201
 - paleolatitude, 547
 - paleomagnetism, 206
 - physical properties, 206
 - Pliocene-Pleistocene boundary, 918
 - rads, 208
 - sediment lithology, 204
 - silicos, 918
 - site survey, 201
- Site 333A
 - forams, 934
 - geochemical stratigraphy, 746
 - lithology, 681

- major element chemistry, 681
- rare earth elements, 581
- temperature, conductivity, heat flow, 547
- trace elements, 581
- Site 334, 239
 - absolute age, sediment-basement contact, 935
 - background and objectives, 239
 - biostratigraphy, 247
 - diatoms, 968
 - forams, 247, 934
 - gabbros, 763
 - geochemical stratigraphy, 747
 - geochemistry, 681, 700
 - gold in peridotites, 578
 - heat flow, 243
 - heat-flow measurements, 547
 - interpretation of the lithologic sequence, 547
 - lithologic units, 681
 - major element analyses, 649
 - nannofossils, 247, 918
 - operations, 240
 - origin of plutonic complex, 995
 - paleomagnetic inclinations, 243
 - paleomagnetism of basalt, 547
 - petrography, 700
 - petrology of igneous rocks, 714
 - physical properties, 243
 - pillow basalts, 247
 - plutonic complex, 682
 - potassium argon dating, 629
 - rads, 247
 - rare earth elements, 581
 - sediment accumulation rates, 974
 - silicoflagellates, 920
 - temperature, conductivity, and heat flow, 547
 - trace elements, 581
- Site 335, 292
 - absolute age, sediment-basement contact, 937
 - alteration, flow units, 811
 - background and objectives, 292
 - basement lithology, 292
 - biostratigraphy, 297
 - chemistry, altered flow units, 817
 - diatoms, 974
 - forams, 297, 935
 - geochemical stratigraphy, 748
 - geochemistry, 681, 701
 - heat flow, 297
 - lithology, 681
 - major element analyses, 651
 - metasomatic garnets, absence of at, 893
 - mineral chemistry, altered flow units, 815
 - nannos, 298, 920
 - operations, 292
 - paleomagnetism of basalt, 547
 - paleomagnetism of basement rocks, 292
 - petrography, 701
 - petrography, flow units, 814
 - physical properties, 297
 - potassium argon dating, 629
 - rads, 298
 - rare-earth abundances, 594
 - rare-earth elements, 581
 - sediment accumulation rates, 977
 - sediment lithology, 292
 - silicoflagellates, 921
 - temperature, conductivity, heat flow, 547
 - trace elements, 581
 - Smectite sources, basalts, Leg 37, 836
 - Smectites, microlite replacement by, 833
 - Smectite distribution, basalts, Leg 37, 833
 - Solidification of basalt, 547
 - Solidus temperature, 547
 - Solution of nannos, 917
 - Solutions of silicoflagellates, 918
 - Spark source mass spectrometry, 707
 - Spatial distribution, NRM components, 547
 - Spinel composition, factors most likely to determine, 887
 - Spinels, 857, 858
 - phase chemistry and zoning, 883
 - zoning of, 883
 - Spreading rate
 - Site 334 area, 239
 - Site 335 area, 292
 - Spreading rates, Leg 37 sites, using biostratigraphic data, 977
 - St. Paul's fracture zone, 329
 - Stable directions, origin of, 547
 - Stable magnetization, 547
 - Stable shallow NRM inclinations, 547
 - Stable thermal remanence (TRM), 547
 - Standards, chemical analyses, 547
 - Stepwise and continuous demagnetizations, 547
 - Strain estimate, 757
 - Strontium, analytical procedures for, 613
 - Strontium exchange, sea water and, ocean floor basalt, 614
 - Strontium in igneous rocks, 568
 - Strontium isotopes basalt, 599, 607
 - Strontium isotopic composition, basalt, 613
 - Strontium 87/Strontium 86 initial ratio in basalt magma, 613
 - Structure, layer 2, 990
 - Subrift melting, 653
 - Submarine alteration, basalts, 569
 - Submarine basalt lava flows, constitution of, 4
 - Submarine weathering, 818
 - Submersible observations, Site 332B area, 547
 - Sulfate minerals, basalt, 782
 - Sulfide, habit of occurrence, 875
 - Sulfide minerals, basalt, 243, 859
 - mineral analysis, 847
 - primary, 206, 857
 - secondary, 206, 857
 - Sulfide occurrence, igneous rocks, 875
 - Sulfur in Leg 37 basalts, 561
 - Sulfur isotope composition, igneous rocks, 622
 - sediments, 621
 - Superparamagnetism sp, 547
 - basement rocks, 547
 - Susceptibility and curie point, 547
 - Susceptibility and NRM intensity, 547
 - Susceptibility and the ratio of titanomagnetite content to grain size, 547
 - Susceptibility, basement rocks, 547

- Systematic paleontology,
 - foraminifera, 937
 - silicoflagellates, 922
- Temperature,
 - basement sediment contact, 547
 - conductivity, and heat flow, Sites 333A, 334, 335, 547
 - effect on seismic velocity, 547
 - electrical resistivity and, 547
- Temperature conductivity, Site 332B, 547
- Temperature disturbance due to drilling procedures, 547
- Temperature gradient and conductivity measurements, basement, 547
- Temperature gradient in basement, 547
- Temperature measurement techniques, heat flow, 547
- Temperature-depth profiles, 547
- Textures and phase chemistry
 - chromite, 841
 - olivine, 841
 - plagioclase, 841
 - pyroxene, 841
- Thalassiosira convexa* Partial-Range Zone, 967, 979
- Thermal conductivity
 - basalts, 547
 - igneous rocks, 547
 - sediments, 547
- Thermal cycling, 547
- Thermal demagnetization of NRM, 547
- Thermal demagnetization, 547
- Thermomagnetic analysis, basalts, 547
- Thermoremanence (TRM), 547
- Thickness and velocity of layers 2A, 2B, 547
- Thorium, basalt, 607
- TID Zone 1, 977
- TID Zone 8, 968
- TID Zone 19, 969
- TID Zone 20, 969
- Titania concentrations, 706
- Titania heterogeneities, 706
- Titanomagnetite, 547, 857
 - oxidized, 547
- Titanomagnetite cation deficiency, 547, 858
- Trace and minor element geochemistry, 661, 656, 681
- Trace element abundances, 708
- Trace elements, 591, 706
 - alteration effect on granitophile, 563
 - basalt, 800
 - Hole 332A, 581
 - Hole 333A, 581
 - Site 334, 581
 - Site 335, 581
- Trace elements in basalts, 567
- Troodos ophiolite* complex, Poisson's ratio for, 547
- Ultramafic rocks, physical properties, 547
- Underway geophysical data, 341
- Underway surveys, Leg 37, 329
- Unstable magnetization, 547
- Upper layer 2, magnetic state of, 547
- Uranium, 547
 - basalt, 607
 - concentrations in fresh minerals, 553
 - distribution in oceanic rocks, 547
 - partition coefficients for, 553
- Uranium in alteration zones, 551
 - Mid-ocean ridge basalts, 547
- Uranium in mineral phases, 552
- Uranium values, 548
- Veins, 799
- Velocity measurements, methods, 547
- Velocity-density relationship, 547
- Verwey transition, 547
- Vine-Matthews hypothesis, 547
- Viscous remanence, 547
- Viscous remanent magnetization, 547
- VRM, correlation of curie points and hysteresis, 547
- VRM decay, 547
- Water vapor pressure, 547
- Weathering
 - effect on Poisson's ratio, 547
 - effects on refraction velocities, 547
- Whole-rock chemistry, igneous rocks, 725
- Whole-rock group, 653
- X-ray mineralogy, 895
 - methodology, 895
- X-ray topographs, 547
- Yttrium geochemistry, 567
- Yttrium in basalts, 567
- Zeolite facies metamorphism, 795
- Zeolites, 798
 - basalt, 778
 - secondary minerals, 825
- Zinc in igneous rocks, 568
- Zonal schemes, Leg 37, 977
- Zone NN10, 290, 909
- Zone NN13, nannos, 298
- Zone NN15, 65, 208, 298, 909
- Zone NN15-NN16 boundary, 909, 979
- Zone NN16, 65, 208, 909
- Zone NN17, 298
- Zone NN18, 298
- Zone NN19, 65
- Zone NN21, 208, 247
- Zone NN7, 292, 298, 909
- Zone N11, 298
- Zone N14, 292, 297, 936, 979
- Zone N15, forams, 935, 979
- Zone N15/N16 boundary, defined, 930
- Zone N16, 935
- Zone N16/N17 boundary, 247, 929
- Zone N17, 247, 297, 935
- Zone N19, 297, 932, 935, 977
- Zone N19/N20 boundary, defined, 929
- Zone N20, 63, 64, 208, 297, 932, 934, 935, 977, 978
- Zone N20/N21 boundary, 208, 929, 932
- Zone N20/N21 boundary, defined, forams, 929
- Zone N21, 63, 64, 65, 208, 297, 932, 934, 935, 979
- Zone N23, 63, 247, 934