

INDEX

- Abathomphalus mayaroensis* Zone, 623, 632
- Amaurolithus tricorniculatus* Zone (NN12), 711, 732
 defined, 711
primus Subzone 85, 711
- Arkhangelskiella cymbiformis* Zone, 65, 345
 defined, 623, 632
- Amazon Cone, 33, 40
 turbidites, 28
- Amazon River as a source of sediments, 33
- Angola Basin, 9
- Anisotropy, 557
- Anomalies 32-33, 632
- Antarctic Bottom Water (ABW), 350, 948
- Antarctic Circumpolar Current, 343
- Antarctica, land ice on, 249
- Argentine Basin (Site 358), 5, 10
 terrigenous sediments, 459
 seismic reflectors, 1115
 summary of results, 1108
- Argentine Bottom Gyre, 337
- Acension Island, 531
- Ash, petrography of, Site 359, 526
 glass in, 528
 pyroxene in, 530
- Basalt
 Site 353, 507
 classification of, 509
 origin of, 509
 Site 354, 54
 Site 355, 107, 513
 Site 356, 513
 analytical procedures,
 bulk composition, 514
 mineralogy, 517
 oxides in, 519
 physical properties, 493
- Basis for age determination, 15
- Bedding, graded, 32
- Biogeography, nannofossils, 842
- Biostratigraphic summary
 Site 353, 34, 247
 Site 354, 59
 Site 355, 111
 Site 356, 151
 Site 357, 247
 Site 358, 340
 Site 359, 377
- Biostratigraphic synthesis, Leg 39, 1081
- Bioturbated sediments, 8, 32, 53, 239, 334, 409, 410
- Botucatu-Sambaiba desert, 451
- Brazil Basin (Site 355), 5, 7
 terrigenous sediments, 456
 summary of results, 1108
- Brazilian Shield, 452
- Broinsonia parca* Zone, 116, 716, 827
 defined, 701
- Buryella clinata* Zone, 115, 116, 118
- Carbon-carbonate data, 14, 477, 502
- Carbonate compensation depth, 1081
 as related to the dissolution of forams, 632
 Site 356, 585
 Site 357, 254
 Site 358, 337, 344, 586
- Ceará Rise, 5, 7
 subsidence of, 7
 basalt on, 547
 description of, 547
- Catinaster coalithus* Zone (NN8), 711
 defined, 708
- Ceratolithus rugosus* Zone (NN13), 709
- Chiasmolithus danicus* Zone (NP3), 252, 344
 defined, 706
- Cruciplacolithus tenuis* Zone, 344, 706
- Chronostratigraphy, 625
- Clay minerals,
 stratigraphy of, 395
 Ceará Rise, 397
 Brazil Basin, 397
 Argentine Basin, 398
 São Paulo Plateau, 398
- Climates, Paleocene, 842
- Clinoptilolite,
 mineralogy of, 428
 formation of, 435
 sediment association, 434
- Clinopyroxene, Brazil Basin basalt, 517
- Composite burrows, 414
- Compressional wave velocities, Vema Fracture
 Zone rocks, 29
 methods, 555
- Contorted bedding, 409
- Core disturbance, 14
- Core handling, 14
- Coscinodiscus elliptipora/Actinocyclus ingens*
 Zone, 346
- Cretaceous/Tertiary boundary, 9, 248, 585
- Cyclic reducing conditions, 9
- Cyrtocapsella tetrapera* Zone, 45, 253, 346
- Dehydroabiatic acid, 498
- Demarara Abyssal Plain, 69, 407
- Demarara Rise, 572
- Denticula hustedtii* Zone, 346
- Depositional environments, São Paulo Plateau,
 Diapiric structures, 928
- Depositional history, Brazil Basin, 107
- Diatoms,
 Site 358, 346
 Zonation,
Coscinodiscus elliptipora/Actinocyclus ingens
 Zone, 346
Denticula hustedtii Zone, 346
Dictyocha aculeata Zone, 345

- Discoaster/Chiasmolithus* ratio, 248, 252, 344, 718, 741
defined, 747
- Discoaster calcaris* Zone (NN10), 711
- Discoaster hamatus* Zone (NN9), 711
- Discoaster druggi* Zone (NN2), 116, 708, 712
- quinqueramus* Zone, 116, 252, 711
defined, 708
- sublodoensis* (NP14), 344
defined, 707
- lodoensis* Zone (NP13), 344
- exilis* Zone (NN6), 711
defined, 708
- kugleri* Zone (NN7), 711
defined, 711
- surculus* Zone, 709
- tani nodifer* Zone (NP16), 252
defined, 707
- binodosus* Zone (NP11), defined, 707
- multiradiatus* Zone (NP9), 706, 713
- nobilis* Zone (NP8), 713
- Disconformities, Site 353, 37
- Dorcadospyrus ateuchus* Zone, 253
- Ebridians, 345
- Eiffellithus eximius* Zone, defined, 701
turriseiffeli Zone, defined, 669
- Ellipsolithus macellus* Zone (NP4), 252, 344
defined, 706
- Emiliania huxleyi* Zone (NN21), 709
absolute age of, 36
defined, 708
- Eocene-Oligocene stratigraphic hiatus, 9, 10, 572, 573
- Eocene-Paleocene stratigraphic hiatus, 248, 249, 344
- Falkland Plateau, 345
- Fasciculithus tympaniformis* Zone (NP5), 252, 344, 713
defined, 706
- Feldspar, Brazil Basin basalt, 518
- Fernando de Noronha, 531, 542
- Fission track age of glass, 34
- Foraminifers,
benthic, 67, 250, 643, 672
biostratigraphy, 591
Cretaceous planktonic, 63, 250, 615, 624, 657
in sapropelitic layers, 635
Miocene-Pliocene boundary, 61, 62, 249, 378, 379,
593
Oligocene, 63, 249
Paleocene, 63, 250
paleoecology of benthic, 662
Pleistocene, 61, 249, 378
preservation of, 568, 573
reworked, 249
Site 353, 34
Site 354, 568
Site 355, 572, 657, 667
Site 356, 573, 658, 667
Site 357, 249, 658, 669, 914
Site 358, 343, 585, 658, 671
Site 359, 378, 506
solution of, 34
taxonomy, 568, 594, 637
zonation, 568
Neogene, 574, 579, 591
- Paleogene, 573, 578
- Abathomphalus mayaroensis* Zone, 623, 632
- Globorotalia pseudomenardii* Zone, 573
- (*M.*) *formosa* Zone, 573
truncatulinoides Zone, 34, 378
margaritae Zone, 62, 378
- Globigerina euapertura* Zone, 579
- "*Globigerina*" *eugubina* Zone, 573
- Globotruncana schneegarsi*, 623, 631
defined, 617
concovata concavata Zone, 619, 623, 635
defined, 617
concovata carinata Zone, 619, 623
tricarinata Zone, 344, 619, 623, 624, 631
carinata Zone, 631
concovata Zone, 631, 632
gansseri Zone, 619, 623, 624, 631
contusa Zone, 619, 623
concovata Zone, 619
elevata Zone, 619, 623, 624, 628
calcarata Zone, 619, 623, 624, 631
- Hantkenina aragonensis* Zone (P10), 573
- Planomalina buxtorfi* Zone, 636
defined, 617, 636
- Praeglobotruncana lehmanni* Zone, defined, 617
helvetica Zone, defined, 617, 619, 623, 629, 635
- Rotalipora brotzeni* Zone, defined, 617
- montsalvensis* Zone, defined, 617
cushmani Zone, defined, 617
greenhornensis Zone, 629, 636
- Schackoina molinensis* Zone, defined, 617
- Ticinella breggiensis* Zone, defined, 618
- Whiteinella alpina* Zone, defined, 617
- Globorotalia conomiozea-G. mediterranea* Zone, 579,
591
- G. nepenthes* Zone, 579
- G. conomioza* Zone, 579
- Geophysical measurements, Leg 39, 971
- Globorotalia conomiozea-G. mediterranea* Zone, 579,
591
trilobus Zone, 79
- Gabbro, 507
- Gastropods, 257
- Geochemistry of sediments, 34
Site 353, 477
Site 354, 477, 55
Site 355, 110, 477
Site 356, 478
Site 357, 478
Site 358, 340, 484
Site 359, 377, 487
- Gephyrocapsa oceanica* Zone (NN20), 36, 709
euapertura Zone, 579
- "*Globigerina*" *eugubina* Zone, 573
- Globorotalia truncatulinoides-G. tosaensis* Zone, 579
inflata Zone,
truncatulinoides-tosaensis Zone, 579
inflata Zone, 583
truncatulinoides Zone, 278
margaritae Zone, 378
pseudomenardii Zone, 573
(*M.*) *formosa* Zone, 573

Globotruncana concavata carinata Zone, 623
defined, 619
concavata concavata Zone, 623, 635
defined, 617
scheegensi Zone, 623, 631
defined, 617
tricarinata Zone, 344, 619, 623, 624, 631
carinata Zone, 631
concavata Zone, 619, 631
calcarata Zone, 619, 623, 624, 631
gansseri Zone, 623, 624, 631
Gough Island, 530, 533
Graben offset, 37
Graded bedding, 32, 239, 411
Grain size analyses, methods, 15
Leg 39 sediments, 501
Gravity data, São Paulo Plateau area, 950
Guiana Basin, terrigenous sediments in, 453
Hantkenina aragonensis Zone (P10), 573
Helicopontosphaera ampliapertura Zone (NN4), 708, 712
Heliolithus kleinPELLI Zone (NP6), 713
defined, 706
Hotspot, 537
Hyaloclastites, 414
Rio Grande Rise, 538
Helicopontosphaera ampliapertura Zone, 252
Hydrothermal alteration,
Inoceramus, 9, 115, 257, 411, 414, 24, 250, 257, 623, 624,
629, 907
as water depth indicators, 908
Isthmolithus recurvus Zone, 575
K-Ar age dating
volcanic tuff, Site 359, 525
basalt, 545
methods of analysis, 545, 552
Kaoko basalts, 337
Lithology,
Site 355, 103
Site 357, 333
Site 359, 375
Lithrhapidites quadratus Zone, defined, 702
Lynchnocanoma elongata Zone, 253, 345, 346
Lysocline, 345
Macrofossils, 115, 411, 414, 241, 257, 586, 623, 624,
629, 889
Magnetic anomalies, 1113
Magnetic data, São Paulo Plateau area, 950
Malvinas Basin, summary of results, 1108
Markalius inversus (NP1) Zone, defined, 703
Marthasterites tribrachiatus Zone (NP12), 344, 631
defined, 700
Messinian salinity crisis, 568
Metagabbro,
Micula mura Zone, defined, 703
Micula staurophora Zone, defined, 700
Middle-upper Miocene stratigraphic hiatus, 247, 149,
572
Mineral analyses, Site 357 volcanics, 539
Miocene-Eocene stratigraphic hiatus, 377
Miocene stratigraphic hiatus, 117
n-alkanes, 496
n-fatty acids, 497

Nannofossils
biogeographic distribution, 842
Cretaceous, 65, 252, 344, 716, 728, 737, 742
Cretaceous/Tertiary boundary, 65, 344, 737, 742
Eocene/Oligocene boundary, 65, 252
Miocene, 251, 379, 711, 716, 718, 729
Miocene/Pliocene boundary, 64
New species,
Chiasmolithus frequens, 746
Cruciplacolithus notus, 746
primus, 746
Ellipsolithus bolli, 749
Lapideacassis multispinata 852
trispina, 852
Markalius variabilis, 747
Neochiastozygus ceame, 749
Scampanella asymmetrica, 853
bispinosa, 853
cornuta, 853
magnifica, 853
wisei, 853
Triquetrorhabdulus challengerii, 749
Oligocene, 64, 252, 712, 733
Paleocene, 65, 344, 728, 737, 741
Paleocene/Eocene boundary, 65, 252
Pleistocene, 3, 251, 709, 713, 716, 729, 742
Pliocene, 63, 251, 709, 713, 717, 729, 742
Site 353, 36, 708, 825
Site 354, 825
Site 355, 713, 827
Site 356, 716, 827
Site 357, 251, 829
Site 358, 344, 737, 829
Site 359, 379, 742, 829
reworked, 36, 251, 252
systematics, 742
zones correlated with numerical time scale, 703,
708
zonation,
A. cymbiformis Zone, 737
Amaurolithus primus Subzone, 711, 85
A. tricorniculatus (NN12), 711, 732
defined, 708
Arkhangelskiella cymbiformis Zone, 65
defined, 702
Broinsonia parca Zone, 116, 716, 827
defined, 701
C. acutus Subzone, 63
C. gigas Subzone, 827
C. miopelagicus Zone, 732
C. oamaruensis Zone (NP18), 742
C. tenuis (NP2), 728
C. tricorniculatus Zone (NN12), 64
Campylosphaera eodela Subzone, 827
Catinaster coalithus Zone (NN8), 711, 732
defined, 708
Ceratolithus rugosus Zone (NN13), 709, 729
Chiasmolithus bidens Subzone, 827
C. danicus Zone (NP3), 252, 344, 728
defined, 706
Cruciplacolithus tenuis (NP2), 344
defined, 706

- Cyclococcolithina(?) robusta* Subzone, assemblage, 828, 842
- C. asymmetricus* Zone (NN14), 729
- C. bifax* Subzone, 721, 827
- C. binodosus* Zone (NP11), 741, 830 defined, 707
- C. calcaris* Zone (NN10), 711
- C. diastypus* Zone, 829 defined, 708
- C. exilis* Zone, 252, 711, 732 defined, 708
- C. hamatus* Zone (NN9), 711
- C. kuepperi* Subzone, 721
- C. kugleri* Zone (NN7), 711 defined, 708
- C. lodoensis* Zone (NP13), 344, 722, 741
- C. mohleri* Zone (NP7), 713, 827
- C. multiradiatus* Zone (NP9), 65, 706, 713, 827
- C. nobilis* (NP8), 713, 827
- C. pentaradiatus* Zone, 717, 729, 733
- C. quinqueramus* Zone (NN11), 116, 252, 711, 716, 732 defined, 708
- C. saipanensis* Zone, defined, 707
- C. sublodoensis* Zone, 344, 721, 741 defined, 707
- C. surculus* Zone (NN16), 64, 709, 717, 729, 733
- C. tani* Zone (NP16), 721
- C. tani nodifer* Zone (NP16), 252 defined, 707
- Eiffelithus eximius* Zone, 713, 737 defined, 707
- E. turriseiffeli* Zone, defined, 669
- Ellipsolithus macellus* Zone (NP4), 252, 344, 728, 737, 744 defined, 706
- Emiliana huxleyi* Zone, 34, 709, 716 defined, 708
- E. ovata* Subzone, 829
- Ericsonia subdisticha* Zone (NP21), 64 defined, 707
- Ericsonia subpertusa* Assemblage, 64, 252, 344, 713, 728, 737, 842, 781, 829 defined, 706
- Gephyrocapsa oceanica* Zone, 36, 34
- Helicopontosphaera ampliapertura* Zone, (NN4), 64, 252, 711, 732 defined, 708
- Heliolithus kleinpelli* Zone (NP6), 713, 728, 827 defined, 706
- Isthmolithus recurvus* Zone, 575, 736, 742
- Lithraphidites quadratus* Zone, 65, 713 defined, 702
- M. inversus* Zone (NP1), 728
- Marthasterites furcatus* Zone, 631, 729 defined, 700
- M. staurophora* Zone, 729
- Micula mura* Zone, defined, 703
- M. staurophora* Zone, defined, 708
- Nannotetrina fulgens* (NP15), 65, 344, 712, 721 defined, 707
- N. quadrata* Zone, 828
- Nephrolithus frequens* Zone, 65, 713 defined, 702
- Prinsius* aff. *P. dimorphus* Assemblage, 842
- P. martinii* assemblage, 842
- Pseudoemiliana lacunosa* Zone, 34, 36, 64, 251, 709, 729
- Rhadosphaera inflata* Subzone (NN15), 721, 729, 828
- Sphenolithus belemnus* Zone (NN3), 64, 116, 252, 708, 712, 732
- S. ciperoensis* Zone (NP25), 64, 712, 732, 733 defined, 707
- S. distentus* Zone (NP24), 64, 733
- S. heteromorphus* Zone (NN5), 64, 116, 711, 716 defined, 708
- S. predistentus* Zone (NP23), 64, 733
- S. pseudoradians* Zone (NP20), 64, 65, 712 defined, 707
- T. orthostylus* Zone (NP12), 741
- Tetralithus aculeus* Zone, 116 defined, 701
- T. gothicus*, 116, 716, 729 defined, 701
- Trifidus*, 116, 252, 632, 713, 716 defined, 702
- Thoracosphaerid assemblage, 842
- Toweius craticulus* assemblage, 64, 116, 712, 716, 718, 842 defined, 707
- Zone NN3, 117
- Zone NN2, 117
- Zone NN10, 64
- Zone NN9, 64
- Zone NN21, 35
- Zone NN8, 64
- Zone NN7, 64
- Zone NP16, 736
- Zone NP15, 736
- Nannotetrina fulgens* Zone (NP15), 344, 712 defined, 707
- Natural remanent magnetism, 563
- Nephrolithus frequens* Zone, defined, 702
- North Atlantic Deep Water (NADW), 948
- Oligocene stratigraphic hiatus, 117
- Operations summary, 5
- Orbulina saturalis* Zone, 579
- Organic carbon in Leg 39 sediments, 487
- Oxides in basalt, 519
- Ostracodes
- morphology of, 873
- new species
- Acanthocythereis? presequenta*, 877
- A. subsequenta*, 877
- Atlanticythere maestriata*, 877
- A. eocenica*, 877
- A. murareticulata*, 877
- A. neogenica*
- Paleoabyssocythere cenozoica*, 876
- P. cretacea*, 876
- Phacorhabdulus subtrudentus*, 877
- Site 356, 869

- Site 357, 869
 - systematic paleontology, 876
 - new species
- Oxygen and carbon isotope stratigraphy, Site 357, 912
- Paleobiogeography, 854
- Paleocirculation changes, South Atlantic Ocean, 10, 257
- Paleocene-Maestrichtian stratigraphy, 118
- Paleoecology,
 - benthic forams, 662
 - Site 356, 583
 - Site 357, 248, 583
- Paleoenvironment, *Inoceramus*, 907
- Paleocene climates, southwest Atlantic, 842
- Paleomagnetic epoch 7, 593
 - epoch 6, 593
- Paleomagnetic stratigraphy, 966
- Paleotemperature, 250
 - as related to faunal changes, 916
 - Site 357, 257, 914
- Palynomorphs, Site 355, 117, 887
 - Site 356, 887
 - Site 358, 346, 886
- Phormocyrtis striata striata* Zone, 116
- Podocyrtis ampla* Zone, 116
 - mitra* Zone, 116, 117
- Phillipsite, mineralogy of, 428
- Physical properties, methods of measuring, 15
 - Site 353, 34, 561
 - Site 354, 56, 561
 - Site 355, 561
- Planomalina buxtorfi* Zone, defined, 617, 636
- Plant debris, Site 353, 33
- Porosity, measurement of, 555
- Praeglobotruncana helvetica* Zone, 619, 623, 629, 635
 - defined, 617
 - lehmanni* Zone, defined, 617
- Pseudoemiliana lacunosa* Zone, 36, 251, 709
- Pyroxene in ash, 530
- Quartz sand grains, surface features of, 445
- Radiolaria,
 - Buryella clinata* Zone 116
 - Calocycletta costata* Zone, 66
 - Cyrtocapsa tetrapera* Zone, 253, 345, 346
 - Dorcadospyrus ateuchus* Zone, 253
 - Phormocyrtis striata striata* Zone, 116
 - Podocyrtis ampla* Zone, 116
 - P. mitra* Zone, 116
 - Stichocorys delmontensis* Zone, 66
 - Theocampe mongolfieri* Zone, 116
 - Theocyrtis bromia* Zone, 66
 - T. tuberosa* Zone, 66
 - Thyrsocyrtis triacantha* Zone, 116
- Reducing conditions 9, 242
- Reflection profiles, correlation with drilling
 - Site 354, 68
 - Site 357, 255
 - Site 358, 348
 - Site 359, 379
- Responsibility for authorship, 12
- Reworking, nannofossils, 36
 - foraminifers, 249
- Rio Grande Rise, 9
 - subsidence curve for, 9
 - terrigenous sediments on, 457
 - composition and origin of, 537
 - physiography of, 537
 - subsidence of, 537
 - breccia, source of, 955
 - origin of, 542, 955
 - volcanism on, 542
 - north flank surveys of, 956
 - summary of results, 1124
 - morphology of, 956
 - bathymetric maps, 956
 - erosional canyons, 956
 - evidence for bottom currents, 956
 - free-air gravity anomaly, 957
 - seismic reflection profiles, 958
 - igneous rocks, 960
 - crustal age, 961
 - sediment accumulation rate, 961
 - paleomagnetic stratigraphy, 966
 - ripple marks, 966
- Ripple marks, 966
- Romanche Fracture Zone, 39
- Rotalipora brotzeni* Zone, defined, 617
 - cushmani* Zone, 617
 - montsalvensis* Zone, defined
 - greenhornensis* Zone, 629, 636
- São Paulo Plateau, 141
 - terrigenous sediments, 457
 - origin of, 876, 927
 - structure of, 929
 - stratigraphy, 936
 - depositional environments, 936
 - morphology, 947
 - seismic data, 949
 - gravity magnetics data, 950
 - summary, 1106
 - morphology of, 947
 - seismic data, 949
- Sapropelitic layers,
 - foram fauna in, 635
 - deposition of, 636
 - in South Atlantic, 636
- Sediment classification, method of, 14
- Sediment accumulation rate,
 - Site 353, 36
 - Site 354, 66
 - Site 356, 10, 346
 - Site 357, 253, 966
 - Site 358, 346
 - Site 359, 379
- Sediment lithofacies, South Atlantic, 1047
- Sedimentary structures, 9, 407-415
 - Site 353, 407
 - Site 354, 407
 - Site 355, 409
- Seismic data compared to drill data, 37
- Serpentinized peridotites, 38
- Shackoina molineniensis* Zone, defined, 617
- Shallow water indicators, 240, 257
- Shear wave velocity, measurement of, 55

- Sierra Leone Rise, 7
 summary of results, 1121
- Silica, remobilization and migration of, 253
- Silicoflagellates, Site 358, 345, 863
- Archaeomonads, 863
Corbisema hastata Zone, 829
Dictyochoa aculaeata Zone, 345
D. hexacantha Zone, 865
D. spinosa Zone, 830
 Ebridians, 863
Macrora najae, new species, 833
Mesocena diodon Zone, 865
M. venusta, new species, 832
M. spinosa Subzone, 825
Naviculopsis biapiculata Zone, 866
N. constricta Zone, 830
- Site 353, Vema Fracture Zone, 27
 objectives, 27
 operations, 29
 sonobuoy, 32
 sediments, 32
 basalt of petrography, 33
 of sediments, 34
 of glass, 34
 physical properties, 34
 biostratigraphic summary, 34
 sediment accumulation rates, 36
 disconformities, 37
 summary and conclusions, 38
- Site 354, Ceará Rise, 45
 background and objectives, 46
 operations, 46
 lithology, 49
 basalt, 54
 geochemistry of sediments, 55, 477
 physical properties, 56
 stratigraphic hiatus, 59
 foraminifers, 61, 623
 nannofossils, 63, 709, 841, 849
 Radiolaria
 diatoms, 65
 sediment accumulation rate, 66
 correlation of reflection profiles with drilling, 68
 summary and conclusions, 70
 clay minerals, 397
 sedimentary structures, 407
 zeolites, 427
 basalt, 493
- Site 355, Brazil Basin, 7, 101
 absolute age of basement, 7
 crustal subsidence, 7
 background and objectives, 101
 operations, 102
 lithology, 103
 geochemistry, 478
 clay minerals, 397
 nannofossils, 116
 basalt, 493, 107
 biostratigraphic summary, 111
 foraminifers, 112, 657, 667, 118
 Paleocene-Maestrichtian hiatus, 118
 correlation of reflection profiles with drilling results,
 118
- summary and conclusions, 118
 Miocene stratigraphic hiatus, 117
 sediment accumulation rate, 117
 palynomorphs, 117
 oldest datable sediment, 116
 Radiolaria, 116
 sedimentary structures, 409
 zeolites, 427
 quartz sand grains, 446
 basalt, 513
- Site 356, São Paulo Plateau, 141
 clay minerals, 398
 sedimentary structures, 409
 quartz sand grains, 3H448
 geochemistry of sediments, 478
 basalt, 513
 stratigraphic hiatus, 573
 paleoecology, 628
 foraminifers, 619, 643, 658, 667
 depositional sequence, 636
 nannofossils, 716, 841, 849
 ostracodes, 869
 geophysical data, 947
- Site 357, Rio Grande Rise, 231
 clay minerals, 399
 sedimentary structures, 411
 quartz sand grains, 449
 geochemistry of sediments, 478, 243
 background and objectives, 232
 operations, 233
 lithologic summary, 235
 physical properties, 243
 biostratigraphic summary, 247
 paleoecology, 248
 foraminifers, 249, 623, 643, 667
 sediment accumulation rates, 253
 correlation of reflection profiles with drilling results,
 255
 summary and conclusions, 255
 volcanics, mineral analysis of, 539
 foraminifers, 575, 591, 658
 stratigraphic hiatus, 575
 paleoecology, 583
 nannofossils, 729
 ostracodes, 869
 oxygen and carbon isotope stratigraphy, 911
 regional setting, 955
- Site 358, Argentine Basin, 329
 sediment accumulation rate, 10
 clay minerals, 398
 sedimentary structures, 414
 quartz sand grains, 449
 geochemistry of sediments, 484
 background and objectives, 330
 operations, 331
 lithology, 333
 carbonate compensation depth, 337
 geochemistry of sediments, 340
 physical properties, 340
 biostratigraphy, 340
 foraminifers, 343, 585, 623, 658, 671
 nannofossils, 344, 737

- Radiolaria, 345
- silicoflagellates, 345
- sediment accumulation rate, 346
- correlation of reflection profiles with drilling, 348
- summary and conclusions, 349
- Site 359, Walvis Ridge,
 - potassium-argon dating, 10
 - sedimentary structures, 415
 - geochemistry of sediments, 487
 - trachytic tuffs, 493
 - background and objectives, 373
 - operations, 374
 - lithologic summary, 375
 - geochemistry, 377
 - biostratigraphy, 377
 - foraminifers, 378, 586, 648
 - nannofossils, 379, 742
 - sediment accumulation rates, 379
 - correlation of seismic profiles with drilling, 380
 - summary and conclusions, 381
 - radiometric age of ash, 530
 - structural geology, 533
- Slump deposits, 411, 457
- Sphenolithus ciproensis* Zone (NP25), 712
 - defined, 707
 - belemnos* (NN3) Zone, 116, 252, 708, 712
 - hetermorphous* Zone (NN5), 116, 712
 - defined, 712
 - pseudoradians* Zone (NP20), 712
 - defined, 707
- Stratigraphic hiatus,
 - Eocene-Oligocene, 9, 10, 66, 572, 573
 - Miocene-Pliocene, 9, 59
 - upper Eocene-middle Miocene, 10
 - Cretaceous-Tertiary, 61
 - middle-upper Miocene, 247, 249, 572
 - Eocene-Paleocene, 248, 249, 344
 - Miocene-Eocene, 377
 - Site 356, 573
 - Stichocorys peregrina* Zone, 345
- Stratigraphy, clay minerals, 395
- Structural geology, Site 359, 533
- Subsidence,
 - Ceará Rise, 7
 - Sierra Leone Rise, 7
 - Rio Grande Rise, 537
- Talus material, 38
- Terrigenous lipids, 497
 - extraction of, 497
- Tetralithus aculeus* Zone, defined, 701
 - gothicus* Zone, 116
 - defined, 701
 - trifidus* Zone, 116, 345, 252, 632, 118
 - defined, 701
- Theocampe mongolfieri* Zone, 116
- Thyrsocyrtis triacantha* Zone, 116
- Ticinella breggiensis* Zone, defined, 616, 619
- Titaniferous* magnetite, 530
- Trachyandesite, 537
- Trachytic tuff, physical properties of, 493
 - radiometric age, 530
- Trinidad, 542
- Triquetrorhabdulus carinatus* Zone (NN1), 116, 712
 - defined, 707
- Tisrtan da Cunha, 533
- Tuff, composition of, Site 359, 526
- Turbidites, Amazon Cone, 28
 - deposition rate of, 40
 - turbidites, 407, 411, 456
 - Vema Fracture Zone, 5
- Turbidity currents, 7, 8, 9, 407, 453, 343
- Velocity, density, and porosity relations, 555
- Vema Fracture Valley, 507
- Vema Fracture Zone (Site 353), 27
 - basalt, 507, 547
 - description of, 547
 - terrigenous sediments, 454
 - turbidites, 39
- Volcanic activity, 241
- Volcanic breccia, Rio Grande Rise, 538
- Walvis Ridge, 5, 10
 - clay minerals, 399
- Walvis "Seamount" (Site 359), 10, 1127
- Water depth, ostracodes as indicators of, 873
 - Inoceramus as indicators of, 908
- Weathering, effects on physical properties of igneous rocks, 493
- Wet bulk densities, measurement of, 555
- Whiteinella alpina* Zone, defined, 617
- Zeolites, South Atlantic sediments, 423
 - distribution of, 429
 - identification of, 423
 - mineralogy of, 428
- Zoophycos, 46, 239, 241, 334, 410, 411