

INDEX

- Abathomphalus mayaroensis* Zone, 463
Abutment plateau, 185
Acaeniotyle umbilicata Zone, 840
Acoustic nomenclature, 18
Acoustic Unit II, 66
Acritarchs, dinoflagellates, 860
 taxonomy, 924
African-South American microfloral belt, 920
Age of opening, South Atlantic, 7
Agulhas Fracture Zone, 1026
Aiora perforare, new dinoflagellate species, 892
Alexandria Formation, 971
Amaurolithus tricorniculatus Zone, 635
Ammonites, 963
 Site 363, 226
 Site 364, 376
Amphibrachium leptum, new radiolarian species, 841
Analytical methods, X-ray mineralogy, 541
Angiosperm pollen, 917
Angola Salt, 232
Angola continental slope, 5
Angola margin, lithology, Site 364, 996
Angola Basin, 924, 967
 clay mineralogy, 474
 dolomite, origin of, 478
 forams, 653, 655
 hypersaline conditions, evidence for, 1044
 organic geochemistry, 566
 petroleum genesis, 567
Angola Basin and Walvis Ridge, bulk X-ray mineralogy
 comparison, 472
Angola Basin marginal plateau, interstitial water studies,
 549
Angola continental margin, Site 364, 357
 Site 365, 357
Angular unconformities, 6
Ankerite, 479
Anomaly M-O, 6, 7, 8
Anomaly M-4, 6
Antarctic Bottom Water, 359, 365, 970
Antarctic Bottom Water circulation, 1000
Antarctica, formation of ice cap on, 6
 Miocene glacial event, 7
Aptian, dinocysts, 885
 salt deposits, 185
Aptian climate of southern Africa, 1036
Aragonite dissolution, 8
Arkhangelskiella cymbiformis Zone, 222, 372, 375, 593,
 596
 defined, 576
Arkosic wackes, 1031
Augrabies falls, 971
Australisphaera verrucosa, new dinoflagellate species, 893
Austral Biogeoprovince, 744, 745
Authigenic minerals, 1039
 Site 361, 1042
 Site 364, 1043
Authorship responsibilities, Leg 40, 18
Background and objectives,
 Site 360, 30
 Site 362, 185
 Site 363, 185
 Site 364, 359
 Site 365, 359
Bandyella beckmanni, new benthic foraminifer species, 790
Basement subsidence, 971
Bathymetric evolution, Site 363, 996
 Site 364, 998
Benguela Current, 359, 370, 966
 upwelling of, 970
Benthic forams
 annotated species list, 764, 789
 Site 360, 57
 Site 361, 60
 Site 362, 219
 Site 363, 374, 759
 Site 364, 741, 759
 Site 365, 379
 taxonomy, 746
 Upper Cretaceous, 375
Berg River, 966
Biostratigraphic analysis, Site 364, palynomorphs, 916
Biostratigraphic zonations, Leg 40, 12
Biostratigraphy,
 Cenozoic, 1063
 Cretaceous, 372
 Cretaceous-Tertiary boundary, 371
 Site 360, 54
 Site 361, 58
 Site 362,
 Eocene, 217
 Miocene, 221
 Oligocene, 217
 Pleistocene-Pliocene, 217
 Site 363, 220, 221, 761
 Cretaceous, 221
 Eocene, 221
 Eocene-Oligocene boundary, 221
 Miocene, 217
 Oligocene, 221
 Site 364, 371, 761
 Site 365, 377
 Tertiary, 371
Biostratigraphy and paleontology, Site 362, 216
Bioturbation, 536
Bisaccate taxonomy, pollen, 922
Biticinella breggiensis Zone, 223
Biticinella berggiensis-Rotalipora ticinensis zones, 654

- Bituminous shales, 487, 495
 Black shales, 487
 Site 361, 537
 Bottom currents, 5
 Bottom water, Panama Basin, 1046
Braarudosphaera chalk, 191, 389, 494, 970, 999
 Southern Atlantic, origin of, 494
 sequence, 637
Braarudosphaera ooze, 199, 994
 Brazil Basin, 232
 salt deposits, 232
 Bredasdrop Formation, 965, 971
 Bulk X-ray mineralogy comparison, Angola Basin and Walvis Ridge, 472
 Bulk X-ray mineralogy of sediments, Site 364, 471
 Walvis Ridge, 472
 Calcisphaerulidae, 819
 Site 363, 225
 systematic description, 821
 Calcium carbonate dissolution, Site 363, 210
Campylosphaera eodela Subzone, 639
 Cape Agulhas, 963, 966
 Cape Basin, 5, 491, 968
 interstitial water studies, Site 360, 549
 Site 361, 549
 magnetic lineations, 6
 nannofacies, 487
 operations summary, Site 360, 9
 Site 361, 9
 organic geochemistry, 558
 petroleum genesis, 567
 sedimentary facies evolution, 989
 Cape Basin continental rise, magnetic anomaly patterns, 30
 objectives of drilling, 32
 sapropelitic facies, 70
 Site 360, 29
 Site 361, 29
 Cape Basin Lineations, 7
 Cape Canyon, 971
 Cape Fold Belt, 8, 963, 1029
 Cape Granites, 1029
 Site 361 sediments, source of, 1034
 Cape System, 1029
 Carbon Preference Index (CPI), 558
 Carbon-carbonate data, 20
 Carbonate data, Site 363, 208
 Carbonate dissolution, 488, 984
 cycles of, 993, 996, 998
 Carbonate versus non-carbonate accumulation rates, Sites 360 to 364, 388
 Caribbean, 783
 Carnarvon Basin, 890
Cassigerinella chipolensis/Pseudohastigerina micra Zone, 217, 681, 684
 Caucasus, 783
 Cenomanian and Turonian stratigraphic hiatus, 589
 Cenozoic biostratigraphy, 1063
 climatic cooling, 6
 Site 360, 1064
 Site 361, 1064
 Site 362, 1065
 Site 363, 1065
 Site 364, 1065
 Site 365, 1065
Ceratolithus acutus Subzone, 577, 588
Ceratolithus acutus Zone, 57
 Chemical composition of Site 363, dolomite, 476
 Site 364, dolomite, 475
 Chernozem soils, 1035
Chiasmolithus oamaruensis Subzone, 217, 635
Chiastozygus litterarius Zone, 583
 defined, 571
Chiphragmalithus alatus Zone, 576
 Circulation of Cretaceous South Atlantic, model for, 1047
 Circum-Antarctic Current, 971
 Clay mineralogy, 541
 Clay mineralogy, Angola Basin, 474
 Climate control of kaolinite, 548
 Climatic conditions
 Early Cretaceous, 968
 Late Cretaceous, 968
 Paleogene, 968
 Climatic conditions inferred from Site 361 sediment chemistry, 1035
 Climatic cooling, Cenozoic, 6
 Coarse-fraction analysis, Site 360, 44
Coccolithus miopelagicus Subzone, 638
 Complex aperturate, taxonomy, pollen, 923
 Concretions, 536
 Congo Basin, 917
 Congo River, 359, 365
 Continental rise of southwest Africa, organic geochemistry, 558
 Contourites, Site 363, 1030
 Copepods, 491
 Core disturbance, 20
 Core handling, 18
 Correlation of reflection profiles with drilling
 Site 360, 64
 Site 361, 66
 Site 362, 226
 Site 363, 226
 Site 364, 380
Coscinodiscus yabei Zone, 217
 Cretaceous
 biostratigraphy, 221, 372
 evaporites, 5
 forams, 224, 374, 651
 nannos, 225, 571
 rads, 839
 sedimentary facies, evolution of, 999
 Site 361, palynology, 883
 South Atlantic, model for circulation of, 1047
 Mediterranean Sea as analog to, 1045
 Cretaceous circulation, South Atlantic, 1045
 Cretaceous stratigraphy, Site 361, 1066
 Cretaceous biostratigraphy, Leg 40, 1065
 Site 363, 1066
 Site 364, 1066
 Cretaceous Quiet Interval, 461, 464
 Cretaceous South Atlantic, Panama Basin compared with, 1046
 Red Sea as analog to, 1045
 Cretaceous-Tertiary boundary, biostratigraphy, 371, 589

- Crucella quadra*, new radiolarian species, 841
Cruciplacolithus tenuis Zone, 12, 60, 371, 375, 576, 583, 592
 Cuanza Basin, 963
 CCD curve, South Atlantic, 1000
 Climatic conditions, Neogene, 968
 Deep-sea fans, 970
 Depositional environment, Site 361, 488
 Diagenesis, Site 363, 210
 Diapirism, 525
 Diatoms
 Coscinodiscus yabei Zone, 217
 Nitzschia jouseae Zone, 217
 Thalassiosira convexa Zone, 217
Dictyocha aculeata Zone, 639
Dictyocha perlaevis ornata acme horizon, 639
Dictyocha pumila, new silicoflagellate species, 642
Dictyocha stapedia stapedia Zone, 640
Dictyocha vexativa, new silicoflagellate species, 642
Dingodinium cerviculum Zone, 890
 Dinoflagellates
 Acritarchs, 860
 Aiora perforare, new species, 892
 Aptian, 885
 Australisphaera verrucosa, new species, 893
 Chlamydophorella huguoniotti, 893
Dingodinium cerviculum Zone, 890
 Genus *Australisphaera*, new genera, 892
 paleoecological considerations, 890
 Senonian to Maestrichtian, 890
 systematic descriptions, 891
 Turonian, 890
 Turonian to Maestrichtian, 891
Discoaster barbadiensis Zone, 638
Discoaster berggrenii Subzone, 635
Discoaster binodosus Zone, 583, 585
Discoaster brouweri Zone, 375, 588, 591
Discoaster deflandrei Subzone, 638
Discoaster druggi Zone, 221, 225
Discoaster exilis Zone, 225, 638
Discoaster hamatus Zone, 225, 591
Discoaster lodoensis Zone, 375, 591, 637, 638
Discoaster neohamatus Zone, 637
Discoaster nobilis Zone, 576
Discoaster quinqueramus Zone, 576, 637
Discoaster sublodoensis Zone, 60, 375, 582, 588, 591, 788
Discoaster taninodifer Zone, 576
Distephanus boliviensis boliviensis Zone, 640
Distephanus boliviensis major Zone, 640
 Dolomite
 chemical composition of, Site 363, 476
 Site 364, 475
 origin of, Angola Basin, 478
 Walvis Ridge, 478
 Type B, 479
 Double shelf break, 966
 Early Cretaceous, climatic conditions, 968
Eiffellithus eximius Zone, 222, 372, 375, 576, 596
Eiffellithus turriseiffeli Zone, 13, 223, 233, 373, 375, 571, 597
 Elizabeth Bay, 966
 Elizabeth Bay Formation, 966
Emiliania huxleyi Zone, 577
Emiliania huxleyi/Gephyrocapsa oceanica zones, 585
Emiliania ovata Zone, 576, 585
 Englebrecht Seamount, 36
 Eocene-Miocene stratigraphic hiatus, 971
 Eocene-Oligocene boundary, biostratigraphy, Site 363, 221
 Eocene-Oligocene boundary, 582, 589
 Erosion surfaces, 6
 Etosha Basin, 963
 Euxinic conditions, 865
 Euxinic environment, 7
 Euxinic facies, 8
 Euxinic stages of sedimentation, 365
 Evaporite formation, 479
 Evaporites, 359, 965
 Cretaceous, 5
 Evaporitic formations, 474
 Evolution of, Cretaceous, sedimentary facies, 999
 Tertiary, sedimentary facies, 999
 Falkland Plateau, 69, 968
Fasciculithus tympaniformis Zone, 375, 639
 Foraminifers
 Angola Basin, 653
 benthic, 225
 Paleogene, 374
 Site 361, 60
 Site 363, 374
 Site 365, 379
 Site 362, 219
 Upper Cretaceous, 375
 Cretaceous, 224, 374, 651
 dissolution effects on, 688
 Lower Cretaceous, benthic, 375
 lower Miocene, 728
 middle Miocene, 729
 Paleogene, 374
 Pliocene-Pleistocene, 730
 Site 360, Benthic, 56, 57, 679
 Site 361, 58, 681
 Site 362, 219, 681
 Site 363, 224, 681
 Site 364, 374, 686
 Site 365, 379, 655
 Sites 360 and 362, 728
 species distribution, 691
 systematics, planktonic foraminiferal species, 657, 730
 upper Miocene, 729
 Walvis Ridge, 652
 Zonation
 Abathomphalus mayaroersis Zone, 463
 Biticinella bieggensis – *Rotalipora ticinensis* Zone, 654
 Cassigerinella chipolensis – *Pseudohastigerina micra* Zone, 217, 681, 684
 Globorotalia cerroazulensis s.l. Zone, 684
 Globigerina ampliapertura Zone, 217, 681
 G. ciperoensis ciperoensis Zone, 217, 221, 225, 631, 686, 697
 G. eugobina Zone, 220
 G. woodi connecta Zone, 13, 728

- G. woodi* woodi Zone, 728, 729, 731
Globigerinatheka semiinvoluta Zone, 56, 217, 681, 684, 687, 696
Globigerinelloides algeriana Zone, 223, 373
G. algeriana – *Hedbergella trochoidea* Zone, 654
Globigerinita dissimilis Zone, 729
Globigerinoides primordius Zone, 221, 681, 686, 697
G. trilobus trilobus Zone, 728, 729
Globoquadrina dehiscens Zone, 728, 729
Globorotalia acostaensis Zone, 217
G. angulata Zone, 371, 681
G. aragonensis Zone, 681
G. cerroazulensis s.l. Zone, 217, 684
G. conomiozea Zone, 13, 729, 730
G. deutertrei Zone, 217
G. edgari Zone, 371, 681
G. foehsi lobata Zone, 221, 686, 687
G. foshiperipheronda Zone, 371
G. foehsi Subzone, 55
G. formosa formosa Zone, 371, 681
G. inflata Zone, 13, 730
G. lehneri Zone, 56, 684
G. margaritae Zone, 687
G. mayeri mayeri Zone, 729
G. menardii Zone, 221-686
G. miocenica Zone, 687
G. miotomida Zone, 13, 729
G. opima opima Zone, 217, 221, 681, 684, 697
G. palmerae Zone, 221, 681, 788
G. pseudo bulloides Zone, 221, 681
G. pseudomenardii Zone, 681
G. poncticulata Zone, 13, 728, 729, 730, 731
G. pusilla pusilla Zone, 681
G. subbotinae Zone, 371, 681
G. trinidadensis Zone, 225, 371, 681
G. troncatulinoides Zone, 13, 728
G. truncatulinoides truncatulinoides Zone, 371, 687
G. uncinata Zone, 681
G. velascoensis Zone, 371, 681
Globotruncana gansseri Zone, 222, 653, 657
G. havanensis Zone, 222, 3772, 653, 654, 657
G. havanensis – *G. mayaroensis* Zone, 652
G. linneiana Zone, 463
G. mayaroensis Zone, 221, 222, 653, 657
G. sigali Zone, 372
Globigerinatheka semiinvoluta Zone, 221
Hantkenina aragonensis Zone, 56
Hedbergella trochoides Zone, 373
Neogloboquadrina dutertrei Zone, 371, 687
Orbulina suturalis Zone, 13, 729, 731
Orbulinoides beckmanni Zone, 684
Praebulinalina glomerosa Zone, 56
P. glomerosa curva Zone, 729, 731
Rotalipora ticanensis Zone, 373
Ticinella bejaouensis Zone, 223, 373
T. bejaouensis – *R. ticanensis* Zone, 654
T. bejaouensis – *T. primula* Zone, 654
T. primula Zone, 373
Truncorotaloides rohri Zone, 684
Foreset beds, 536
Framboidal pyrite, 487, 489, 490
Frio Ridge, 8, 185, 189, 232, 359, 365, 742, 811
 interstitial water studies, Site 363, 549
Gabon basin, 917
Gas content, Site 360, 49
 Site 361, 49
Gaseous hydrocarbon, Site 361, 42
Geochemical measurements, Leg 40, 17
 methods, 17
Geochemistry,
 Site 362, 210
 Site 363, 211
Geological background, Site 364, 915
Geothermal heating of seawater at ridge crests, 1046
Gephyrocapsa oceanica Zone, 577
Globigerina ampliapertura Zone, 217, 681
Globigerina ciperoensis ciperoensis Zone, 217, 221, 225, 681, 686, 697
Globigerina eugubina Zone, 220
Globigerina woodi connecta Zone, 13, 728
Globigerina woodi woodi Zone, 728, 729, 731
Globigerina-ampliapertura Zone, 681
Globigerinatheka semiinvoluta Zone, 56, 217, 681, 684, 687, 696
Globigerinelloides algeriana to *Ticinella bejaouensis* Zones, 652
Globigerinelloides algeriana Zone, 223, 373
Globigerinelloides algeriana-Hedbergella trochoides Zone, 654
Globigerinelloides berggiensis Zone, 373
Globigerinita dissimilis Zone, 729
Globigerinoides primordius Zone, 221, 681, 686, 697
Globigerinoides trilobus trilobus Zone, 728, 729
Globoquadrina dehiscens Zone, 728, 729
Globorotalia acostaensis Zone, 217
Globorotalia angulata Zone, 371, 681
Globorotalia aragonensis Zone, 681
Globorotalia cerroazulensis s.l. Zone, 217
Globorotalia conomiozea Zone, 13, 729, 730
Globorotalia dutertrei Zone, 217
Globorotalia edgari Zone, 371, 681
Globorotalia foehsi lobata Zone, 221, 686, 697
Globorotalia foehsi peripheronda Zone, 371
Globorotalia foehsi Subzone, 55
Globorotalia formosa formosa Zone, 371, 681
Globorotalia inflata Zone, 13, 730
Globorotalia lehneri Zone, 56, 684
Globorotalia margaritae Zone, 687
Globorotalia mayeri mayeri Zone, 729
Globorotalia mayeri Zone, 729
Globorotalia menardii Zone, 221, 686
Globorotalia miocenica Zone, 687
Globorotalia miotumida Zone, 13, 729
Globorotalia opima opima Zone, 217, 221, 681, 684, 697
Globorotalia palmerae Zone, 221, 681, 788
Globorotalia pseudobulloides Zone, 221, 681
Globorotalia pseudomenardii Zone, 681
Globorotalia puncticulata Zone, 13, 728, 729, 730, 731
Globorotalia pusilla pusilla Zone, 681
Globorotalia subbotinae Zone, 371, 681
Globorotalia trinidadensis Zone, 225, 371, 681

- Globorotalia truncatulinoides truncatulinoides* Zone, 371, 687
Globorotalia truncatulinoides Zone, 13, 728
Globorotalia uncinata Zone, 681
Globorotalia velascoensis Zone, 371, 681
Globorotalia woodi connecta Zone, 728
Globotruncana gansseri Zone, 222, 653, 657
Globotruncana havanensis Zone, 222, 372, 653, 654, 657
Globotruncana havanensis-Globotruncana mayaroensis Zone, 652
Globotruncana linneiana Zone, 463,
Globotruncana mayaroensis Zone, 221, 222, 653, 657
Globotruncana primitiva Zone, 372, 654, 656
Globotruncana sigali Zone, 372
Globigerinatheka semiinvoluta Zone, 221
Gondwana erosion cycle, 968
Gondwanaland, 963
Graben faulting, 963
Grabens, 968
Graded beds, 536, 1027
Graded sediments, 537
Grain-size analyses, 20, 536
Granitic provenance of Site 361 sediments, 1034
Great Australian Basin, 375, 744, 745
Great Escarpment, 963
Guinea Basin, 359
Gulf Coast, 783
Gypsum, 472, 474
Hantkenina aragonensis Zone, 56
Harmotome, 547
Hedbergella gorbachikae Zone, 373
Hedbergella trochoides Zone 373
Helicopontosphaera ampliaperta Zone, 375
Helicosphaera ampliaperta Zone, 591, 637
Helicosphaera reticulata Zone, 220, 638
Heliolithus kleinpelli Zone, 371
Heliolithus riedelii Zone, 576
Histiastrum anisum, new radiolarian species, 841
Horizon AII, 967
Horizon D, 6, 967
Horsts, 968
Hydrocarbon maturation, 7
Hydrocarbons, Leg 40, 12
Hypersaline conditions, evidence for, Angola Basin, 1044
Ice cap on Antarctica, formation of, 6
Ichthyoliths, 57
 Site 361, 61
 Site 364, 380
Inaperturate forms, palynomorphs, taxonomy, 922
Initial opening of South Atlantic, 68
Inoceramus, 58
 Site 361, 61
 Site 364, 376
Interstitial water studies
 Site 360, Cape Basin, 549
 Site 361, Cape Basin, 549
 Site 362, Walvis Ridge, 549
 Site 363, Frio Ridge, 549
 Site 364, Angola Basin, 549
 Site 365, Angola Basin, 549
Isthmolithus recurvus Zone, 72, 582
Kalahari Basin, 963
Kangnasaurus bones, 968
Kaoko tholeiitic basalts, 1029
Kaoko Lavas, 968
Kaolinite, climate control of, 548
Karroo dolerites, 69, 1039
Karroo Basin, 69, 869, 1027
Kheis granites, 69
Kunene River, 963, 966
Lamprocystis heteroporos Zone, 845
Leg 40
 authorship responsibilities, 18
 biostratigraphic zonations, 12, 1063
 Cretaceous biostratigraphy, 1065
 geochemical measurements, 17
 hydrocarbons, 12
 objectives, 5
 operations summary, 9
 summary of principal results, 7
 underway geophysical measurements, 12
X-ray mineralogy, 541
 Site 360, 42
 Site 361, 45
 Site 362, 190
 Site 363, 993, 994
 Site 363, 198
 Site 364, 362
 Site 364, Angola Margin, 996
 Site 365, 365
Lithraphidites altus Zone, 226
 quadratus Zone, 222
 defined, 576
Lizard Springs Formation, 784
Longshore drift, 966
Lysocline, 988
Macrofossils, Inoceramus, 58, 61
 Shallow-water, 8
Magnetic Anomaly M-O, 8
Magnetic anomaly patterns, Cape Basin continental rise, 30
Magnetic lineations, Cape Basin, 6
Mamaqualand, 971
Manganese nodules, 47
Manihiki Plateau, 1029
Markalius inversus Zone, 220, 221
Marls and wood beds, 969
Marthasterites contortus Zone, 576
Marthasterites furcatus Zone, defined, 574, 222, 225, 372, 375, 589, 596
Melville Island, 744
Mendocino Fracture Zone, 68
Mesozoic/Cenozoic boundary, stratigraphic hiatus, 6
Microforaminifers, 884
Micula mura Zone, 222, 225, 589
 defined , 576
Micula staurophira Zone, 373, 375, 597
 defined , 574
Miocene
 biostratigraphy , Site 362, 221
 Site 363, 217
 rads , 845
 Miocene glacial event, Antarctica, 7

- Miocene/Pliocene boundary, nannos, 581
 Monocolpate taxonomy, pollen, 923
 Mossamedes Basin, 963
 Mud volcanoes, 536
 MOC, defined, 868
 MOL, defined, 868
 MOT, defined, 868
 MOV, defined, 868
 Namib Desert, 970
 Namib Sand Sea, 966
 Nannofacies, 487
 - Angola Basin, Site 364, 495
 - Cape Basin, 487
 - Site 360, 491
 - Site 363, 494
 - Walvis Ridge, Sites 362 and 363, 493
 Nannofossils
 - Cretaceous, 225, 571
 - Cretaceous/Tertiary boundary, 589
 - Eocene/Oligocene boundary, 582, 589
 - Miocene/Pliocene boundary, 581
 - ratio of *Discoaster* to *Chiasmolithus*, 635
 - Site 360, 57, 577, 635
 - Site 361, 60, 582, 635
 - Site 362, 220, 637
 - Site 363, 589, 638
 - Site 364, 375, 379, 591, 639
 - Site 365, 602, 639
 - Zonation
 - Amaurolithus tricorniculatus* Zone, 635
 - Arkhangelskiella cymbiformis* Zone, 222, 372, 375, 576, 593, 596
 - Biticinella berggiensis* Zone, 223
 - Campylospaea eodela* Subzone, 639
 - Ceratolithus acutus* Zone, 57
 - Ceratolithus acutus* Subzone, 577, 588
 - Chiasmolithus oamaruensis* Subzone, 635
 - C. oamaruensis* Zone, 217
 - Chiastozygus litterarius* Zone, 571, 583
 - Ciphragmalithus alatus* Zone, 576
 - Coccolithus miopelagicus* Subzone, 638
 - Cruciplacolithus tenuis* Zone, 12, 60, 371, 375, 576, 583, 589, 592
 - Discoaster barbadiensis* Zone, 638
 - Discoaster berggrenii* Subzone, 635
 - Discoaster binodosus* Zone, 583, 585
 - Discoaster brouwerei* Zone, 375, 588, 591
 - Discoaster deflandrei* Subzone, 638
 - Discoaster druggi* Zone, 221, 225
 - Discoaster exilis* Zone, 225, 638
 - Discoaster hamatus* Zone, 225, 591
 - Discoaster lodoensis* Zone, 375, 591, 637, 638
 - Discoaster neohamatus* Zone, 637
 - Discoaster nobilis* Zone, 576
 - Discoaster quinqueramus* Zone, 576, 637
 - Discoaster sublodoensis* Zone, 60, 375, 582, 588, 591, 788
 - Discoaster tani nodifer* Zone, 576
 - Eiffellithus eximius* Zone, 372, 375, 596
 - Eiffellithus turriseiffeli* Zone, 13, 233, 375, 597
 - Emiliania huxleyi* Zone, 577- Emiliania huxleyi/Geophyrocapsa oceanica* zones, 585
- Emiliania ovata* Zone, 576, 585
- Easciculithus tympaniformis* Zone, 375, 639
- Gephyrocapsa oceanica* Zone, 577
- Helicopontosphaera ampliaperta* Zone, 375
- Helicosphaera ampliaperta* Zone, 591, 637
- Helicosphaera reticulata* Zone, 220, 638
- Heliolithus riedili* Zone, 576
- Isthmolithus recurvus* Zone, 72, 582
- Lithraphidites altus* Zone, 226
 - L. quadratus*, 222, 576
- Markalius inversus* Zone, 220, 221
- Marthasterites furcatus* Zone, 222, 225, 372, 375, 574, 576, 589
- Micula mura* Zone, 222, 225, 576, 589
- Micula staurophora* Zone, 373, 375, 574
- Nannotetrina fulgens* Zone, 56, 57, 371, 375, 576, 578, 582, 591
- Nannotetrina quadrata* Zone, 576, 636
- Parhabdolithus angustus* Zone, 223, 323, 326, 571, 573, 589, 602
- Prediscosphaera cretacea* Zone, 223, 225, 373, 376, 571, 583, 589, 602
- Pseudoemiliania lacunosa* Zone (NP 14), 577
- Pseudoeunotia doliolus* Zone, 217
- Reticuloafenestra umbilica* Zone, 638
- Rhabdosphaera inflata* Subzone, 636
- Sphenolithus ciperoensis* Zone, 576, 637, 686
- Sphenolithus distentus* Zone, 220, 576, 637, 638
- Sphenolithus heteromorphus* Zone, 637
- Sphenolithus predistentus* Zone, 220, 576
- Sphenolithus pseudoradians* Zone, 56, 582
- Tetralithus trifidus* Zone, 222, 375, 573, 576
- Tribrachiatus contortus* Zone, 371, 375, 576
- Tribrachiatus orthostylus* Zone, 375, 591
- Triquetrorhabdulus carinatus* Zone, 638
- Nannotetrina fulgens* Zone, 56, 57, 371, 375, 576, 578, 582, 591
- Nannotetrina quadrata* Zone, 576, 636
- Navet Formation, 784
- Near-shore indicators, nannos, 581
- Neogene silicoflagellate correlation, 639
- Neogene climatic conditions, 968
- Neogene benthic foraminifers, Sites 360 and 362, 811
- Neogloboquadrina dutertrei* Zone, 371, 687
- New Zealand, 783
- Nitzchia jouseae* Zone, 217
- Northern Gondwana Province, 920
- Oceanographer Canyon, 638
- Olifants River, 966
- Oligocene
 - biostratigraphy,
 - Site 362, 217
 - Site 363, 221
 - forams, 684
- Oligocene/Miocene boundary, nannos, 582
- Opal, 472
- Opening of the Atlantic, 741
- Operations
 - Site 360, 9, 39

- Site 361, 9, 40
 Site 362, 10
 Site 363, 11, 189, 190
 Site 364, 11, 360
 Site 365, 11, 361
 Operations summary, Leg 40, 9
 Orange Basin, 963
 Orange River, 966, 968, 1027
Orbulina suturalis Zone, 13, 729, 731
Orbulinoides beckmanni Zone, 684
 Organic geochemistry
 Angola Basin, 566
 Cape Basin, 558
 Continental rise of southwest Africa, 558
 Walvis Ridge, 561
 Organic residue, Site 361, 868
 Oyster Line, 965
 Paleocene, biostratigraphy, Site 363, 221
 Paleocirculation, 6
 Paleoecological considerations, dinocysts, 890
 Paleoecology,
 Site 363, 761
 Site 364, 761
 Paleoenvironment, palynmorphs, 919
 Paleogene,
 climatic conditions, 968
 forams, 374
 Paleogene benthic forams, 783
 Paleogeography, Lower Cretaceous to Cenomanian
 southern Atlantic seaway, 746
 Site 363, 761
 Site 364, 761
 Paleomagnetic measurements
 Site 361, 461
 Site 364, 464
 Paleomagnetic stratigraphy, 13
 Paleontology,
 Site 360, 56
 Site 361, 58
 Site 362, biostratigraphy and, 216
 Site 365, 379
 Paleotemperatures, 764
 Palynology, Cretaceous
 Site 361, 857, 883
 Site 364, 374
 Site 364, 915
 Site 365, 953
 Palynomorphs, biostratigraphic analysis, Site 364, 916
 late Tertiary assemblages, 953
 paleoenvironment, 919
 reworking, 919
 Site 361, 60
 Site 364, 376, 380
 systematic notes, 955
 taxonomic list, 922
 taxonomy, inaperturate forms, 922
 Zone IX, 918
 Zone VIII, 918
 Zone X, 918
 Panama Basin, bottom water, 1046
 compared with Cretaceous South Atlantic, 1046
Parhabdolithus angustus Zone, 223, 373, 376, 583, 589, 602
 Penecontemporaneous deformation, 536
 Petroleum genesis,
 Angola Basin, 567
 Cape Basin, 567
 Petroleum source rocks, 868
 Phillipsite, saline lakes, 1040
 Phosphorites, 972
 Physical properties, sediments, 13
 Site 360, 51
 Site 361, 53
 Site 362, 211
 Site 363, 214
 Site 364, 368
 Site 365, 370
 Plant debris, 7
 Pleistocene-Pliocene biostratigraphy, Site 362, 217
 Polar icecap, development of, 359
 Pole of rotation, 969
 Pollen, thermally stressed, Site 361, 1036
 bisaccate, taxonomy, 922
 complex aperturate, taxonomy, 923
 Late Cretaceous assemblages, 954
 monocolpate, taxonomy, 923
 polyplicate, taxonomy, 922
 porate, taxonomy, 923
 tricolpate, taxonomy, 922
 Pomona beds, 965
 Porate taxonomy, pollen, 923
 Post-African erosion, 971
 Post-Gondwana phase, 968
Praeorbulina glomerosa curva Zone, 86, 729, 731
Prediscosphaera cretacea Zone, defined, nannos, 223, 225, 373, 376, 571, 583, 589, 602
 Primary structures, 525
 Protodolomite, 477, 548
Pseudoemiliania lacunosa Zone (NP 14), 577
Pseudoeunotia doliolus Zone, nannos, 217
 Pyrite, frambooidal, 487, 489
 origin of, 490
 Radiolarians
 Acaeniotyle umbilicata Zone, 840
 Cretaceous, 839
 Histiastrum anisum, new species, 841
 Lamprocrytis heteroporus Zone, 845
 Miocene, 845
 new species
 Amphibrachium leptum, 841
 Crucella quadra, 841
 Pleistocene, 845
 Site 360, 57, 845
 Site 361, 60, 839
 Site 362, 220, 839, 845
 Site 363, 225, 840
 Site 364, 376, 380, 846
 Site 365, 841, 846
 Stichocorys peregrina Zone, 845
 systematics, 846
 Site 364, 840
 taxonomy, 841

- Theocyrtis tuberosa* Zone, 377, 846
 Red Sea bottom water, 1046
 Red Sea as analog to, Cretaceous South Atlantic, 1045
 reflection profiles with drilling,
 Site 360, correlation of, 64
 Site 361, correlation of, 66
 Site 362, correlation of, 226
 Site 363, correlation of, 226
 Site 364, correlation of, 380
Reticulofenestra umbilica Zone, 638
 Reworking, palynomorphs, 919
Rhabdosphaera inflata Subzone, 636
Rhizosolenia praebargentii Zone, 217
 Ridge crests, geothermal heating of seawater at, 1046
 Romanche Fracture Zones, 359
Rotalipora tictinensis Zone, 223, 373
 Ruacana Falls, 971
 Saldanha Bay, 963, 966
 Saldhana Formation, 965
 Salt, Angola, 232
 Salt deposits, 7, 365, 1026
 Aptian, 185
 Brazil Basin, 232
 South Atlantic, 6
 Sand dykes, 536
 São Paulo Ridge, 232
 Sapropelic organic matter, 884, 891
 Sapropelic shales, 7, 472, 479
 Sapropelitic facies, Cape Basin continental rise, 70
 Scientific objectives,
 Site 362, 185
 Site 363, 185
 Site 364, 359
 Site 365, 359
 Secondary structures, 526
 Sediment accumulation rates
 Site 360, 61, 990
 Site 361, 63
 Site 362, 226
 Site 363, 226, 996
 Site 364, 365, 380, 998
 Site 365, 380
 Sediment classification, 28
 Sediment gravity flows, 539
 Sedimentary history, Southern African margin, 972
 Sedimentary diagenesis, 7
 Sedimentary facies evolution, Cape Basin, 989
 Cretaceous, 999
 Tertiary, 999
 Sedimentary hiatus, 365
 Sedimentary structures, 525
 Site 360, 525
 Site 361, 491, 525
 Site 364, 525
 Sedimentary history, Site 364, 365
 Sediments
 physical properties, 13
 Site 361, 1029
 Site 361, description of, 1027
 Shallow-water indicator, *Zygrhablithus bijugatus*, 591
 Shallow-water macrofossils, 8
 Sierra Leone Basin, 969
 Silicoflagellates
 Dictyocha perlaevis ornata acme horizon, 639
 new species, *Dictyocha pumila*, 642
 Dictyocha vexativa, 642
 Pliocene/Pleistocene boundary, 639
 taxonomy, 640
 zonation
 Dictyocha aculeata Zone, 639
 Dictyocha stapedia stapedia Zone, 640
 Distephanus boliviensis boliviensis Zone, 640
 Distephanus boliviensis major Zone, 640
 Site 360
 background and objectives, 30
 biostratigraphy, 54
 Cape Basin, interstitial water studies, 549
 operations summary, 9
 Cape Basin continental rise, 29
 Cenozoic biostratigraphy, 1064
 coarse fraction analysis, 44
 correlation of reflection profiles with drilling, 64
 foraminifers, 56
 forams, benthic, 57
 gas content, 49
 lithologic descriptions, 42
 nannofacies, 491
 nannofossils, 57, 577, 635
 objectives, 35
 operations, 39
 paleontology, 56
 physical properties, 51
 radiolarians, 57, 845
 sediment accumulation rates, 61, 990
 sedimentary structures, 525
 X-ray mineralogy, 547
 Site 361
 authigenic minerals, 1042
 biostratigraphy, 58
 Black shale, 537
 Cape Basin, interstitial water studies, 549
 operations summary, 9
 Cape Basin continental rise, 29
 Cenozoic biostratigraphy, 1064
 Cretaceous stratigraphy, 1066
 contourites, 1030
 depositional environment, 488
 foraminifers, 58
 forams, benthic, 60
 gas content, 49
 gaseous hydrocarbon, 42
 grain-size analysis, 536
 Ichthyoliths, 61
 Inocerami, macrofossils, 61
 nannofossils, 60, 582, 635
 objectives, 36
 operations, 40
 organic residue, 868
 paleomagnetic measurements, 461
 paleontology, 58
 palynology, 857
 Cretaceous, 883

- palynomorphs, 60
 physical properties, 53
 pollen, thermally stressed, 1036
 radiolarians, 60, 839
 sediment accumulation rates, 63
 sedimentary structures, 491, 525
 sediments, 1029, 1031, 1033, 1034, 1036
 solution etching, 1040
 stratigraphy, 460
 subsidence, 991
 transition series trace elements in, 1037
 X-ray mineralogy, 547
- Site 362**
- background and objectives, 185
 - biostratigraphy and paleontology, 216
 - Cenozoic biostratigraphy, 1065
 - correlation of reflection profiles with drilling, 226
 - Eocene, biostratigraphy, 217
 - foraminifers, 219
 - forams, benthic, 219
 - geochemistry, 210, 549
 - lithology, 190
 - Miocene, biostratigraphy, 221
 - nannofossils, 220, 637
 - Oligocene, biostratigraphy, 217
 - operations, 10
 - physical properties, 211
 - Pleistocene-Pliocene, biostratigraphy, 217
 - radiolarians, 220, 839, 845
 - scientific objectives, 185
 - sediment accumulation rates, 226
 - summary and conclusions, 230
 - Walvis Ridge, 183
 - X-ray mineralogy, 547
- Site 363**
- Ammonites, 226
 - background and objectives, 185
 - bathymetric evaluation, 996
 - biostratigraphy, 220, 221, 761
 - Calcisphaerulidae*, 225
 - calcium carbonate, dissolution, 210
 - carbonate data, 208
 - Cenozoic biostratigraphy, 1065
 - contourites, 1030
 - correlation of reflection profiles with drilling, 226
 - Cretaceous, biostratigraphy, 221, 1066
 - data quality, 209
 - diagenesis, 210
 - dolomite, chemical composition of, 476
 - Eocene, biostratigraphy, 221
 - Eocene-Oligocene boundary, biostratigraphy, 221
 - foraminifers, 224
 - forams, benthic, 374, 741, 759
 - geochemistry, 211
 - history, 209
 - interstitial water studies, 549
 - lithology, 198, 994, 995
 - Miocene, biostratigraphy, 217
 - nannofacies, 493, 494
 - nannofossils, 589, 638
 - Oligocene, biostratigraphy, 221
 - operations, 11, 189, 190
 - paleoecology, 761
 - paleogeography, 761
 - paleomagnetic measurements, 463
 - physical properties, 214
 - radiolarians, 225, 840
 - scientific objectives, 185
 - sediment accumulation rates, 226, 996
 - smear-slide data, 208
 - stratigraphic distribution, *Calcsphaerulidae*, 819
 - stratigraphy, 463
 - subsidence, 209
 - summary and conclusions, 232
 - terrigenous input and provenance, 209
 - Walvis Ridge, 183
 - X-ray mineralogy, 208, 848
- Site 364**
- Ammonites, 376
 - Angola Continental margin, 357
 - authigenic minerals, 1043
 - background and objectives, 359
 - bathymetric evolution, 998
 - biostratigraphy, 371, 761
 - bulk X-ray mineralogy of sediments, 471
 - Cenozoic, biostratigraphy, 1065
 - correlation of reflection profiles with drilling, 380
 - Cretaceous biostratigraphy, 1066
 - dolomite, chemical composition of, 475
 - foraminifers, 374
 - forams, benthic, 741, 759
 - geological background, 915
 - ichthyoliths, 380
 - Inocerami, 376
 - interstitial water studies, 549
 - lithology, 362, 996
 - nannofacies, Angola Basin, 495
 - nannofossils, 375, 379, 591, 639
 - operations, 11, 360
 - paleoecology, 761
 - paleogeography, 761
 - paleomagnetic measurements, 464
 - palynology, 374, 915
 - palynomorphs, 376, 380
 - biostratigraphy analysis, 916
 - physical properties, 368
 - radiolarians, 376, 380, 840, 846
 - scientific objectives, 359
 - sediment accumulation rate, 365, 380, 998
 - sedimentary structures, 525
 - sedimentary history, 365
 - stratigraphy, 463
 - summary and conclusions, 381
 - X-ray mineralogy, 548
- Site 365**
- Angola Continental margin, 357
 - background and objectives, 359
 - biostratigraphy, 377
 - Cenozoic biostratigraphy, 1065
 - foraminifers, 379, 655
 - forams, benthic, 379
 - interstitial water studies, 549

- lithology, 365
- nannofossils, 602, 639
- operations, 11, 361
- paleontology, 379
- palynology, 953
- physical properties, 370
- radiolarians, 841, 846
- scientific objectives, 359
- sediment accumulation rates, 380
- summary and conclusions, 382
- X-ray mineralogy, 548
- Smear slides, 20
- Smear-slide data, Site 363, 208
- Solution etching, Site 361, 1040
- South Africa, sedimentary and tectonic history, 963
- South Atlantic, model for circulation of Cretaceous, 1047
 - age of opening, 7
 - Cretaceous circulation, 1045
 - CCD curve, 1000
 - initial opening of, 68
 - Mediterranean Sea as analog to Cretaceous, 1045
 - salt deposits, 6
- Southern Africa, continental shelf and tectonic history, 963
 - Aptian climate of, 1036
- Southern African margin, sedimentary history, 972
- Southern Atlantic, origin of Braarudosphaera chalk, 494
- Species distribution, forams, 691
- Speciosus* assemblage Zone, 890
- Sphenolithus ciperoensis* Zone, 576, 637, 686
- Sphenolithus distentus* Zone, 220, 576, 637, 638
- Sphenolithus heteromorphus* Zone, 637
- Sphenolithus predistentus* Zone, 220, 576
- Sphenolithus pseudoradians* Zone, 56, 582
- Spore/pollen zones, 915
- Spores and pollen, taxonomic notes, 869, 922
- Stability of magnetization, 460
- Stichocorys peregrina* Zone, 845
- Stratigraphic distribution, Calcisphaerulidae, Site 363, 819
- Stratigraphic hiatuses, 965
 - Cenomanian and Turonian, 589
 - Eocene-Miocene, 971
 - Mesozoic/Cenozoic boundary, 6
- Stratigraphy
 - Site 361, 460
 - Site 363, 463
 - Site 364, 463
- Styolites, 536
- Subsidence, basement, 971
 - Site 361, 991
 - Site 363, 209
- Subsidence of Walvis Ridge, 1000
- Summary and conclusions
 - Site 362, 230
 - Site 363, 232
 - Site 364, 381
 - Site 365, 382
- Summary of principal results, Leg 40, 7
- Synthesis of Leg 40 biostratigraphy, 1063
- Systematic description, Calcisphaerulidae, 821
 - dinocysts, 891
 - foraminifers, 657, 730
- palynomorphs, 955
- radiolarians, 846
- Taxonomic list, palynomorphs, 869, 922
- Taxonomy
 - acritarchs, 924
 - benthic forams, 746
 - pollen
 - bisaccate, 922
 - complex aperturate, 923
 - inaperturate, 922
 - monocolpate, 923
 - porate, 923
 - tricolpate, 922
 - polypligate pollen, 922
 - radiolarians, 841
 - spores, 922
- Terrogenous input and provenance, Site 363, 209
- Tertiary, biostratigraphy, 371
 - sedimentary facies, evolution of, 999
- Tertiary-Quaternary, nannos, 576
- Tetralithus trifidus* Zone, 222, 375, 593
 - defined, 576
- Thalasiosira convexa* Zone, diatoms, 217
- Theocyrtis tuberosa* Zone, 377, 846
- Ticinella bejaouensis* Zone, 223, 373
- Ticinella bejaouensis-Rotalipora tiginensis* Zone, 654
- Ticinella bejaouensis-Ticinella primula* Zone, 654
- Ticinella primula* to *Rotalipora tiginensis* Zones, 652
- Ticinella primula* Zone, 373
 - Transition series trace elements in Site 361, 1037
- Tribrachiatus contortus* Zone, 371, 375, 576
- Tribrachiatus orthostylus* Zone, 375, 591
- Tricolpate taxonomy, pollen, 922
- Triquetrorhabdulus carinatus* Zone, 638
- Tristan da Cunha, 232, 359
- Truncorotaloides rohri* Zone, 684
- Turbidite facies, 460
- Turbidites, 1029
- Type A dolomite, 479
- Type B dolomite, 479
- Unconformities, angular, 6
- Underway geophysical measurements, Leg 40, 12
- Valdivia Bank, 232, 359, 365
- Varswater Formation, 965
- Velasco Formation, 784
- Victoria Falls, 971
- Volcanic activity, 969, 970
- Walvis Ridge, 5, 915, 967
 - bulk X-ray mineralogy comparison, Angola Basin and, 472
 - bulk X-ray mineralogy of sediments, 472
 - dolomite, origin of, 478
 - foraminifers, 652
 - interstitial water studies, Site 362, 549
 - operations summary, Site 362, 10
 - Site 363, 11
 - organic geochemistry, 561
 - Site 362, 183
 - Site 362, Site 363, nannofacies, 493
 - Site 363, 183
 - subsidence of, 1000

- X-ray diffraction analysis, method, 470
X-ray diffraction data, Site 363, 208
X-ray mineralogy, analytical methods, 541
 Leg 40, 541
Site 360, 547
Site 361, 547
Site 362, 547
Site 363, 548
Site 364, 548
Site 365, 548
Zambesi River, 971