

INDEX

- Absolute age, Site 372, 874
Abyssal plain salt series, 891
Acoustic basement,
 basalt, 162
 correlation with volcanic layer, 889
Actinomycetes, fossil sporangia in Messinian marls, 817
Adana region, Cyprus, 921
Adana Basin, 903
 Upper Miocene salt layer drilled in, 1037
Adriatic Sea, heat-flow measurements in, 858
Aegean area, basin subsidence, 380
Aegean basins, 947, 948
Aegean subplate, 979
Aegean Arc, 378, 968
 compressional tectonism, 372
 structural history of, 975
Aegean Basin, 659, 805
 origin of, 1055
 tectonism, 1059
Aegean Sea, 3, 197, 262, 305, 321, 338, 782, 866, 1139
 heat-flow measurements in, 858
 origin of, 870
 paleotemperatures, 808
Aeolian Islands as island arcs, 515
Aeromagnetic map, Balearic-Provencal Basin, 962
Afghanistan, melange zone with Paleotethys rocks present
 in, 944
African and European plates, tectonic closure rate, 1005
African craton, 968
African margin, 968
African shield, 936
African-Apulian craton, 968
African-Apulian plate, 955
Agios Sostis Island, 934
Alabastrine gypsum, 591, 595, 598, 909, 932
Alboran landmass, 936, 938
Alboran orocline, 1025
Alboran Basin, 870
Alboran Land, final foundering of, 939
Alboran Sea, 396, 936, 938, 965
 sedimentation rates, 44
Algal mats, 665
Algal structures, in micritic limestone clasts, 329
Algeria, Cyprideis present in land fauna of, 1074
Algero-Provencal Basin, 29, 60, 84, 782
 structural history of, 86
Alkali lago mare, defined, 1018
Alkali lake, defined, 1018
Alkali-lake model, evidence for, 175
Alkali-silica diagram, basalt, 518
Alkali-water lagoon, defined, 1019
Alkanes, 469
Allevardite, 373
Alpine facies, marine, 955
Alpine glaciations, 441
Alpine margin, 968, 969
Alpine nappes, 1001
Alpine orogenic belt, 968, 1091
Alpine Orogeny, 946, 948, 1055, 1060, 1139
Alpine System, application of plate tectonics to, 985
Alpine-Mediterranean area, structural history of during
 Mesozoic and early Cenozoic time, 951
Alpine-Mediterranean system, syntheses of regional
 geological data, 1055
Alteration, basalt, 511, 521
Alteration of clay minerals in sapropels, 459, 462
Alteration processes affecting dolomitic caliche breccia, 603
Alteration products, 557
 basalt groundmass, 541
 calcite, 517, 537
 carbonate, 509, 531
 clay minerals, 509, 551
 iddingsite, 509, 537
 smectite, 531
 zeolites, 517, 549
Amino acid racemization, 489
Ammonitico rosso, 239, 914
Amphibole, 517
Amygdular basalt, 531
Analcime, 396
Anatolia, ophiolites in, 945
Anatolia subplate, 979
Anaximander Seamount, 969
Andesitic vulcanism, 956
Anhydrite, 182, 909
 chicken-wire structure, 36, 362, 593, 602, 761
 defined, 575
 felted texture, 594
 layered, 593
 nodular, 46, 1068, 1087
 chemical composition of, 195
 nodular mosaic structure, 574
 texture of, 574
Anhydrite nodules, 573
 diagenesis, 575
Anhydritic rocks, lithologic subdivisions of, 573
Antalya nappes, 906, 968
Antalya region, Cyprus, 921
Antalya Abyssal Plain, 995, 1020
Antalya Basin, 5, 219, 247, 249, 250, 253, 407, 411, 435,
 653, 659, 903, 908, 921, 1031, 1070, 1072, 1088,
 1093
 paleosalinity, 659
Antarctic ice sheet, Upper Miocene, effect on ocean tem-
 perature, 829, 836
Apennines, flysch sequence, 945
 formation of, 956
Apulia, shelf sediments, 398
Apulia-Anatolia, Mesozoic history of, 975
Apulia-Anatolia block, 974
Apulia-Anatolia microplate, 975
Apulia-Anatolia plate, 955
Apulian subplate, 979
Aquatraversan erosional phase, 441

- Aquitanian deposits on margin of Gulf of Lion, 961
 Aquitanian series, 898
 Arabian plate, 974
 Arabic platform, 906
 Aragonite, 372, 398
 Arctic glaciation
 high latitudes, 441
 Northern Hemisphere, 441
 onset of, 190
Arenazzolo, 573, 1024
Arenazzolo deposit, 46
Arenazzolo facies, 392
 Arenites, 910
 Astrakanite, 1023
Athalassa Formation, 908, 917
 Atlantic portal, closing of, 1031
 Atlas mountains, trace fossils in limestones of, 822
 Attapulgite, 181, 370, 373, 380, 394, 398, 459, 461
 Authigenic mineral growth, 396
 Authigenic minerals, carbonates, 637
 Authigenic sulfides, 411
 Authorship, responsibilities, 8
 Azores-Gibraltar fracture zone, 966, 1075
 Baasit nappes, 219
 Back-arc basins, 321, 338, 1047, 1075, 1139
 Tyrrenian Sea as, 870
 Back-arc marginal basin, 151, 513
 Back-arc spreading, Tyrrenian Abyssal Plain, 947, 1139
 Background and objectives,
 Site 371, 29
 Site 372, 59
 Site 373, 151
 Site 374, 175
 Sites 375 and 376, 219
 Site 377, 305
 Site 378, 321
 Badenian desiccation, 988
 Badenian marine flooding, 989
 Badenian marine peak, 987
 Balatino facies, 1006, 1015
 Balatino laminated gypsum, 581, 909, 1068
 Balatino-nero gypsum, 586
 Balearic margin, initial rifting, 5
 Balearic Abyssal Plain, 995, 1081
 Balearic Basin, 3, 29, 59, 74, 87, 195, 393, 522, 651, 654,
 947, 1008, 1070
 basin subsidence, 1139
 beginning of rifting, 1139
 clay mineralogy, 1091
 heat flow, 476
 heat-flow measurements in, 862
 Isotopic evidence, paleotemperatures, 1056
 magnetic anomalies, 868
 origin of, 1055
 Balearic Islands, 4, 30, 86, 474, 889, 897, 899, 1042
 Jurassic dolomites at, 635
 overthrusting in, 966
 Balearic Rise,
 Burdigalian sedimentation of, 380
 Leg 13, Messinian cycles, 577
 Site 124, 767
 Balearic-Provencal Abyssal Plain,
 bottom currents, 893
 salt layer, 891
 Balearic-Provencal Basin, 889
 aeromagnetic map, 962
 Banded, gypsum, 932
 Barite, Site 371, 406
 Barred basin model, 176
 Basalt, 157
 acoustic basement, 162
 alkali-silica diagram, 518
 alteration, 511, 521
 amygdular, 531
 aphyric, 516, 531
 chemical analysis of, 517, 533
 crystal fractionation, 512
 Curie temperature measurements, 881
 depth of origin, 521
 differentiation index, 512, 519
 fractionation, 522
 high-alumina tholeiite, 521
 large-ion-lithophile elements in, 519
 magnetic properties of, 881
 Mg numbers, 519
 microprobe analyses, 510
 natural remanent magnetization, 881
 Nepheline-normative, 518
 normative mineralogy, 512, 519, 533
 olivene tholeiite, 512, 519, 533
 petrographic analysis, 531, 537
 petrographic descriptions, 516
 phyric, 516
 Pliocene-Quaternary, 981
 porphyritic, 531
 potassium-argon age determinations, 531
 Site 373A, 537
 potassium-argon dates, 534
 radiometric ages, Site 373, 863
 rare earth elements, 511, 519
 remanence directions, 883
 stoichiometric titanomagnetites in, 883
 strontium isotope composition, 513
 submarine alteration of, 481
 submarine diagenetic alteration of, 557
 thermoremanent magnetization, 881
 TiO₂ content, 518, 521
 trace elements, 511, 517, 519, 533
 Tyrrenian Abyssal Plain, 509
 Tyrrenian Basin, 515
 water content, 511, 534
 zeolite-filled vesicles, 509
 Basalt analyses, 510
 Basalt breccias, Hole 373A, 1056
 Basalt groundmass, alteration products, 541
 Basalt samples, Ore microscope investigation of, 881
 Basaltic breccia, 515, 531, 541
 carbonate-cemented, 543
 interclast sediments and cements, 543
 texture and composition, 156
 Basaltic brecciation, 553, 556
 epiclastic, 543
 stages of, 543
 Basaltic complex of basalt breccias and flow basalts, 368
 Basaltic crust formation, 515
 Basaltic sill, 534
 Basalt magma, 883
 Basement highs, western Mediterranean, 151
 Basin stagnation, Mediterranean Sea, 195
 Basin subsidence, 363, 370, 893
 Aegean area, 380
 Balearic Basin, 1139
 in Messinian, 921
 Mediterranean, 1093

- Mediterranean, cause of, 939
 Mediterranean in Tertiary, 947
 rate of, 939
 western Mediterranean, 1046
 Basin-flank facies, 338
 Basins, tectonic activity, 948
 Bassit nappes, 906
 Bathymetric indicators, benthic foraminifera as, 837
 Bathymetric zonation, benthic foraminifera, 837
 Bedded mosaic structure, laminated anhydrite, 573
 Beginning of rifting, Balearic Basin, 1139
 Bellapais Formation, 908
 Benthic foraminifera, 192, 837, 839, 840
 bathymetric zonation, 837
 criteria for age determinations, 21
 depth-related morphological changes in, 839
 Mediterranean paleobathymetry, 841
 Messinian fossil record, 1015
 Miocene/Pliocene boundary, 192
 Neogene, 709
 population dynamics, 1015
 population structures, 1028
 Site 371, 43, 841
 Site 372, 81, 841, 1015
 Site 373, 161
 Site 373A, 841
 Sites 375 and 376, 256, 842
 Site 377, 311, 842
 Sites 378 and 378A, 335, 842
 species evenness and richness, 1016, 1028
 systematics, 709
 Besni nappes, 219
 Betic range, termination of, 966
 Biogeographical implications of the Messinian salinity crisis, 1075
 Biometric analysis, *Cyprideis-Ammonia beccarii* assemblage, 1022
 Biostratigraphy,
 Leg 42A, 19
 nannos, 727
 Neogene formations of Cyprus and Sites 375 and 376, 916
 Site 371, 39
 Site 372, 74, 671, 672
 Site 373, 157
 Site 374, 184
 Site 375, 671, 674
 Sites 375 and 376, 245
 Site 377, 309
 Site 378, 331
 Biotite, anomalously high at Site 376, 407
 Bioturbation, 36, 181, 622, 1090
 Biscay, breadth of subsided part of continent on margin of, 956
 Bischofite, 623
 bromine content, 615
 Black Sea, 454, 455, 750, 956, 1074
 Cimmerian suture, 944
 interaction with eastern Mediterranean, 322
 Leg 42B, 1032
 Messinian evaporitic carbonate deposits, 1066
 origin of, 974
 seismic reflection profiles, 1040
 Bolsena Lake, isotopic values, 1023
 Bornite, 882
 Bosporus, 1074
 Bottom currents, Balearic-Provencal Abyssal Plain, 893
 Bouma cycles, 231, 1082, 1090
Braarudosphaera bigelowi horizon, 333
 Bracciano Lake, isotopic values, 1023
 Breccia, sedimentary intraformational, 585
 Breccia interstices,
 hydrothermal convection circulating water through, 556
 sediment transported and deposited in, 556
 vertical density currents transporting sediment to, 557
 Breccias, flat pebble, 235
 geopetal indicators of, 555
 Brine-refluxing models, 1066
 Bromine,
 distribution of in salts, 614
 profile in core, 619
 Brown climatic episode, 441
 Brunhes sapropels, 439
 Brunhes Epoch, 765, 876
 Brunhes/Matuyama boundary, Paleomagnetically determined, 876
 Brunhes/Matuyama sapropels, 250, 435, 439
 Bulk geochemical data,
 Site 372, 493
 Site 374, 493, 505
 Site 375, 505, 506
 Site 376, 506
 Bulk mineralogy, sapropels, Leg 42A, 447
 Bulk X-ray mineralogical analyses, 17
 Bulk X-ray mineralogy,
 Hole 373A, 368
 methods, all sites, 361
 Site 371, 362
 Site 372, 365
 Site 374, 370
 Sites 375 and 376, 373
 Site 377, 378
 Site 378, 378
 Bull's eye zonation of, saline minerals, 613
 Bull's eye pattern of, saline zonation, 1066
 Burdigalian facies, 899
 Burdigalian marlstones, 373
 Burdigalian series, 898
 Burrows, 910
 Burrows in sapropels, Site 378, 428
 Calabria, shelf sediments, 398
 Calabrian orocline, 1026
 Calabrian Arc, 968
 structural history of, 977
 Calabrian Basin, 977
 Calcalkaline magmatism, island arcs, 515
 Calcare di base, 934, 1005, 1071
 Calcite, 457
 alteration products, 517, 537
 carbon-13 content, 635, 641
 $MgCO_3$ content, 622
 oxygen-18 and carbon-13 ranges, 485
 oxygen-18 content, 635, 641
 Calcite-dolomite ratio, 365
 Calcitic cements, interclast sediment and cements, 545
 Calcium sulfate sediments,
 depositional environments, 593
 diagenesis, 593
 Caltanissetta Basin, clay mineralogy, 392
 Canary Islands, flysch sequences of, 945
 Cape Liakas section of Cephalonia, 937
 Capo Rossello, 392
 Capodarso, Tripoli varved diatomites at, 1005
 Carbon isotope composition, foraminifera, 835
 Carbon-carbonate analyses, 15
 Carbon-13 content,
 variation with core depth, 652
 variation with depth, 835

- Carbon/nitrogen ratios of sediments, 455
 Carbonate data, 12
 Carbonate dissolution, in sapropelic layers, 454
 Carbonate dissolution in,
 Hellenic Trench, 454
 Santa Barbara basin, 454
 Carbonate mineralogy, sapropels, Leg 42A, 447
 Carbonate minerals,
 chemistry, 640
 quantitative analysis of, 622, 651
 scanning electron microscope studies, 623
 Carbonate samples, stable isotope geochemistry, 483, 650
 Carbonate sediments, diagenesis, 473
 Carbonates,
 authigenic minerals, 637
 carbon-13 content, 654
 mineralogical analyses, 483
 oxygen-18 content, 654
 paleoenvironment, 483
 stable isotope analyses of, 483, 651
 vertical distribution of, 554
 Caspian Sea, Cyprideis in sediments, 1022
 Caspibrackish conditions, 777
 Caspibrackish fauna, 1026
 Catagenesis, 471
 Catalonia margin, 1042
Catapsydrax dissimilis/Globigerinoides altiaperturus Zone, 80
Catinaster coalitus Zone (NN 8), 77, 729
 Cattolica Basin, Sicily, 1071
 Caucasus, volcanic activity, 955
 Cementation of carbonate sediments, 473
 Cenozoic biostratigraphic zonations, paleomagnetic calibration, 873
 Cenozoic sediments, paleomagnetic calibration, 873
 Cenozoic structural history of eastern Mediterranean basins, 969
 Cephalonia Island, 938
Ceratolithus amplificus Interval Zone, 731
Ceratolithus amplificus Subzone, 731
Ceratolithus rugosus Zone (NN 13), 76, 187, 247, 333, 731, 733, 741, 747
Ceratolithus tricorniculatus Zone (NN 12), 41, 76, 188, 333, 731, 733, 735, 747, 749
 Ceyhan River, 911
 Chalcedonite, 396
 Chalcopyrite, 882
 Channel-and-fill features, 36
 Charophytes, 897
 Chaves Formation, 693, 901
 Chelif Basin, clay mineralogy, 393
 Chemical analysis of,
 basalt, 517, 533
 halite, 613
 interstitial water, 562
 luneburgite, 661
 potash salts, 613
 Chicken-wire structure, 235, 909
 anhydrite, 36, 362, 593, 602, 761
 defined, 575
 Chlorite, 382, 460, 517
 in Messinian sediments, 394
 Site 377, 411
 Chlorite-smectite, corrensite, 394
 Chloritization, 461
 Chlorophaeite, 157
 Chondrites, 182, 195, 237, 327, 430, 621, 821, 911, 912, 921, 1081
 Chronostratigraphy,
 Site 372, 676
 Site 375, 677
 Ciminna Basin in Northern Sicily, 934
 Cimmerian foldings, 955
 Cimmerian orogenic belt, 948
 Cimmerian suture,
 Black Sea, 944
 Kopet Dagh Range, 944
 Cimmerian tectogenesis, 955
 Cimmerian Orogeny, 944
 Cineritic quartz, 909, 914
 Cineritic tuffs, 912
 Circum-Mediterranean regions, tectonic activity of, 1075
 Circum-Pacific regions, tectonic activity of, 1075
 Circum-Pacific subduction zone, 977
 Clay mineralogy,
 Balearic Basin, 1091
 Caltanissetta Basin, 392
 Chelif Basin, 393
 Ionian Basin, 1092
 Leg 42A, 1091
 Levantine Basin, 1092
 Murcia Basin, 393
 sapropels,
 Site 374, 447, 449
 Site 375, 448
 Site 377, 452
 Site 124, 392
 Site 125A, 389
 Site 132, 392
 Site 133, 392
 Site 134, 392
 Site 371, 362
 Site 372, 362, 392
 Site 373, 362
 Site 374, 362, 389
 Site 375, 362
 Site 376, 362
 Sites 375 and 376, 389
 Site 377, 362
 Site 378, 362
 Volcanogenic sediments, 395
 Clay minerals
 Mediterranean during the Messinian, 393
 Messinian, 389
 Clay minerals determination, Site 372, 493
 Clay minerals in sapropels, weathering, 459
 Climatic changes, palynological evidence of, 1140
 Climatic effects of the Messinian salinity crisis, 1074
 Climatic episode, recognizable in Site 378 sediments, 335
 Climatic fluctuations, 41
 evidence in Pliocene sediments, 746
 Climatic trends in Serravallian, isotopic evidence, 1004
 Clinoptilolite, 365, 373
 neomorphic, 1081
 Site 372, 504
 Clinopyroxene,
 composition, 510
 groundmass, 509, 517
 Cobblestone topography, 305
Coccilithus doronicoides Zone, 733
 Colombacci limestones, 231

- Colombacci Formation, 1019, 1023, 1071
 isotopic analyses, 1024
 Compressional tectonic episode, in the Peloponese during
 the early Pliocene, 372
 Compressional tectonism, Aegean Arc, 372
 Congeria, 1024
 Conglomerate, flat pebble, 235
 Conids of fungi, 1009
 Consuming plate-margin, 944
 Continental craton, 151
 Continental crust, foundering, 509
 Continental margin, 62
 Menorcan, 84
 Continental margins, Mediterranean, 955
 Contour currents, 46
 Convolute laminae, 240, 910, 914, 915
 Coral reefs, Tortonian, 937
 Core handling, Leg 42A, 10
 Cores, Swedish Deep Sea Expedition, 445
 Corfiote Neogene Basin, 934
 Corfu, 933
 Corrensite, 373
 Chlorite-smectite, 394
 Corsica, 947, 961, 965
 Corsica channel, planktonic foraminifera abundances, 917
Couche fluante, 1013, 1031
 Cretaceous chalks from Paris Basin, 937
 Cretaceous nappes, 906
 Cretan Arc, 411
 Cretan Basin, 4, 8, 336, 428, 435, 441, 1027
 diatom blooms found in, sapropels, 435
 paleoclimates, 335
 Pliocene-Quaternary subsidence, 1139
 Site 378, 321
 Crete, Messinian deposits of, 1073
 Cross-laminations, 67, 86, 231, 234, 1082, 1090
 Cruise narrative,
 Site 371, 4
 Site 372, 5
 Site 373, 5
 Site 374, 5
 Site 375, 5
 Site 376, 6
 Site 377, 8
 Site 378, 8
 Cryptagalaminites, defined, 665
 Cryptodepression, 1017
 Crystal fractionation, basalt, 512
 Current deposition, Site 372, 1087
 Current regimes, redispersion and reworking of sediment
 in, 311
 Current structures, 321
 Cyanophytic microfossils, depositional environment of, 665
 Cyclic deposition, Upper Evaporite Unit, 1068
 Cyclic sedimentation, 181, 1071
Cyclococcicolithus macintyre Subzone, 732
 Cyprideis fauna, 1072, 1073
 biometric study of, 1021
 Sicily, 1074
 Spain, 1074
 Tuscany, 1074
 Cyprideis in sediments,
 Caspian Sea, 1022
 Sea of Azov, 1022
 Lagoon of Venice, 1022
 Cyprideis present in land fauna of Algeria, 1074
 Cyprideis Zone, 777
 Cyprideis-Ammonia *beccarii* assemblage, biometric analysis,
 1022
 Cyprus, 937
 Adana region, 921
 Antalya region, 921
 detrital material from, 407
 Isenderun region, 921
 Lapatza Formation, 909
 Myrtou Formation, 781
 Quaternary lithofacies, 906
 source detrital material for Sites 375 and 376, 373
 terrestrial heat-flow measurements on, 858
 terrigenous material transported from, 380
 Troodos, 974
 Cyprus Arc, 5, 220, 260, 411, 906, 920, 968
 structural history of, 969
 tectonic deformation, 1058
 tectonic history, 903
 Cyprus Island, 411
 Davlos Sandstones, northern Cyprus and Site 375, 912
 Dead Sea, brine depth, 1066
 Decollement surface, and sedimentary slump, 256
 Decussate texture, 574, 584
 Deep basin, defined, 927
 Deep water-deep basin hypothesis, 1042
 Deep-basin desiccation model, 400, 411, 613, 777, 842,
 935, 1018, 1026, 1031, 1042, 1054, 1069
 Deep-basin model, 938
 Deep-water facies in pre-Messinian sediments, 1031
 Deluge model, 1030
 Density stratification, related to stagnant episodes, 441
 Depositional environment, 485, 899
 calcium sulfate sediments, 593
 cyanophytic microfossils, 665
 dolomitic mudstone, 46, 586
 dolomitic mudstone to anhydrite, 575
 halite, 602
 laminated gypsum, 588
 Messinian, 1087
 paleosalinity, 377
 Site 372, Miocene pelagic marls, 901
 Desiccation of the Mediterranean Basin, 761
 Detrital pedogenic provenance theory for origin of
 Messinian smectites, 393
 Diagenesis, 471, 635
 anhydrite nodules, 575
 calcium sulfate sediments, 593
 carbonate, 566
 carbonate sediments, 473
 dolomite, 485, 653
 dolomitic mudstone, 196
 organic carbon, Site 374, 487
 pre-evaporitic sediments, 1084
 selenite dissolution breccias, 606
 sulfate, 648
 Diagenetic limestones, interclast sediment and cements, 545
 Diagenetic lithification, 480
 Diagenetic recrystallization, 602
 gypsum diagenesis, 582
 Diagenetic regimes, 577
 Diapir structures, 45
 Diaps, 965, 975
 Diatoms,
 epiphytic, 1016
 Late Messinian Mediterranean environment of, 761
 Site 124, 761

- Site 374, 763
 Site 378, 765
 zonation, *Rhizosolenia paebergonii* Partial Range Zone, 767
 Differential settling, theory for origin of Messinian smectites, 394
 Diffusive transport, 561
 Dinarides, 1060
 ophiolites in, 945
Discoaster abundances in eastern and western Mediterranean during upper Pliocene, 748
Discoaster asymmetricus Subzone, 732
Discoaster asymmetricus Zone (NN 14), 158, 187, 248, 333, 732, 734, 740, 747
Discoaster aulakos-divaricatus Assemblage Zone, 729
Discoaster brouweri Interval Zone, 732
Discoaster brouweri Zone (NN 18), 158, 187, 247, 333, 732, 734, 739, 748, 850, 851
Discoaster calcaris Zone (NN 10), 249, 730, 738
Discoaster druggii Zone (NN 2), 77, 995
Discoaster exilis Zone (NN 6), 77, 728, 734, 744
Discoaster hamatus Zone (NN 9), 729
Discoaster kugleri Zone (NN 7), 77, 249, 728, 734, 744
Discoaster pentaradiatus Interval Zone, 730
Discoaster pentaradiatus Subzone, 732
Discoaster pentaradiatus Zone (NN 17), 730, 732, 733
Discoaster phyllodus Zone, 730
Discoaster quinqueramus Interval Zone, 730
Discoaster quinqueramus Zone (NN 11), 76, 248, 730, 733, 738, 739, 744, 748, 995, 1024
Discoaster surculus Interval Zone, 732
Discoaster surculus Zone (NN 16), 41, 76, 158, 187, 190, 247, 333, 440, 732, 748
Discoaster surculus Zone/*Discoaster pentaradiatus* Zone (NN 16/17), 732, 735, 747, 849, 850
Discoaster tamalis Subzone, 732
 Displace crystallization, 584
 Dissolution breccias, gypsudites, 598
Distephanus boliviensis Zone, 809
Distephanus octogenus Zone, 809
 Disturbance, drilling, 9
 Dogger pelagic facies, 955
 Dolomite, 5, 457, 565, 621, 910, 914, 1140
 as diagenetic alteration product, 625
 authigenic, 641
 calcium-rich, 368, 380, 542, 603, 635
 diagenesis associated with magnesium-rich interstitial water, 370
 Tortonian stage, 376
 carbon-13 content, 484, 486, 637, 640
 clastic, 603
 composition, 484, 653
 detrital, 474, 641, 911, 1085
 diagenesis, 485, 653
 environment of growth, 625
 ferruginous, 156
 hypercalcic, 622
 idiomorphic, 389, 1026
 oxygen-18 content, 484, 486, 637, 640, 641, 653, 928
 pseudo hexagonal, 621, 622, 625
 scanning electron microscope studies, 485
 stoichiometric, 368, 380, 385, 485, 635
 x-ray diffractograms, 625
 Dolomite and limestone, petrology and geochemistry, 541
 Dolomitic caliche breccia, 597
 alteration processes affecting, 603
 oxygen-18 isotope value, 603
 paleoenvironment groundwater, 603
 Site 378, 603
 Dolomitic marls, Upper Messinian, 389
 Dolomitic mudstone, 195
 depositional environment, 46, 586
 diagenesis, 196
 texture and mineralogy, 37
 Upper Messinian, 389
 Dolomitic mudstone cycles, 182
 Dolomitization, 372, 621
 lowermost Pliocene sediments, Site 374, 1027
 Down-hole temperature measurements, Leg 42A, 857
 Downhole slumping, 229
 Downslope slumping, Site 376, 225
 Dreissenidae, 1024
 Drilling program, Site 371, 32
 Dwarfed foraminiferal assemblages, Messinian fossil record, 1014
 Site 372, 1014
 Dwarfed foraminiferal faunas, 1070
 Dwarfism, 1032
 Dynamic model, defined, 928
 Messinian salinity crisis, 927
 tectonic arguments, 938
 East Menorca Rise, 59, 395, 473, 860
 Eastern Mediterranean area,
 magmatism, 968
 ophiolites, 945
 Eastern Mediterranean basins,
 affected by compressional tectonics in Miocene, 976
 Cenozoic structural history of, 969
 Cretaceous, 968
 Cretaceous structural history of, 968
 heat flux, 868
 Late Messinian lago mare, 1017
 Triassic-Jurassic structural history, 968
 waterfalls, 1025
 Eastern Mediterranean margins, old age of, 968
 Eastern Mediterranean sediments, Late Neogene, 465
 Eastern Mediterranean Sea,
 geostrophic thermohaline circulation, 190
 origin, 870
 structural history of, 968
 Ebridians, Site 378, 805
 Ebro Basin, continental deposits and evaporites in, 889
 Ecologic niche, concept of, 1022
 Elazig-Maden-Bitlis overthrust, 903
 Emile Baudot escarpment, 1048
Emiliania annula Subzone, 733
Emiliania huxleyi Zone (NN 21), 41, 158, 186, 247, 733
 Enterolithic folding, 582, 600, 909
 Enterolithic folds, 235, 574
 Enterolithic structures, 932
 Epeiric sea model, 593
 Episutural basin, 966
 Epsomite, 1023
 Eratosthenes Seamount, 6, 305, 969, 974
 Erosion surface, 1038, 1045
 Late Miocene, 891
 Erosional base, 231
 Eu anomalies, rare earth elements, 519
 Euryhaline environment, 262, 654
 fauna indicative of, 1072
 faunal evidence for, Site 376, 257
 Euryhaline faunal assemblage, 441
 Eustatic changes, 1074

- Eustatic process, Early Pliocene, 999
 Euxinic conditions, 652
 Euxinic deposits, 1005
 Euxinic environment, 459
 Evaporite basins, comparative evolution of, 657
 Evaporite dissolution, Site 372, 565
 Evaporites, 890, 908
 origin of, 262
 Evaporites/pre-evaporites passage at, Site 372, 1005
 Evaporitic chlorites, 394
 Evaporitic clay genesis, theory for origin of Messinian smectites, 394
 Evaporitic cycles, 933
 Evaporitic layers, mapped using seismic data, 1039
 Evaporitic rocks on Sicily, 928
 Factor analysis, sediment geochemistry related to variation in sedimentary environment, 493
 Falconara, Sicily, outcrop at, 777
 Fault systems, Late-Hercynian conjugate, 889
 Faults, 220
 Siculo-Tunisian threshold, 969
 Felted texture, anhydrite, 594
 Fenestral structure, fine-grained limestone with, 600
 Ferric smectite, 392
 Ferruginous dolomite, 156, 541
 oxygen-18 values, 542
 x-ray diffraction analyses, 542
 Flamoudhi Sandstones, 921
 Kythrea, 920
 Site 375, 915
 Flaser bedding, 36
 Flaser structure, 911
 Flaser-development, 242
 Flat pebble,
 Breccias, 235
 Conglomerate, 235
 Florence Rise, 5, 175, 225, 245, 260, 373, 378, 395, 407, 411, 428, 777, 824, 865, 903, 906, 920, 1020, 1070
 Langhian to Tortonian turbidites, 975
 Pre-Messinian sedimentation, 380
 Sites 375 and 376, 219
 Flute casts, 910
 Flute marks, 915
 Flysch, 219, 225, 261, 312, 903, 974, 977
 intraplatform abyssal plain facies, 998
 Triassic, 944
 Flysch sedimentation, 947
 Flysch sequences,
 Apennines, 945
 Sicily, 945
 Early Cretaceous, 945
 Canary Islands, 945
 Folds, in slumped marls, 229
 Foraminiferal assemblages,
 dwarfed, 1016
 Site 372, 1013
 Foraminiferal molds in dolomite, 156
 Foraminiferal sandstone,
 Site 373A, 478
 summary of sedimentological and early diagenetic history, 480
 X-ray diffraction studies, 478
 Forams,
 abundance in Corsica channel, 917
 Burdigalian, 80
 Burdigalian at Site 375, 255
 carbon isotope composition, 835
 criteria for age determinations, 19
 dissolution of, 623, 625
 dwarfed, 928, 937
 dwarfed faunas, 1070
 Early Pliocene, 42, 160, 334
 Globorotalia, morphological investigations, 687
 Holocene and Pleistocene, 41
 isotopic composition
 Site 372, 833
 Site 374, 836
 Langhian, 79
 Langhian at Site 375, 255
 Late Neogene, 160
 Late Pliocene, 42, 160, 334
 Late Pliocene (Sites 375 and 376), 250
 Messinian, 78
 Messinian at Sites 375 and 376, 253
 Miocene, 81
 Miocene at Site 375, 255
 Miocene/Pliocene boundary, 42, 78, 81, 334, 937
 Miocene/Pliocene boundary at Sites 375 and 376, 251
 Molds of, 624
 New species, *Globorotalia magnifica* Bizon, 693
 oxygen isotope composition, 835
 Pleistocene, 77, 160, 190, 334
 Pleistocene (Site 376), 250
 Pliocene, 43, 77, 160, 190, 191
 Pliocene at Site 375, 255
 Pliocene (Hole 378), 335
 Pliocene (Hole 378A), 335
 Pliocene/Pleistocene boundary, 42, 43, 77, 190, 250, 334
 Site 125, 850
 Site 132, 849
 Site 371, 849
 Site 372, 849
 Site 374, 850
 Site 376, 850
 Site 378, 850
 Pliocene-Quaternary biostratigraphy, 916
 pseudomorphs, 624
 Quaternary, 80, 160, 191
 Quaternary and Pliocene at Site 376, 255
 Quaternary (Hole 378), 335
 Quaternary (Hole 378A), 335
 scanning electron microscope studies, 688
 Serravallian at Site 375, 254
 Site 371,
 (Bizon), 42
 (Cita), 41
 Site 372,
 (Bizon), 80
 (Cita), 77
 Site 373,
 (Bizon), 160
 (Cita), 158
 Site 374,
 (Bizon), 191
 (Cita), 188
 Sites 375 and 376,
 (Bizon), 255
 (Cita), 249
 Site 377,
 (Bizon), 311
 (Cita), 310
 Site 378,
 (Bizon), 335
 (Cita), 333

- Site 372, dwarfed, 78
 stable isotope analyses of, 829, 830
 systematics, 677
 systematics, *Globorotalia*, 693
 Tortonian at Site 375, 254
 zonation,
 Biozone M Pl-1, 77, 190, 191, 249, 334, 440, 877
 Biozone M Pl-2, 46, 77, 191, 195, 223, 249, 334, 338, 372, 382, 1025
 Biozone M Pl-3, 42, 46, 160, 161, 190, 223, 334, 440, 1025
 Biozone M Pl-4, 42, 160, 190, 250, 334
 Biozone M Pl-5, 42, 160, 190, 250, 334, 435, 440, 441
 Biozone M Pl-6, 160, 190, 193, 334, 440
Catapsydrax dissimilis/Globigerinoides altiaperturus Zone, 80
Globigerina ciperoensis Zone, 918
Globigerinita dissimilis Zone, 81
Globigerinita dissimilis-Globigerinoides altiaperturus Zone, 81
Globigerinita stainforthi Zone, 81
Globigerinoides altiaperturus/Globigerinita dissimilis Zone, 21, 256
Globigerinoides elongatus Interval-Zone (M Pl-5), 78
Globigerinoides elongatus Zone (M Pl-5), 80, 191
Globigerinoides obliquus extremus Interval Zone (M Pl-5), 190, 440
Globigerinoides obliquus extremus Subzone, 254, 676
Globigerinoides obliquus extremus Zone, 43, 160, 335, 917
Globigerinoides trilobus Zone, 21, 80, 81
Globorotalia margaritae Zone, 192
Globorotalia acostaensis acostaensis Zone, 675
Globorotalia acostaensis Zone (N 16), 21, 81, 254, 256, 676, 687, 693, 835, 899, 919, 935
Globorotalia aemiliana Zone, 43
Globorotalia continuosa Subzone, 675
Globorotalia crassaformis Zone, 908
Globorotalia dutertrei/Globorotalia humerosa Zone, 254, 676
Globorotalia fohsi fohsi Zone, 689
Globorotalia fohsi peripheroronda Zone, 21, 256
Globorotalia fohsi peripheroronda/Orbulina saturalis Zone, 81
Globorotalia f. hsi Zone, 81
Globorotalia humerosa Subzone, 21
Globorotalia humerosa Zone (N 17), 21, 81, 256, 897, 899
Globorotalia inflata Interval-Zone (M Pl-6), 77
Globorotalia inflata Zone (M Pl-6), 43, 80, 160, 191, 255, 335, 850, 917
Globorotalia kugleri/Globigerinoides primordius Zone, 21
Globorotalia margaritae evoluta Zone (M Pl-3), 43, 80, 160, 192, 255, 335, 917
Globorotalia margaritae Zone, 43, 255, 335, 836, 917
Globorotalia margaritae/Globorotalia puncticulata concurrent-range-Zone (M Pl-3), 78, 251
Globorotalia mayeri Zone, 21, 79, 81, 256, 674, 919
Globorotalia mayeri-siakensis Zone, 687
Globorotalia mediterranea Subzone, 21, 81, 255, 901, 918
Globorotalia menardii Zone, 21, 79, 81, 256
Globorotalia opima continuosa Subzone, 254
Globorotalia peripheroronda/Orbulina saturalis Zone, 79
Globorotalia plesiotumida (N 17) Zone, 995
Globorotalia puncticulata Zone, 899, 908
Globorotalia truncatulinoides total range zone, 334
Globorotalia truncatulinoides Zone, 160, 311
 M Pl-3/M Pl-2 boundary, 335
 M Pl-4/M Pl-3 boundary, 44, 335
 M Pl-5/M Pl-4 boundary, 335
Praeorbulina glomerosa Zone, 21, 79, 81, 256, 919
Sphaeroidinellopsis subdehiscens interval Zone, 251, 334
Sphaeroidinellopsis subdehiscens Partial Range Zone, 997
Sphaeroidinellopsis subdehiscens Zone (M Pl-4), 43, 80, 192, 335, 917
Sphaeroidinellopsis subdehiscens-Globigerinoides elongatus zonal boundary, 192
Sphaeroidinellopsis Acme Zone (M Pl-1), 251, 256, 1027
Sphaeroidinellopsis-Globigerina druryi Zone (N 13), 688
Subdehiscens Interval-Zone (M Pl-4), 78
 Zone N 10, 79, 81
 Zone N 12, 79
 Zone N 13, 78, 254, 672, 676, 677, 1011
 Zone N 13/14, 78, 676
 Zone N 14, 81, 672, 688
 Zone N 15, 254, 687, 693
 Zone N 16, 254, 674, 676, 693
 Zone N 17, 79, 84, 674, 676, 677, 1004
 Zone N 5, 80
 Zone N 8, 80, 691
 Zone N 5/6, 80
 Zone N 6, 80
 Zone N 7, 80
 Zone N 8/9, 79
 Zone N 9/10, 79
 Zones N 13-16, 687
 Zones N 11/12, 255
 Foundering, 969
 Foundering of continental crust, 509
 Foundering hypothesis, Pliocene, 998
 Fractionation, basalt, 522
 Framboidal pyrite, 625
 Fungi in Messinian marls, Site 372, 817
 Gauss Epoch, 876, 992
 Gauss/Gilbert boundary, Magnetic stratigraphy, 876
 Gebiz Mountains, 903
 Geochemical environments, Messinian sediments, 382
 Geochemical measurements,
 Leg 42A, 17
 Site 371, 38
 Site 372, 68
 Site 374, 182
 Site 377, 308
 Site 378, 329
 Sites 375 and 376, 242
 Geochemistry,
 organic matter, 465
 Tertiary sediments in the Mediterranean, 493
 Geochronology, potassium-argon dating, 510
 Geodynamics of the Tyrrhenian Sea, 515
 Geological and geophysical setting, Site 372, 889
 Geopetal cavity fillings, 543
 Geopetal floors, 480
 Geostrophic thermohaline circulation, eastern Mediterranean, 190
 Geosynclines, 3

- Geothermal studies, Leg 42A, 4
Gephyrocapsa caribbeana Subzone, 733
Gephyrocapsa oceanica Zone (NN 20), 186, 247, 437, 733
Gesesso-solfifera Formation, 573, 581, 583, 588, 595, 677, 1017, 1030, 1032, 1071
 Gibraltar sill, 837, 1025
 Gilbert Epoch, 876, 992, 1024
 Glauberite, 1023
Globerinoides obliquus extremus Zone, 917
Globigerina ciperoensis Zone, 918
Globigerinita dissimilis Zone, 81
Globigerinita dissimilis-Globigerinoides altiaperturus Zone, 81
Globigerinita stainforthi Zone, 81
Globigerinoides altiaperturus/Globigerinita dissimilis Zone, 21, 256
Globigerinoides elongatus Interval-Zone (M Pl-5), 78
Globigerinoides elongatus Zone (M Pl-5), 191
Globigerinoides obliquus extremus Interval Zone (M Pl-5), 190, 440
Globigerinoides obliquus extremus Subzone, 254, 676
Globigerinoides obliquus extremus Zone, 43, 160, 335
Globigerinoides trilobus Zone, 21, 80, 81
Globorotalia margaritae Zone, 192
Globorotalia acostaensis acostaensis Zone, 675
Globorotalia acostaensis Zone (N16), 21, 81, 254, 256, 687, 693, 835, 899, 919
Globorotalia aemiliana Zone, 43
Globorotalia continuosa Subzone, 675
Globorotalia crassaformis Zone, 908
Globorotalia dutertrei/Globorotalia humerosa Zone, 254, 676
Globorotalia fohsi fohsi Zone, 689
Globorotalia fohsi peripheroronda Zone, 21, 256
Globorotalia fohsi peripheroronda/Orbulina suturalis Zone, 81
Globorotalia fohsi Zone, 81
Globorotalia humerosa Subzone, 21
Globorotalia humerosa Zone (N17), 21, 81, 256, 897, 899
Globorotalia inflata Interval-Zone (M Pl-6), 77
Globorotalia inflata Zone (M Pl-6) 43, 80, 160, 191, 255, 335, 850, 917
Globorotalia kugleri/Globigerinoides primordius Zone, 21
Globorotalia margaritae evoluta Zone (M Pl-3), 43, 80, 160, 192, 255, 335, 917
Globorotalia margaritae Zone, 43, 255, 335, 836, 917
Globorotalia margaritae/Globorotalia puncticulata concurrent-range-Zone (M Pl-3), 78, 251
Globorotalia mayeri Zone, 21, 79, 81, 256, 674, 919
Globorotalia mayeri-siakensis Zone, 687
Globorotalia mediterranea Subzone, 21, 81, 225, 901, 918
Globorotalia menardii Zone, 21, 79, 81, 256
Globorotalia opima continuosa Subzone, 254
Globorotalia peripheroronda/Orbulina suturalis Zone, 79
Globorotalia plesiotumida (N 17) Zone, 995
Globorotalia puncticulata Zone, 899, 908
Globorotalia truncatulinoides total range zone, 334
Globorotalia truncatulinoides Zone, 160, 311
Glossopteria flora, 943
 Goethite, abundant in site 371 Messinian sediments, 403
 Gondwana, 943
 Graben, 62
 Graben, east of Menorca, 890
 Valles Penedes, 889
 of Gibraltar, 938, 939
 creation of, 936
 Grabens, Siculo-Tunisian threshold, 969
 Graded bedding, 45, 236, 911, 915
 Graded laminae, 912
 Grading, 240
 Grain size analyses, 17
 Granitization in Algeria and southern Sardinia, 966
 Gravity nappes, 906, 966, 974, 981
 Mediterranean Ridge, 976
 Great Lakes of North America, occurrence of ostracodes in, 778
 Great Sicilian Neogene Basin, 934
 Greenschist facies, metamorphism, 517
 Groundmass, Clinopyroxene, 517, 509
 Olivine, 509, 531
 Gulf of Genoa, 961
 Gulf of Lion, 1047, 962, 965, 1042, 1056
 Aquitanian deposits on margin of, 961
 Laguno-littoral sediments, 1011
 Miocene series in, 901
 samples from bore hole, 961
 Gulf of Oman, Marine transgressions, 989
 Gulf of Valencia, 59, 889, 1042, 1056, 1047
 geologic evolution of, 889
 thermal swelling, 889
 Gypsarenites, 234, 598, 909
 Gypsiferous sediments, 195
 Gypsrudites, 909
 dissolution breccias, 598
 Gypssiltites, 600, 909
 Gypsum, 67, 182, 377, 457, 564, 614, 622, 908, 1023, 1064
 Gypsum, alabastrine, 591, 595, 598, 909, 932
 banded, 932
 bromine content, 602
 crystallization and redeposition, 599
 crystallization history of, 928
 crystallization waters of, 648
 deformation and microfaulting, 600
 depositional environment stages, 592
 detrital, 932
 detrital, Gypsarenites, 598
 diagenetic recrystallization of, 599
 diagenetic stages of, 588
 laminated, 598, 607, 1087
 adhesion ripples in, 582
 cross bedding in, 582
 current-induced structures in, 577
 depositional environment of, 588
 diagenetic recrystallization of, 580
 origin of, 582
 petrographic analysis of, 577
 rip-up breccias, 582
 ripple marks in, 582
 scanning electron microscope studies, 580
 Site 372, 577, 582
 nodular, 588, 932, 1068
 origin of veins, 588

- poikilitic, 587, 591, 600
 primary precipitation of, 606
 recrystallization of, 587, 648
 saccharoidal, 909
 sedimentary and diagenetic history, 588
 strontium content of, 602, 615, 619
Gypsum crystals,
 anhydrite inclusions in, 587
 swallowtail type, 328
Gypsum diagenesis, diagenetic recrystallization, 582
Gypsum laminae,
 granoblastic textures of, 587
 recrystallization crusts, 586
Gypsum laminites, modes of formation of, 928
Gypsum replacing anhydrite, 584
Gypsum-bearing evaporate flat at, Laguna Mormona, 582, 588
Gyttja, defined, 446
GRAPE data, Leg 42A, 18
Halite, 593, 909, 921, 1023, 1064, 1066, 1071, 1139
 bromine content, 615, 618, 619, 1024, 1070, 1071
 bromine profile, 1069
 chemical analyses of, 613
 depositional environment, 602
 diagenetic recrystallization of, 594
 laminations, 615
 potential, 386
 primary precipitates, 619
Halmyrolysis, in ocean-floor basalts, 883
Halokinesis, North Balearic-Provencal Basin, 965
Halokinetic phenomena, 920, 1038
Halokinetic structures, 869
Heat flow,
 Balearic Basin, 476
 Site 372, 87
 Site 374, 196
 Site 378, 338
 Sites 375 and 376, 262
Heat flux,
 Eastern Mediterranean basins, 868
 Western Mediterranean basins, 868
Heat-flow,
 Effect of bottom-water temperature variation, 857
 Environment effects on, 867
 Thermal refraction, 867
 Tyrrhenian Sea, 863
Heat-flow measurements, 1140
 equipment and techniques, 858
 Site 374, 863
 Site 372, 860
 Site 373, 862
 Site 376, 864
 Site 378, 866
 Adriatic Sea, 858
 Aegean Sea, 858
 Balearic Basin, 862
 Tyrrhenian Sea, 857
 Western Mediterranean, 857
Heat-flow values,
 Site 372, 862
 Site 373, 863
 Site 374, 864
 Site 375, 1057
 Site 376, 865
 Tyrrhenian Basin, 515
 Messinian Abyssal Plain, 863
Heavy mineral provinces, for Mediterranean Holocene sediments, 402
Heavy minerals in sediments from,
 Site 371, 403
 Site 372, 406
 Site 373, 406
 Site 374, 406
 Site 377, 407
 Site 378, 411
 Sites 375 and 376, 407
Heavy-mineral composition, Sediments, Leg 42A, 401
Helicosphaera ampliaperta Zone (NN 4), 77, 728, 734, 742
Hellenic Arc, 338
 Hellenic Arc, tectonic deformation, 1058
Hellenic Trench, 306, 459
 carbonate dissolution in, 454
Hellenides, 975, 1060
 ophiolites, 945
Helminthoides Flysch, 955
Helvetic Alps, 1060
Hemipelagic, special definition, 234
Hercynian Orogeny, 953, 956
Herodotus Abyssal Plain, 906, 969
 depth of evaporitic layers in, 1039
Horst and graben structures, 889, 895
Horst and graben tectonics, 938, 956, 961, 962, 1042
Horsts, 62
Humic compounds, 465
Hydrodynamism, lessening of in Balearic Basin at 18.5 m.y., 365
Hygromagmatophile elements, 512
Hyposaline environment, 387
Iberia, Upper Triassic carbonate facies of, 955
Iberian plate, 977
Ibiza Island, 889
Iceland, tholeiites, 513
Iddingsite, alteration products, 509, 537
Illite, 461
 derivation from biotite, 396
Ilmenite, 882
Imbricate structures, 898
Indo-Pacific Ocean, 985
Indosinian orogenic belt, 948
Indosinian suture, 944
Indus Suture zone, 945
Interclast carbonates, 1093
Interclast cements, Tuffaceous, 543
Internal resedimentation, 541
Interstitial water,
 alkalinity, 567
 alkalinity and Ph, 561
 chemical analyses, 562
 isotopic composition, 485, 649
 Mg-concentration gradient, 195
 oxygen isotope analyses, 562
 oxygen isotope data, 567
 salinity and chlorinity, 626
 salinity gradient, 195, 1139
 salinity of, 625
 Site 371, 38, 565
 Site 372, 68, 565, 1139
 Site 182, 374, 566
 Site 329, 378
 Sites 375 and 376, 242
Interstitial water profiles, diffusive behavior, 562
Interstitial water studies,
 Leg 13, 561
 Leg 42A, 561
Intra-sutural basin, Proto-Tyrrhenian, 977
Intra-Messinian deformation, 1064

- Ionian basin, subsidence of in Quaternary, 372
 Ionian Abyssal Plain, 178, 186, 917
 Ionian Basin, 3, 151, 155, 175, 182, 190, 193, 195, 250,
 621, 657, 767, 782, 927, 945, 948, 1070, 1072,
 1088, 1093
 clay mineralogy, 1092
 origin of, 1055
 paleosalinity, 658
 subsidence of, 382
 Ionian Islands, 4, 175, 592, 928, 934, 937
 evaporite formation on, 583
 Mg-calcite enrichments from shelf of, 398
 Tortonian sediments of, 937
 Ionian Sea, 182, 393, 483, 863, 869, 939
 paleoenvironment, 936
 percentage of organic matter suspended in, 455
 Iron oxides, 509
 Iskenderun region, Cyprus, 921
 Iskenderun Basin, 904
 Island arcs,
 Aeolian Islands, 515
 calalkaline magmatism, 515
 Island of Thasos, deep submarine holes drilled in the
 vicinity of, 321
 Isochronous chronologies, sapropels as basis of, 437
 Isoprenoids, 469
 Isotopic composition,
 Interstitial water, 485, 648
 Mediterranean bottom water, Miocene, 835
 Mediterranean surface water, Miocene, 835
 Messinian sediments, 635
 Site 372, Forams, 833
 Site 374, Forams, 836
 Variation due to disturbed sediments, 654
 Isotopic composition at Site 372, pore water, 476
 Isotopic enrichment, caused by kinematic effects, 1023
 Isotopic values,
 Bolsena Lake, 1023
 Bracciano Lake, 1023
 Trasimeno Lake, 1023
 Israeli margin, 968
 Kainite,
 bromine content of, 618
 primary precipitates, 619
 rubidium content of, 616, 619
 Kalamaki Island, 934
 Kara Bogaz Gulf-Caspian Sea system, 1023
 Karpatian transgression, 987
 Karst topography, related to drainage of paratethys waters
 into the Mediterranean, 1074
 Karst Formation, Rif Mountains of Morocco, 1031
 Kerogen, study of, 470
 Kerogen fraction, 465
 Kevan nappes, 219, 956
 Kizil Dag nappes, 906, 956
 Klepini siltstones, 908
 Kopet Dagh Range, Cimmerian suture, 944
 Koronia Limestone, 906, 920
 Kyrenia, 1057
 Kyrenia range, Eocene-Oligocene olistolites, 974
 Kythrea, Flamoudhi Sandstones, 920
 Kythrea fault, 904
 Kythrea flysch, 261, 910, 911
 Kythrea Basin, 908, 914
 depth in Miocene, 911
 Kythrea Conglomerate, 908
 Kythrea Formation, 236
 Kythrea Group, 908, 913, 919, 921, 1084
 Lac mer, 918
 compared to Lago mare, 1072
 defined, 1017
 Lac mer conditions, 782
 evidence from ostracodes, 777
 Lac mer sequence, 782
 Lac mer stage, 595
 Lac mer theory, 767
 Lacustrine facies, 1025
 Lago mare, 175, 196, 219, 655, 829, 836, 1013, 1021,
 1023, 1066, 1070, 1072, 1087, 1093, 1140
 defined, 1017
 Lago mare carbonates, 652, 654
 Lago mare environment, 253, 261
 Lago mare facies, 321, 338, 597, 599, 1023, 1025
 Lago mare fauna, 1011
 Lago mare invasion, 1031
 Lago mare stage, 603
 Lagoon, defined, 1017
 Lagoon model, 1026
 Lagoon of Arcachon, 1022
 Lagoon of Venice, 1022
 Lagoonal depositional environment, 385
 Lagoons, 1023
 Laguna Mormona, Gypsum-bearing evaporate flat at, 582,
 588
 Laguno-littoral sediments, Gulf of Lion, 1011
 Lake Ohrid, relic faunas of, 1073
 Lake Tchad, oxygen isotope enrichment, 1023
 Laminae,
 convolute, 240
 multiples, defined, 422
 organic- and carbonate-rich, 235
 Langhian transgression, 365, 1093
 Lapatza Formation, 908
 Cyprus, 909
 Kythrea group, 919
 Lau Basin tholeiites, 513
 Laurasia, 943
 Lefkara Formation, 908, 915, 921
 Lepispheres, 1081
 Levantine Basin, 3, 245, 249, 393, 395, 677, 906, 945, 948,
 1001, 1025, 1026, 1027, 1139
 clay mineralogy, 1092
 Messinian ostracode faunas in, 1017
 Messinian sediments, 1024
 origin of, 1055
 Levantine margin, 969
 Liguria-Pennine trough, Ophiolites, 945
 Ligurian Abyssal Plain, 962
 Ligurian Piedmont, Ophiolites, 944
 Ligurian Sea, 938, 956
 Limestone diagenesis, isotope geochemistry, 551
 Limestones,
 Circum-Ionian, 486
 Oxygen-18 values of, 551
 Limnocardium, 1024
 Limonite, 531
 Lithification of carbonate sediments, 473
 Lithologic classification scheme, Leg 42A, 14
 Lithology,
 Site 371, 34
 Site 372, 67
 Site 373, 155
 Site 374, 180
 Lithostratigraphic analysis, 1016
 Lithothamnium-limestone facies, 989
 Load casts, 910

- Lom basin, 987
 Luneburgite, 182, 196, 370, 661, 928, 1140
 chemical analysis of, 661
 chemical composition of, 662
 formation of, 663
 IR-spectrometry analysis of, 661
 minerals associated with, 663
 Site 374, 1024
 SEM analysis of, 661
 X-ray diffraction analysis of, 661
 Lutecite, 599
 M-reflector, 1064
 Maestrichtian event, geological and geophysical evidence, 974
 Mafic igneous breccias, deep-water calcitic cementation of, 557
 Maghemitization of titanomagnetite, 882
 Maghrebian range, tectonism, 966
 Magmatism,
 eastern Mediterranean area, 968
 offshore, 979
 Magnesites,
 Carbon-13 content, 637
 Oxygen-18 content, 637
 Magnesium-rich minerals, 380
 Magnetic anomalies, 5, 406, 868, 906
 Balearic Basin, 868
 characterizing basement highs, 151
 Tyrrhenian Basin, 515
 Magnetic anomaly evidence, Menorca, 889
 Magnetic polarity, Mt. Vavilov, 511
 Magnetic polarity stratigraphy, 873
 Magnetic properties of basalts, 881
 Magnetic stratigraphy,
 absolute age for, 876
 Epoch 5/Gilbert boundary, 874, 877
 Gauss/Gilbert boundary, 876
 Site 372, 874
 Site 374, 875
 Site 376, 877
 Magnetic studies, measurement procedure, 881
 Main salt sequence, 1062
 Mallorca Island, 889
 Puig de Santa Gloria series, 898
 tectonism, 898
 Malta Escarpment, 968, 969
 Mamonia nappes, 219, 906
 Mantle, vertical zoning in, 522
 Mantle fractionation, 519
 Mantle plumes, 513
 Marcasite, 882
 Marche-Romagna Area, 934
 Marginal back-arc basin, 163, 509
 Marginal basin, 222, 513, 515, 935, 962, 968, 974
 Marginal erosion surfaces, 1032
 Marginal-type basin, Tyrrhenian Sea, 977
 Mariana Trough, tholeiites, 513
 Marine incursions, 1070
 Marine regression, 928, 935
 Marine transgression, 891, 895, 897, 921, 928, 935, 955,
 989, 1060
 Burdigalian, 975
 diachronous, 1032
 Gulf of Oman, 989
 Middle Miocene, 742
 Matuyama Epoch, 994
 Matuyama Reversed Magnetic Epoch, 765
 Mediterranean,
 basin subsidence, 1093
 cause of basin subsidence, 939
 continental margins, 955
 Early Messinian precipitation budget, 1031
 genesis of, 947
 origin of, 1139
 paleotemperatures, Miocene, 829
 Pliocene/Pleistocene boundary, 847
 pre-Messinian sediments, mineralogy of, 380
 regional syntheses, 1140
 sedimentation rates, quaternary, 1000
 subsidence during the Pliocene-Quaternary, 948
 tectonic history of, 979
 Mediterranean basins,
 classification of, 979
 comparative sedimentology of, 1080
 Neogene history, evidence from ostracodes, 782
 onset of salinity crisis, seismic evidence, 1139
 paleosalinity, 382
 pre-Mesozoic, 952
 sediment ages, 868
 sediment thicknesses, 868
 stratigraphy correlated with land sections, 1140
 structural history of, 951
 structure and evolution of, 951
 tectonic setting, 1039
 Triassic-Lias period, 953
 Mediterranean bottom water
 isotopic composition, 835
 origin of, 833
 Mediterranean evaporites, 903, 939, 1024
 Mediterranean landmasses, uplifting, 382
 Mediterranean paleobathymetry, 841
 Mediterranean salinity crisis, 78, 910, 1093
 history of, 1053
 Mediterranean watershed, related to late Miocene climatic deterioration, 1031
 Mediterranean basin,
 desiccation of, 761
 paleosalinity, 939
 Mediterranean evaporites, 908, 995, 1005, 1026, 1029,
 1030
 distribution of, 1037
 hiatus near base of, 1011
 Mediterranean evaporite formation, 3, 5, 8, 46, 82, 84, 175,
 191, 195, 196, 225, 261, 334, 336, 373, 671, 677,
 1001, 1055, 1062, 1080, 1087, 1094
 Mediterranean Neogene deep-sea sediments, sedimentation rates of, 991
 Mediterranean Ridge, 6, 250, 305, 311, 441, 968, 977,
 1084, 1093
 formation of in Miocene, 975
 gravity slides, 976
 imbricated tectonic pile, 976
 sedimentation rates, 399
 tectonic deformation, 1058
 Mediterranean Sea, 493, 985
 basin stagnation, 195
 Neogene benthic foraminifera, 709
 Neogene nannofossils in sediments of, 741
 Neogene paleobathymetry, 837
 Neogene sedimentation rates, 991
 Pliocene flooding, 1075
 present isotopic composition, 830
 sedimentation rates, 867
 separation from the Indo-Pacific, 988

- Melange, 944
- Menorca,
magnetic anomaly evidence, 889
structure of, 966
- Menorca margin, 817, 961
- Menorca Island, 365, 386, 889, 897
- Menorca Ridge, 84
- Menorca Rise, 74, 81, 82, 175, 365, 824, 1045
Site 372, 59
structural history of, 86
unconformity, 76
- Menorcan Continental margin, 84, 962
- Menorcan geological province,
Mindjorn, 897
Tramuntana, 897
- Mesaoria, 1057
- Mesaoria Basin, 903, 904, 908, 915, 919, 920, 921
- Mesopotamian Basin, 985
- Mesozoic history of Apulia-Anatolia, 975
- Mesozoic oceanic basin, Pamphylian Basin, 906
- Messian sediments, mineralogy of, 380
- Messina Abyssal Plain, 175, 190, 196, 251, 262, 407, 411, 433, 462, 661, 978, 1026
- Messina Cone, 977
- Messina Strait, 5
- Messinian,
basin subsidence in, 921
clay minerals, 389
depositional environments, 1087
foraminifera, 78
sea level lowering, 1005
- Messinian and pre-Messinian sediment, stratigraphic hiatus, 76
- Messinian carbonates, stable isotope geochemistry of, 650
- Messinian chlorites, origin of, 394
- Messinian climates, evolution of intermediterranean, 1031
- Messinian cycles,
Balearic Rise, 577
Red Sea, 577
Site 132, 592
- Messinian deposits of,
Crete, 1073
Thessalonika, 1073
- Messinian dolomites, 653
- Messinian environments, 761, 1003, 1004
- Messinian erosion surface, 1011
- Messinian evaporites, 336, 368, 370, 373, 377, 378, 561, 595, 948, 974, 1087
salt layer, 1043
sedimentary petrology and structures of, 571
Site 374, 485
Site 376, 602
upper evaporitic layer, 1044
upper member of, 365, 368
- Messinian evaporitic carbonate deposits, Black Sea, 1066
- Messinian evaporitic event, 895
- Messinian evaporitic sediments, organic matter in, 471
- Messinian fossil record, 1013
benthic foraminifera, 1015
dwarfed foraminiferal assemblages, 1014
- Messinian gypsum deposits, origin of, 653
- Messinian laminites,
characteristics of, 1009
Site 124, 1010
Site 372, 1009
- Messinian paleoenvironments, 1004
- Messinian regression, 380, 387
- Messinian salinity crisis, 3, 32, 62, 76, 87, 175, 195, 196, 222, 260, 411, 440, 650, 652, 654, 676, 824, 835, 935, 947, 1017, 1031, 1042, 1054, 1070
biogeographical implications, 1075
climatic effects of, 1074
dynamic model, 927
effect on glaciation, 1074
effect on land erosion, 1074
history of, 4, 1139
implications of, 1074
onset of, 1062
Site 374, 1025
termination of, 1026
time interval, 992
- Messinian sediments, 891
evaporitic, 933
geochemical environments, 382
isotopic composition, 635
Levantine Basin, 1024
Periadriatic Trough, 1024
Piedmont Basin, 1024
sedimentation rates, 658
Site 371, 573
Site 372, 577
Site 374, 583, 1024
Site 375, 595
Site 376, 597
Site 378, 603
- Messinian sequence, 392
- Messinian smectites, origin of, 393
- Messinian sulfates, stable isotope geochemistry of, 657
- Messinian Abyssal Plain, 5, 193
heat-flow values in, 863
turbidite sedimentation, 1140
- Messinian evaporite formation, 3, 5, 30, 44, 193, 220
- Messinian evaporite formation, 3, 5, 30, 193
- Messinian event, 938
evidence from fault escarpments, 1048
evidence from Pliocene-Quaternary prograding deposits
on the margins, 1047
geophysical evidence for, 1042
seismic evidence, 1037
- Messinian Ionian Basin, 196
- Messinian-Pliocene boundary, stratigraphic hiatus, 1075
- Messinian/pre-Messinian interval, stratigraphic hiatus, 676
- Messinian/Pliocene boundary, 938
- Metamorphism,
Greenschist facies, 517
ocean floor, 521
- Mia Milea Formation, 909, 911, 912, 914
- Micas, 407
- Micrite, 580
- Microfaulting, 181
- Microplate rotation, paleomagnetic evidence, 955
- Microprobe analyses, basalt, 510
- Mid-Atlantic Ridge, 151, 162
Low LIL element concentrations in, 522
Oxygen-18 values for calcitic cements in volcanic
breccias, 552
- Mindjorn, Menorcan geological province, 897
- Mineralogy of,
Mediterranean, pre-Messinian sediments, 380
Messinian sediments, 380
Pliocene sediments, 382
Quaternary sediments, 382
- Miocene,
evaporitic facies, 362

- forams, 81
 glaciation, 593
 isotopic composition,
 Mediterranean bottom water, 835
 Mediterranean surface water, 835
 Mediterranean, paleotemperatures, 829
 nannos, 76, 310
 origin of, Mediterranean bottom water, 833
 sapropel stratigraphy, 440
 tectonism, 901
 Miocene/Pliocene boundary, 44, 654, 874, 876, 1026, 1030
 benthic forams, 192
 forams, 42, 78, 81, 334, 937
 Site 374, 191
 Sites 375 and 376, 251, 1020
 stable oxygen isotope change, 1026
 termination of salinity crisis, 995
 Mirabilite, 1023
 Misis Bitlis overthrust, 1040
 Misis-Pentadaktylos belt, 903
 Molasse trough, 1061
 Montmorillonite, 1026
 Mosaic structures, 574
 Mt. Vavilov, magnetic polarity, 511
 Multichannel seismic profiles, 995
 Multichannel seismic reflection, 951
 Murcia Basin, clay mineralogy, 393
 Murcia-Alicante Basin, laminated limestones in, 901
 Myrtou Formation, Cyprus, 781
 Myrtou Marls, 908, 917
 Mystery, sapropels, 249
 Nannos,
 biostratigraphy, 727
 criteria for age determinations, 19
 distribution in Neogene sediments of the Mediterranean,
 741
 Hole 378A, 740
 Miocene, 76, 248, 249, 310
 Pliocene, 41, 76, 158, 187, 247, 333
 Pliocene/Pleistocene boundary, 186, 733, 748
 Site 125, 849
 Site 132, 849
 Site 371, 847
 Site 372, 849
 Site 374, 850
 Site 376, 850
 Site 378, 850
 Quaternary, 41, 76, 158, 186, 247, 309, 332, 333
 Site 371, 41, 733
 Site 372, 76, 733
 Site 373, 158, 734
 Site 374, 186, 735
 Site 375, 247, 738
 Site 376, 247, 738
 Site 377, 309, 739
 Site 378, 332, 739
 Zonation,
 Amaurolithus tricorniculatus (NN 12) Zone, 995
 Braarudosphaera bigelowi horizon, 333
 Catinaster coalitus Zone (NN 8), 77, 729
 Ceratolithus amplificus Interval Zone, 731
 Ceratolithus amplificus Subzone, 731
 Ceratolithus rugosus Zone (NN 13), 76, 187, 247,
 333, 731, 733, 735, 741, 747
 Ceratolithus tricorniculatus Zone (NN 12), 41, 76,
 188, 333, 731, 733, 735, 747, 749
 Coccolithus doronicoides Zone, 733
 Cyclococcolithus macintyre Subzone, 732
 Discoaster asymmetricus Subzone, 732
 Discoaster asymmetricus Zone (NN 14), 158, 187,
 248, 333, 732, 734, 740, 747
 Discoaster aulakos-divaricatus Assemblage Zone, 729
 Discoaster brouweri Interval Zone, 732
 Discoaster brouweri Zone (NN 18), 158, 187, 247,
 333, 732, 734, 739, 748, 850, 851
 Discoaster calcaris Zone (NN 10), 249, 730, 738
 Discoaster druggii Zone, 77, 727, 995
 Discoaster exilis Zone (NN 6), 77, 728, 734, 744
 Discoaster hamatus Zone (NN 9), 729
 Discoaster kugleri Zone (NN 7), 77, 249, 728, 734,
 744
 Discoaster pentaradiatus Interval Zone, 730
 Discoaster pentaradiatus Subzone, 732
 Discoaster pentaradiatus Zone, 730, 732, 733
 Discoaster phyllodus Zone, 730
 Discoaster quinqueramus Zone (NN 11), 76, 248,
 730, 733, 738, 739, 744, 748, 995, 1024
 Discoaster surculus Zone (NN 16), 41, 76, 158, 187,
 190, 247, 333, 440, 732, 748
 Discoaster surculus/Discoaster pentaradiatus Zone
 (NN 16/17), 735, 747, 849, 850
 Discoaster tamalis Subzone, 732
 Emiliania annula Subzone, 733
 Emiliania huxleyi Zone (NN 21), 41, 158, 186, 247,
 733
 Gephyrocapsa caribbeana Subzone, 733
 Gephyrocapsa oceanica Zone (NN 20), 186, 247, 437,
 733
 Helicosphaera ampliaperta Zone (NN 4), 77, 728,
 734, 742
 Pseudoemiliania lacunosa Zone (N 19), 41, 76, 158,
 186, 247, 332, 439, 733, 735, 750
 Reticulofenestra pseudoumbilica Interval Zone, 732
 Reticulofenestra pseudoumbilica Zone (NN 15), 41,
 76, 187, 248, 333, 732, 733, 747
 Sphenolithus belemnos Zone (NN 3), 77, 249, 728,
 734
 Sphenolithus heteromorphus Zone (NN 5), 77, 249,
 310, 728, 734, 739, 742
 Sphenolithus neobabies Subzone, 732
 Triquetrorhabdulus carinatus Zone (NN 1), 77, 727,
 734, 741
 Nappe sliding, 305
 Nappes, 966, 974, 975, 977
 Natural remanent magnetization, basalt, 881
 Neogene basins, 904
 Neogene evolution of sediments, Sites 375 and 376, 921
 Neogene formations of Cyprus and the Florence Rise, 906
 Neogene history, evidence from ostracodes, Mediterranean
 basins, 782
 Neogene orogeny, 1031
 Neogene paleobathymetry, Mediterranean Sea, 837
 Neogene sedimentary history, 411
 Neogene sedimentation rates, Mediterranean Sea, 991
 Neogene sediments, heavy mineral composition of, 401
 Neomorphic clinoptilolite, 1081
 Nepheline-normative basalts, 518
 New species,
 Dictyochea aegea, silicoflagellates, 805
 Globorotalia magnifica forams, 693
 Nicosia Formation, 903, 908, 917
 Nile Delta,
 development of, 969
 Mediterranean ridge sediments derived from, 312
 Nile detritus, 411
 Nile Cone, 312

- Nodular,
 anhydrite, 46, 1068, 1087
 chemical composition of, anhydrite, 195, 574
 gypsum, 588, 932, 1068
 Nontronite, 157
 Normal marine conditions, re-establishment at Pliocene, 377
 Normative mineralogy, basalt, 512, 519, 533
 North African margin, 969
 seismicity, 966
 North Balearic-Provencal Basin, 1042
 age of drifting, 1047
 age of opening, 961
 age of rifting, 958
 halokinesis, 965
 structural history of, 956
 North Levantine Basin, 904
 Northern Active Alpine margins, 969
 Northern Cyprus, Kythrea group, 1084
 Northern Cyprus and Site 375, Davlos sandstones, 912
 Northern Hemisphere, Arctic glaciation, 441
 Numidian flysch, 966
 NRM intensities, paleomagnetism, 877
 Obduction, 979
 of ophiolites, 955, 969
 Ocean basins,
 origin and evolution of, 151
 salt genesis in, 1054
 Ocean floor, metamorphism, 521
 Oceanic spreading centers, abyssal basalt at, 515
 Oceanic tholeiites, 947, 1139
 affinities to basalts in Tyrrhenian Basin, 541
 Tyrrhenian Abyssal Plain, 1139
 underlying seamount, 5
 Oceanization, Tyrrhenian Abyssal Plain, 947, 1139
 Offlap movements, 921
 Offshore magmatism, 979
 Olduvai Event, 765, 851, 876
 Oligocene-Aquitanian rifting phase, age of, 961
 Oligohaline alkali lake environment, 253
 Oligohaline environment, 1025
 Oligohaline facies, 1017
 Olistoliths, 903, 969, 977, 981
 Olistostromes, 305, 903, 969, 974, 977, 981
 Olivene tholeiite, basalt, 512, 519, 533, 889
 Oman, Ophiolite troughs, 946
 Omission surfaces, 228, 251, 260, 1091
 Opal, 396
 Opal-CT, 361, 365, 1081
 Opaque minerals in basalt, petrographic description of, 882
 Operations,
 Site 371, 32
 Site 372, 62
 Site 373, 152
 Site 374, 178
 Site 377, 306
 Sites 375 and 376, 222
 Ophiolites, Troodos, 1092
 Ophiolite melanges, 956
 Ophiolite nappes, 945
 Ophiolite troughs, Oman, 946
 Ophiolites, 219, 373, 377, 407, 906, 955, 975, 1084
 Alpine-Himalaya trend, 948
 Anatolia, 945
 Cyprus Arc, 906
 Dinarides, 945
 Eastern Mediterranean area, 945
 Hellenides, 945
 Liguria-Pennine trough, 945
 Ligurian Piedmont, 944
 Obduction, 969
 Obduction of, 955
 Troodos, 974
 Turkey, 906
 Ophiolitic basement, 5
 Ophiolitic melanges, 968
 Ophiolitic suture, 979
 Ophiolitic terraces, 911
 Orbulinico Rosso facies, 239
 Organic carbon,
 Carbon-13 content, 486
 mineralogical analyses, 483
 Site 374, diagenesis, 487
 stable isotope analyses of, 483
 Organic carbon analyses of sapropels, 433
 Organic carbon diagenesis, effects of stagnant environment, 487
 Organic matter,
 geochemistry, 465
 origin of in late Neogene sediments, eastern Mediterranean, 465
 Site 374, 471
 Ostracodes,
 as indicators of past oceanographic events, 778
 indicators of paleotemperatures, 490
 paleoecology of, 777
 Site 371, 781
 Site 372, 778, 781, 782
 Site 373, 782
 Site 374, 782
 Site 376, 781
 Site 378, 436, 782
 Sites 375 and 376, 782
 Overthrusting in Balearic Islands, 966
 Ovgos fault, 904
 Ovgos Formation, 913
 Oxygen isotope analyses, interstitial water, 562
 Oxygen isotope data, interstitial water, 567
 Oxygen isotope enrichment, Lake Tchad, 1023
 Oxygen minimum model, 441
 Oxygen-18 values of, limestones, 551
 Pakhna Formation, 908
 Palaeodictyon, 910, 915
 Palagonite, 396
 Palagonitization, 543, 557
 Paleobathymetric analyses,
 Pliocene sediments, 1075
 Site 372, 1056
 Site 375, 1057
 Site 377, 1058
 Paleobathymetric evidence, Mediterranean basins at onset of salinity crisis, 1139
 Paleobathymetry, 837, 936
 Miocene Mediterranean area, 398
 Paleoclimates,
 Cretan Basin, 335
 evidence from clay mineral association, 493
 palyнологical evidence, 789, 792
 Paleocurrents, 910, 913, 921
 Paleoecology,
 Ostracodes, 777
 Silicoflagellates, 808
 Paleoenvironment, 621, 635, 641, 653, 911, 917, 920
 carbonates, 483
 diatom evidence, 1016
 Ionian Sea, 583, 936

- isotopic evidence, 1009
 isotopic studies, 651
 Mediterranean during Messinian, 938
 Mediterranean during Pliocene-Quaternary, 939
 paleontological evidence, 1009, 1021
 palynological evidence, 792, 1017
 redox conditions, 652
 redox potential, 637, 641, 649
 salinity, 641, 649, 652, 654
 temperature, 640, 654
 Tortonian, 1084
 Tortonian Sea, 938
 Paleogeography of Paratethys, 985
 Paleomagnetic calibration,
 Cenozoic biostratigraphic zonations, 873
 Cenozoic sediments, 873
 Paleomagnetic evidence, microplate rotation, 955
 Paleomagnetics,
 Site 374, 875
 Site 376, 877
 Western Mediterranean Basin, 874
 Paleomagnetism,
 Leg 42A basalts, 881
 NRM intensities, 877
 post-evaporitic sediments, 873
 pre-evaporitic sediments, 874
 Site 376, post-evaporites, 877
 Paleosalinity, 485, 504, 583, 619, 651, 750, 835, 918, 935, 1071
 Antalya Basin, 659
 correlation with sill distance, 659
 diatom floral evidence, 767
 faunal evidence, 1021
 Ionian Basin, 658
 isotopic evidence, 635, 648, 651, 654, 834, 1022, 1023, 1140
 Mediterranean basins, 382
 Mediterranean Basin, 939
 paleontological evidence, 1007
 Paratethyan Sea in Middle Miocene, 989
 Paleotectonics and paleogeography, Pliocene-Pleistocene, 920
 Paleotemperatures,
 Aegean Sea, 808
 Balearic Basin, isotopic evidence, 1056
 inferred from silicoflagellates, 436
 isoleucine racemization estimate of, 489
 isotopic evidence, 833
 isotopic studies of, 829
 Miocene, Mediterranean, 829
 Tyrrenian Basin, isotopic evidence, 1056
 Paleotethys, 944, 945, 948
 tectonic history of, 943
 Palinspastic reconstructions, Africa, Europe, Asia during Mesozoic and Cenozoic, 1004
 Palynological evidence,
 paleoclimates, 789, 792, 1140
 paleoenvironment, 792, 1017
 Palynological studies,
 Leg 42A, 789
 sapropelic samples Site 374, 790
 Site 132, 789
 Site 374, 789
 Palynomorphs, transport of, 436
 Palynomorphs in sapropels, 435
 Pamphylian Basin, Mesozoic oceanic basin, 906
 Pamphylian Gulf, 956
 Panagra Marls, 239, 914
 Pangea, 943, 948
 fragmentation of, 944
 Pannonian Basin, 987
 distension of, 956
 Miocene salts in, 1061
 Panthalassa, 948
 Paratethyan shorelines, magnitude of eustatic sea level changes along, 1031
 Paratethyan Sea in Middle Miocene, paleosalinity, 989
 Paratethys, 742, 767, 777, 782, 985, 989, 1017, 1021, 1031, 1040, 1060, 1066, 1072, 1074, 1139
 paleography of, 985
 regression of, 1072
 Paris Basin, Cretaceous chalks from, 937
 Passarello/Stretto Vanelle, 934
 Penecontemporaneous slumping, 909
 Pentadaktylos Range, 903, 908, 912, 914, 915, 920, 921, 1084
 Pentadaktylos-Misis thrust belt, 920
 Peri-Alpine depression, 1061
 Periadriatic trough, 1026
 Messinian sediments in, 1005, 1024
 Peridotite, 519, 947
 Permian flexure at Djelfara, 968
 Petrogenesis of smectite, 396
 Petrographic analysis,
 basalt, 516, 531, 537
 gypsum, laminated, 577
 Petrographic and paleomagnetic evidence, submarine environment, 883
 Petrographic description of opaque minerals in basalt, 882
 Petroleum potential for oil, Kerogen type, 468
 Phenocrysts,
 plagioclase, 509, 516, 531, 537, 541
 spinel, 537
 Phillipsite, 155, 370, 478, 549
 Phosphorus, enrichment of, 663
 Physical properties,
 Leg 42A, 17
 porosity, 562
 resistivity, 562
 Site 371, 38
 Site 372, 71
 Site 373, 157
 Site 374, 184
 Sites 375 and 376, 242
 Site 377, 309
 Site 378, 329
 water content, 562
 Piedmont Basin, Messinian sediments, 1024
 Pissouri Formation, 908
 Plagioclase,
 electron microprobe analysis, 517
 phenocrysts, 509, 516, 531, 537, 541
 zoning of, 510
 Planktonic foraminifera *see* Foraminifera, planktonic
 Planolites, 237, 328, 430, 822, 911, 912, 921, 1081
 Plant debris, role in sapropel formation, 455
 Platani trough, 938
 Plate subduction, 944
 Plate tectonics, 985
 Pleistocene/Pliocene boundary, 335
 Pliocene,
 foraminifera, 43, 77, 160, 190, 191, 255
 foundering hypothesis, 998
 nannofossils, 41, 76, 158, 187, 333

- sapropel stratigraphy, Leg 42A, 440
 vertical faulting, 965
 Pliocene flooding, Mediterranean Sea, 1075
 Pliocene formations, Cyprus and the Florence Rise, 908
 Pliocene sediments,
 mineralogy of, 382
 paleobathymetric analyses, 1075
 Pliocene transgression, 322, 377, 382, 1026
 Pliocene-Pleistocene, paleotectonics and paleogeography, 920
 Pliocene-Pleistocene boundary, foraminifera, 334
 Pliocene-Pleistocene discontinuities, 1090
 Pliocene-Quaternary,
 basalt, 981
 prograding deposits, 1047
 Pliocene-Quaternary history, 1140
 Pliocene-Quaternary section, salinity values, 377
 Pliocene-Quaternary stratigraphic distribution of turbidites, 398
 Pliocene-Quaternary subsidence, Cretan Basin, 1139
 Pliocene/Miocene unconformable contact, 335
 Pliocene/Pleistocene boundary, 44, 161, 192, 400, 994
 foraminifera, 42, 43, 77, 190, 250
 Leg 42A material, 750
 Mediterranean, 847
 nannofossils, 186, 733, 748
 Site 125, 849, 850
 Site 132, 849
 Site 371, 847, 849
 Site 372, 849
 Site 374, 850
 Site 376, 850
 Site 378, 850
 Pliocene/Quaternary, foraminifera, 916
 Poikilitic gypsum, 587, 591, 600
 Polarity change,
 Site 372, 874
 Site 374, 876
 Site 376, 877
 Polyhalite, 594
 Polyhalite, rubidium content of, 616
 Polyhalite interbeds, 182
 Ponded facies, 336
 Pontids, 955
 Pore water, isotopic composition at Site 372, 476
 Porosity, physical properties, 562
 Porphyritic, basalt, 531
 Posidonia, 1017
 Positioning-anomaly, Site 374, 5
 Post evaporite turbidites, salinity values, 377
 Post-evaporitic sediments, paleomagnetism, 873, 877
 Post-Messinian sediments, 1090
 Potash salts, 1064, 1066, 1071, 1139
 chemical analyses of, 613
 Potassium-argon age determinations, basalt, 531, 537
 Potassium-argon dates, basalt, 534, 541
 Potassium-argon dating, geochronology, 510
Praeorbulina glomerosa Zone, 21, 79, 81, 256, 919
 Pre-evaporitic sediments,
 diagenesis, 1084
 paleomagnetism, 874
 Site 377, 1081
 Pre-evaporitic setting, Messinian environments, 1004
 Pre-Mesozoic Mediterranean basins, 952
 Pre-Messinian turbidites, 1085
 Pre-Messinian sedimentation, Florence Rise, 380
 Pre-Messinian sediments,
 Leg 42A, 1080
 mineralogy of, Mediterranean, 380
 Pre-Messinian sequence,
 Site 372, 1056
 Site 375, 1057
 Site 377, 1058
 Prograding deposits, Pliocene-Quaternary, 1047
 Progressive-desiccation model, 1066
 Proto-Tyrrhenian intra-sutural basin, 977
Pseudoemiliania lacunosa Zone (N 19), 41, 76, 158, 186, 247, 332, 439, 733, 735, 750, 850
 Pseudohexagonal dolomite, 621, 622, 625
 Pteropods in sapropels, Pleistocene, 436
Puig de Santa Gloria series, Mallorca Island, 898
 Purbeckian evaporites, diagenetic stages, 588
 Purbeckian facies, Spain, 955
 Pychnodonta, 1017
 Pyrite, 640, 882, 1015
 Frambooidal, 625
 Site 371, 406
 Pyrite crystals, Site 124, 1011
 Pyrite nodules, 919
 Pyritization, 453
 Pyrohotite, 882
 Quartz crystals, formation of idiomorphic, 592
 Quartz pseudomorphs, 589
 Quaternary,
 foraminifera, 80, 160, 191
 Mediterranean, sedimentation rates, 1000
 Mediterranean Ridge Cleft, valley-fill, 310
 nannofossils, 41, 76, 158, 186, 309
 sapropel stratigraphy, Leg 42A, 439
 Quaternary deformation, Site 378, 1139
 Quaternary lithofacies, Cyprus, 906
 Quaternary sediments, mineralogy of, 382
 Quaternary subsidence, seismic evidence, 1075
 Quaternary/Pliocene boundary, 876
 Racemization of isoleucine in foraminifer tests, Sites 372 and 376, 489
 Radiolaria,
 Leg 42A, 753
 Site 372, 753
 Site 374, 753
 Site 376, 753
 Site 378, 759
 Stratigraphic correlations, 759
 Systematics, 759
 Zonation,
 Cannartus petterssoni Zone, 759
 Stichocorys peregrina Zone, 192, 995
 Radiometric ages,
 Site 373, basalt, 863
 Tyrrhenian basalts, 1056
 Tyrrhenian Basin, 1139
 Rare earth elements,
 analysis, 517
 basalt, 511, 519
 Eu anomalies, 519
 Recrystallization of, gypsum, 586, 587, 648
 Red Sea, 175
 Messinian cycles, 577
 Redox conditions, paleoenvironment, 652
 Redox potential, paleoenvironment, 637, 641, 649

- Reflection profiles correlated with drilling, 311
 Site 371, 44
 Site 372, 82
 Site 373, 161
 Site 374, 193
 Sites 375 and 376, 257
 Site 378, 336
 Regional syntheses, Mediterranean, 1140
 Relic faunas, 1073
 of Lake Ohrid, 1073
 Remanence directions, basalt, 883
 Reticulofenestra pseudoumbilica Zone (NN 15), 41, 76,
 187, 248, 333, 732, 733, 735, 747
 Reverse graded layering, 581
 Reversed faults, Southern boundary Florence Rise, 257
 Reykjanes Ridge, Tholeiites, 513
 Phizosolenia paebergonii Partial Range Zone, 767
 Rifting, 1055
 Western Mediterranean, 889
 Rip-up breccias, 582
 Ripple marks in Gypsum, 582
 Rock salt, 908
 Rubidium content of,
 Kainite, 616, 619
 Polyhalite, 616
 Sabkha cycles, 575
 Sabkha environments, 594, 761, 909, 932
 Sabkhas, 46, 236, 262, 362, 574, 583, 586, 593, 596, 602,
 603, 648, 1068, 1140
 Saccharoidal Gypsum, 909
 Saline minerals,
 bull's eye zonation of, 613, 1066
 distribution below Messinian Abyssal Plain, 5
 tear-drop pattern of zonation, 1066
 Salinity, 641, 649, 652, 654
 Salinity and Chlorinity, Interstitial water, 626
 Salinity crisis, 188, 671, 777, 906, 927, 999, 1011, 1023,
 1084
 deep-sea record, 1005
 events leading to, 1059
 Late Miocene, 782
 onset of, 1005, 1070
 Salinity gradient, Interstitial water, 195, 387, 625, 1139
 Salinity values,
 Pliocene-Quaternary section, 377
 post evaporite turbidites, 377
 Salonika Basin, 1042
 Salt diapirs,
 effect on heat-flow, 868
 thermal effect on, 869
 Salt extraction, Related to climate, 1031
 Salt genesis, 1054
 Salt genesis in Ocean basins, 1054
 Salt layer,
 Balearic-Provencal Abyssal Plain, 891
 Messinian evaporites, 1043
 Salt tectonics, 975
 Salts, Origin of, 1069
 San Vari d'Aix Llumachor, Outcrop, 899
 Sand laminae, 68
 Santa Barbara basin, Carbonate dissolution in, 454
 Saponite, 396
 Sapropel formation, Theories of formation, 445
 Sapropel sequences, Stratigraphy and paleoenvironmental
 significance, 421
 Sapropel stratigraphy, Leg 42A,
 Miocene, 440
 Pliocene, 440
 Quaternary, 439
 Sapropelic layers, 162, 247, 249, 321, 327, 333, 334, 446,
 483, 621, 749, 913, 1092
 Defined, 15, 422, 446
 Sapropels, 157, 180, 186, 188, 190, 191, 194, 227, 254,
 278, 308, 312, 483, 653, 676, 911, 1027, 1140
 classification of, 428
 composition of, 430
 Cretan basin, Diatom blooms found in, 435
 current-deposited, 429
 current-laminated, 430
 defined, 15, 422, 446
 fossil content of, 433
 Leg 42A, bulk mineralogy, 447
 Carbonate mineralogy, 447
 color, 447
 Early Pleistocene and late Pleistocene interval, 441
 organic carbon analyses of, 433
 origin of organic material in, 487
 palyynomorphs in, 435
 sedimentology and environmental conditions of, 445
 stratigraphic position, 437
 terminology, 422
 transitional minerals, 460
 turbidity current origin of, 429
 Sapropels as basis of Isochronous chronologies, 437
 Sardinia, 947, 961, 965
 Sarmation transgression, 989
 Scaglia facies, 998
 Scanning electron microscope studies,
 carbonate minerals, 623
 Dolomite, 485
 Forams, 688
 Gypsum, laminated, 580
 Spherulites, 817
 Scientific objectives, Leg 42A, 3
 Sea level change, 363, 368, 377
 Sea level changes, Glacio-eustatic, 441
 Sea level lowering, Messinian, 1005
 Sea of Azov, Cyprideis in sediments, 1022
 Seamount, Tyrrhenian Basin, 478
 Seamounts, Tyrrhenian Abyssal Plain, 511, 515
 Sediment classification, special uses on Leg 42A, 14
 Sediment thicknesses, Mediterranean basins, 868
 Sediment transport during basin desiccation, 1007
 Sedimentary facies and paleobathymetry, Tortonian/
 Messinian boundary, 936
 Sedimentary intraformational Breccia, 585
 Sedimentary petrology and structures of Messinian
 evaporites, 571
 Sedimentary slump, 229, 917
 Sedimentary slump conglomerates, 327
 Sedimentary structures, Biogenic, 821
 Sedimentation rates, 1140
 Alboran Sea, 44

- Aquitanian age, 890
 as tectonic indicators, 998
 Early Pliocene, 998
 Mediterranean Neogene Deep-sea sediments, 991
 Mediterranean Ridge, 399, 1001
 Mediterranean Sea, 867
 Messinian sediments, 658
 Paleomagnetically determined, 878
 Quaternary, Mediterranean, 1000
 results of for interstitial water chemistry, 562
 Site 121, 995
 Site 130, 998
 Site 371, 43
 Site 372, 82, 995
 Site 373, 161
 Site 374, 190, 192, 372, 399, 876
 Site 375, 995
 Site 376, 997
 Site 377, 311
 Site 378, 335
 Sites 375 and 376, 257
 South Balearic Basin, 44
 Sedimenti-Tripolacei, Sicily, 937
 Seismic reflection profiles, 966
 Black Sea, 1040
 Site 372, 890
 Seismic velocities correlated with core sonic velocities,
 Site 373, 893
 Seismicity, North African margin, 966
 Selenite dissolution breccias, Diagenesis, 606
 Selenites, 641, 929
 Hypersaline environments, 605
 origin of, 605
 Selenitic gypsum, 595, 598, 603, 909
 Site 374, 588
 Separation-basins model, 1066
 Serpentine, 373, 380
 Serravallian facies, 373, 899
 Seyhan River, 911
 Shallow basin, defined, 927
 Shallow-basin model, 400, 935
 Shallow-water deposition environmental model,
 Mediterranean Messinian, 666
 Shelf sediments,
 Apulia, 398
 Calabria, 398
 Sicilian, Early Pliocene, uplifting phases, 372
 Sicilian halite body, 1031
 Sicilian salt formation, 196
 Sicily, 592, 933, 938
 Cattolica Basin, 1071
 Cyprideis fauna, 1074
 Evaporitic rocks on, 928
 Flysch sequence of, 945
 outcrop at, Falconara, 777
 Sedimenti-Tripolacei, 937
 Tortonian sediments, 937
 Trubi formation, 779, 1030
 Sicily channel, 1025
 Sicily salt basins, 1064
 Siculo-North African orogenic belt, 937
 Siculo-Tunisian threshold,
 Faults, 969
 Grabens, 969
 Silicoflagellates, New species,
 Dictyocha aegea, 805
 Paleoecology, 808
 Site 378, 805
 Systematics, 805
 Zonation,
 Distephanus boliviensis Zone, 809
 Distephanus octogonus Zone, 809
 Sill, 1028, 1071
 Gibraltar, 837
 separating eastern and western Mediterranean in earliest
 Pliocene, 175
 separating the eastern and western Mediterranean, 842
 separating western Mediterranean from the Atlantic, 176
 Straits of Sicily, 176
 Siltites, 910
 Site 121,
 Sedimentation rates, 995
 Site 124,
 Balearic rise, 767
 clay mineralogy, 392
 Diatoms, 761
 Messinian laminites, 1010
 Pyrite crystals, 1011
 Site 125,
 Forams, Pliocene/Pleistocene boundary, 850
 Nannos, Pliocene/Pleistocene boundary, 849
 Site 125A,
 clay mineralogy, 389
 Site 130,
 sedimentation rates, 998
 Site 132,
 clay mineralogy, 392
 Forams, Pliocene/Pleistocene boundary, 849
 Messinian cycles described in, 592
 Nannos, Pliocene/Pleistocene boundary, 849
 Palynological studies, 789, 1017
 Site 133,
 clay mineralogy, 392
 Site 134,
 clay mineralogy, 392
 Site 371,
 background and objectives, 29
 barite, 406
 benthic forams, 43, 841
 biostratigraphy, 39
 bulk x-ray mineralogy, 362
 clay mineralogy, 362
 cruise narrative, 4
 drilling program, 32
 Forams, Pliocene/Pleistocene boundary, 849
 geochemical measurements, 38
 heavy minerals in sediments from, 403
 interstitial water, 38, 565
 lithology, 34
 Messinian sediments, 573
 Nannos, 41, 733
 Pliocene/Pleistocene boundary, 847

- operations, 32
 origin of the evaporites, 46
 ostracodes, 781
 physical properties, 38
Planktonic Foraminifers (Cita), 41
 pyrite, 406
 reflection profiles correlated with drilling, 44
 sedimentation rates, 43
 South Balearic Basin, 29
 summary and conclusions, 45
Site 372,
 absolute age, 874
 background and objectives, 59
 benthic forams, 81, 841, 1015
 biostratigraphy, 74, 671, 672
 bulk geochemical data, 493
 bulk x-ray mineralogy, 365
 chronostratigraphy, 676
 clay minerals determination, 362, 392, 493
 clinoptilolite, 504
 cruise narrative, 5
 current deposition, 1087
 dwarfed foraminiferal assemblages, 78, 1014
 evaporite dissolution, 565
 evaporites/pre-evaporites passage at, 1005
 facies and general lithology, 1081
 foraminiferal assemblages, 1013
 forams,
 Isotopic composition, 833
 Pliocene/Pleistocene boundary, 849
 fungii in Messinian marls, 817
 geochemical measurements, 68
 geological and geophysical setting, 889
 geological framework, 889
 gypsum, laminated, 577, 582
 heat flow, 87, 860, 862
 heavy minerals in sediments from, 406
 interstitial water, 68, 565, 1139
 interstitial waters, salinity gradient, 1139
 laminated marls, 583
 lithology, 67
 magnetic stratigraphy, 874
 Menorca rise, 59
 Nannos, 76, 733, 849
 operations, 62
 Ostracodes, 778, 781, 782
 Paleobathymetric analysis, 1056
 physical properties, 71
Planktonic Foraminifers (Cita), 77
 polarity change, 874
 radiolaria, 753
 reflection profiles correlated with drilling, 82
 sedimentary cover, 890
 sedimentation rates, 82, 995
 seismic reflection profiles, 890
 stratigraphic hiatus, 734
 stratigraphy, 961
 summary and conclusions, 84
 tectonic setting of pre-evaporitic sediments, 1080
 thermal gradient in sediment, 861
 upper evaporite unit, 1064
 x-ray mineralogy studies, 493
Site 372 formations,
 compared with formations drilled in the Gulf of Lion, 899
 compared with formations in southern Spain, 899
 compared with piston core FOM 69, 901
 compared with series cropping out on land, 897
 compared with Mallorca Island equivalents, 898
 compared with Menorca Island equivalents, 897
 compared with Sardinian Monte Santo section, 899
Site 373,
 background and objectives, 151
 basalt, radiometric ages, 537, 863
 benthic forams, 161, 841
 biostratigraphy, 157
 clay mineralogy, 362
 cruise narrative, 5
 heat-flow measurements at, 862
 heat-flow values, 863
 heavy minerals in sediments from, 406
 lithology, 155
 Nannos, 158, 734
 operations, 152
 ostracodes, 782
 physical properties, 157
 reflection profiles correlated with drilling, 161
 sedimentation rates, 161
 seismic velocities correlated with core sonic velocities, 893
 summary and conclusions, 161
 thermal gradient in sediment, 862
 Tyrrhenian Basin, 151
 volcanism, 1056
Site 374,
 background and objectives, 175
 biostratigraphy, 184
 bulk geochemical data, 493, 505
 bulk x-ray mineralogy studies, 370
 clay mineralogy, 362, 389
 sapropels, 447, 449
 climatic interpretation, palynological data, 789
 compared with Circum-Ionian land sections, 927
 cruise narrative, 5
 diagenesis, organic carbon, 487
 Diatoms, 763
 dolomitization, lowermost Pliocene sediments, 1027
 forams,
 Isotopic composition, 836
 Pliocene/Pleistocene boundary, 850
 geochemical measurements, 182
 heat flow, 196, 863, 864
 heavy minerals in sediments from, 406
 interstitial water, 182, 566
 lithology, 180
 luneburgite, 1024
 magnetic stratigraphy, 875
 Messina Abyssal Plain, 175
 Messinian evaporite sequence, 471, 485, 595
 Messinian salinity crisis, 1025
 Messinian sediments, 583, 1024
 Miocene/Pliocene boundary, 191
 Nannos, 186, 735, 850
 operations, 178

- organic carbon content, 468
 organic matter, 471
 ostracodes, 782
 paleomagnetics, 875
 palynological studies, 789, 790
 physical properties, 184
Planktonic Foraminifers (Bizon), 191
 Pleistocene, sedimentation rates, 399
 polarity change, 876
 positioning-anomaly, 5
 radiolaria, 753
 reflection profiles correlated with drilling, 193
 sedimentation rates, 190, 192, 372, 876
 selenitic gypsum, 588
 summary and conclusions, 194
 thermal gradient in sediment, 864
 turbidites, 397, 749
 upper evaporite unit, 1064
 Site 375,
 biostratigraphy, 671, 674
 bulk geochemical data, 505, 506
 chronostratigraphy, 677
 clay mineralogy, 362
 sapropels, 448
 correlation with land sections on Cyprus, 1057
 cruise narrative, 5
 distal turbidites, 1082
 facies and general lithology, 1082
 Flamoudhi sandstones, 915
 heat-flow values, 1057
 interpretation of Messinian succession, 597
 Messinian sediments, 595
 Nannos, 738
 organic carbon content, 468
 paleobathymetric analysis, 1057
 positioning anomaly, 5
 pre-Messinian sequence, 1057
 sedimentation rates, 995
 Trapeza marls, 912
 turbiditic transport, 1020
 upper evaporite unit, 1064
 Site 376,
 bulk geochemical data, 506
 clay mineralogy, 362
 cruise narrative, 6
 downslope slumping, 225
 euryhaline environment, Faunal evidence for, 257
 Forams, Pliocene/Pleistocene boundary, 850
 heat-flow measurements at, 864
 heat-flow values, 865
 lago mare facies, 440
 magnetic stratigraphy, 877
 Messinian evaporites, 602
 Messinian sediments, 597
 Nannos, 738, 850
 ostracodes, 781
 paleomagnetics, 877
 polarity change, 877
 post-evaporites, paleomagnetism, 877
 radiolaria, 753
 sedimentation rates, 997
 stable isotopes of sulfates, 659
 thermal gradient in sediments, 865
 turbidites, 937, 1001
 upper evaporite unit, 1064
 upper Messinian foraminifera, 1021
 zone of lost circulation, 6
 Site 377,
 background and objectives, 305
 benthic forams, 311, 842
 biostratigraphy, 309
 bulk x-ray mineralogy, 378
 chlorite, 411
 clay mineralogy, 362
 sapropels, 452
 cruise narrative, 8
 facies and general lithology, 1084
 geochemical measurements, 308
 heavy minerals in sediments from, 407
 Mediterranean Ridge Cleft, 305
 Nannos, 309, 739
 operations, 306
 paleobathymetric analysis, 1058
 physical properties, 309
 Planktonic Foraminifers (Bizon), 311
 Planktonic Foraminifers (Cita), 310
 pre-evaporitic sediments, 1081
 pre-Messinian sequence, 1058
 sediment lithology, 306
 sedimentation rates, 311
 summary and conclusions, 312
 Site 378,
 background and objectives, 321
 benthic forams, 335, 842
 biostratigraphy, 331
 bulk x-ray mineralogy, 378
 burrows in sapropels, 428
 clay mineralogy, 362
 Cretan Basin, 321
 cruise narrative, 8
 densities and diversities, ostracodes, 436
 Diatoms, 765
 Dolomitic caliche breccia, 603
 ebridians, 805
 Forams, Pliocene/Pleistocene boundary, 850
 geochemical measurements, 329
 heat flow, 338, 866
 heavy minerals in sediments from, 411
 interstitial water, 329
 Messinian sediments, 603
 Nannos, 332, 739, 850
 ostracodes, 782
 physical properties, 329
 Plankton Foraminifers (Cita), 333
 Planktonic Foraminifers (Bizon), 335
 Pleistocene/Pliocene boundary, 335
 Quaternary deformation, 1139
 radiolaria, 759
 reflection profiles correlated with drilling, 336
 sediment lithology, 326
 sedimentation rates, 335
 silicoflagellates, 805

- summary and conclusions, 336
Sites 375 and 376,
 background and objectives, 219
 benthic forams, 256, 842
 biostratigraphy, 245
 bulk x-ray mineralogy, 373
 clay mineralogy, 389
 Florence Rise, 219
 geochemical measurements, 242
 heat flow, 262
 heavy minerals in sediments from, 407
 interstitial water, 242
 late Messinian sediments, 1019
 Miocene/Pliocene boundary, 1020
 Nannos, 247
 neogene evolution of sediments, 921
 operations, 222
 ostracodes, 782
 physical properties, 242
 Planktonic Foraminifers (Bizon), 255
 Planktonic Foraminifers (Cita), 249
 reflection profiles correlated with drilling, 257
 sediment lithology, 225
 sedimentation rates, 257
 summary and conclusions, 260
 tectonic setting of evaporitic sediments, 1081
 turbidites, 975
Sliding Nappe, 305
Slump breccia, recemented constituent of gypsum, 67
Slump breccias, 312
Slumping, Western Mediterranean Basin, 893
Smectite, 365, 373, 378, 461, 516, 533
 alteration products, 531
 evidence of transport from Cyprus, 377
 petrogenesis of, 396
Smectites, 373
Solfifera series, 46
 South Balearic Basin, 5, 29, 30, 34, 333, 782, 966, 1027
 sedimentation rates, 44
 Site 371, 29
 South Balearic-Algerian Basin, structural history, 956, 965
 South Menorcan marginal plateau, 966
 Southern boundary Florence Rise, reversed faults, 257
 Southern Spain, Venta la Virgen section, 899
 Spadaite, 396
Sphaeroidinellopsis subdehiscens interval Zone, 334
Sphaeroidinellopsis subdehiscens interval Zone, 251
Sphaeroidinellopsis subdehiscens partial range Zone, 997
Sphaeroidinellopsis subdehiscens Zone, 43, 80, 192, 917, 335
Sphaeroidinellopsis subdehiscens-Globigerinoides elongatus zonal boundary, 192
Sphaeroidinellopsis-Globigerina druryi Zone (N 13), forams, zonation, 688
Sphenolithus belemnos Zone (NN 3), 77, 249, 728, 734
Sphenolithus heteromorphus Zone (NN 5), 77, 249, 310, 728, 734, 739, 742
Sphenolithus neoabies Subzone, 732
 Spherulites, Scanning electron microscope studies, 817
 Spilites, 517
 Spilitization, 519
 Spinel, Phenocrysts, 537
 Stagnant episodes, 441
 Static model, defined, 928
 Stenohaline environment, 1032
Stichocorys peregrina Zone, 192, 995
 Stoichiometric Dolomite, 368, 380, 385, 485, 635
 Stoichiometric dolomite/calcium-rich dolomite ratio, 385
 Stoichiometric titanomagnetites in Basalt, 883
 Strabo trench, 312
 Strabo trench wall, 175
 Strait of Gibraltar, 1040
 Strait of Messina, 1025
 Straits of Sicily, sill, 176
 Stratigraphic correlations, radiolaria, 759
 Stratigraphic hiatus,
 Messinian and pre-crisis intervals at Site 372, 995
 Messinian and pre-Messinian intervals at Site 372, 936, 1081
 Messinian and Pre-Messinian sediments, 76
 Messinian-Pliocene boundary, 1075
 Messinian/pre-Messinian interval, 676
 Site 372, 734
 tortonian, 78, 583, 693
 Stratigraphic position, sapropels, 437
 Stratigraphy, Site 372, 961
 Stratigraphy and paleoenvironmental significance, sapropel sequences, 421
 Stratigraphy correlated with land sections, Mediterranean basins, 1140
 Strike-slip faults, 966
 Strike-slip margins, 962
 Strike-slip movements, 956, 974
 Stromatolites, 46, 196, 576, 580, 582, 584, 586, 588, 596, 599, 1069, 1088, 1140
 defined, 665
 Leg 42A, 15
 Stromatolitic laminae, 909
 Stromatolitic mudstones, 585
 Stromatolitic structure, detrital material, 36
 Strontium content of gypsum, 602, 615, 619
 Strontium isotope composition, Basalt, 513
 Structural history of,
 Aegean Arc, 975
 Algero-Provencal Basin, 86
 Calabrian Arc, 977
 Cyprus Arc, 969
 Eastern Mediterranean Sea, 968
 Mediterranean basins, 951
 Menorca rise, 86
 North Balearic-Provencal Basin, 956
 South Balearic-Algerian Basin, 956, 965
 Syrte Basin, 968
 Valencia Trough, 962
 Western Mediterranean Basin, 956
 Structure and evolution of Mediterranean basins, 951
 Structure grumeleuse, 545, 548
 Styololites, 242, 592, 1085
 Styolitic seams, 592
 Subduction, 962, 979, 981
 Subduction zone, 955, 966, 974
 Accretions, 981

- Submarine alteration of, Basalt, 481, 557
 Submarine erosion, 378
 Subsidence, Isostatic, 948
 Subsidence during the Pliocene-Quaternary, Mediterranean, 948
 Subsidence during Pliocene-Pleistocene, Western Mediterranean, 1046
 Subsidence of Ionian Basin, 382
 Sulfate diagenesis, 648
 Sulfate reduction, bacteria, 647
 Sulfates,
 Oxygen-18 content, 637
 Oxygen-18 content, 643
 stable isotope geochemistry of, 657
 Sulfur-34 content, 643
 Sulfur-34 content, 637
 Sulfide oxidization, 647
 Sulfoborate, 614, 663
 Chemical composition, 615
 Sulfur, isotope fractionation, 647
 Sulfur isotopes, controlled by bacterial activity, 659
 Sulfur-34 content, 637, 643
 Survey and drilling data, 8
 Surveys, Leg 42A, 889
 Swallowtail type gypsum crystals, 328
 Swedish Deep Sea Expedition Cores, 445
 Sylvite, Bromine content, 615
 Syntheses of regional geological data, Alpine-Mediterranean system, 1055
 Syrte basin, structural history of, 968
 Systematics,
 benthic foraminifera, 709
 forams, 677, 693
 radiolaria, 759
 silicoflagellates, 805
 Tangula Range, Melange zone with Paleotethys rocks, 944
 Tarkhanian facies, 987
 Taurides, 1060
 Taurus area, 921
 Taurus range, 975
 Tear-drop pattern, saline zonation, 1066
 Tectonic evidence, Mediterranean basins at onset of salinity crisis, 1139
 Tectonic activity,
 Basins, 948
 Circum-Mediterranean regions, 1075
 Circum-Pacific regions, 1075
 Tectonic arguments, dynamic model, 938
 Tectonic closure rate, African and European plates, 1005
 Tectonic deformation,
 Cyprus Arc, 1058
 Hellenic Arc, 1058
 Mediterranean Ridge, 1058
 Tectonic history, Cyprus Arc, 903
 Tectonic history of
 Mediterranean, 979
 Paleotethys, 943
 Tethys, 943, 979
 Tectonic setting, Mediterranean basins, 1039
 Tectonic setting of evaporitic sediments, Sites 375 and 376, 1081
 Tectonic setting of pre-evaporitic sediments, Site 372, 1080
 Tectonism,
 Aegean Basin, 1059
 Maghrebian range, 966
 Mallorca Island, 898
 Miocene, 901
 Teichichnus, 328
 Temperature, paleoenvironment, 640, 654
 Tephra, 226, 328, 991
 Tephra layers, 250, 312, 1092
 Termination of,
 Betic range, 966
 Messinian salinity crisis, 1026
 Termination of salinity crisis, Miocene/Pliocene boundary, 995
 Terminology, sapropels, 422
 Terrestrial heat-flow measurements on Cyprus, 858
 Terrigenous material transported from Cyprus, 380
 Tertiary sediments in the Mediterranean, geochemistry, 493
 Tertiary sediments in the Mediterranean Sea, geochemistry of, 493
 Tethys, 782, 829, 906, 948, 955, 969, 1055, 1059
 Tethys,
 consumption of, 974
 origin of name, 943
 Tectonic history of, 943, 979
 Western extent of Mediterranean basins, 952
 Western part consumed by Iberian plate, 977
 Thermal conductivity, Leg 42A, 19
 Measurements in sediments, 859
 Thermal effect on salt diapirs, 869
 Thermal energy, role of in the origin of small ocean basins, 857
 Thermal gradient, reversal at Site 376, 865
 Thermal gradient in sediment, seasonal changes in, 857
 Site 372, 861
 Site 373, 862
 Site 374, 864
 Site 376, 865
 Thermal refraction, heat-flow, 867
 Thermal swelling, 895
 Gulf of Valencia, 889
 Thermoremanent magnetization, Basalt, 881
 Thessalonika, Messinian deposits of, 1073
 Thessalonika Basin, 338
 Tholeiites,
 Abyssal, 521
 Iceland, 513
 Lau Basin, 513
 Mariana Trough, 513
 Oceanic, 1139
 Reykjanes Ridge, 513
 Tholeiitic basalts, Chemistry, 163
 Tyrrhenian Basin, 1056
 Thrust nappes, 903
 Titanomagnetite, carrier of remanent magnetism, 883
 Curie temperature measurements, 883
 High temperature deuteric oxidation, 882
 Maghemitization of, 882
 Structure of, 883

- Tortonian, Coral reefs, 937
 Paleoenvironment, 1084
 Sediments, 254, 878, 890, 937
 Stratigraphic hiatus, 78, 583, 693
- Tortonian Sea, paleoenvironment, 938
- Tortonian/Messinian boundary, 936, 938
- Trace element distribution, 493
 Basalt, 511, 517, 519, 533
- Trace fossils, 821, 822
 classification of, 822
 preservation by turbidites, 822
- Tramuntana,
 age of tectonism, 897
 Menorcan geological province, 897
- Transform faults, 962
- Transparent facies, 336
- Transylvanian Basin, 987
 Miocene salts in, 1062
- Trapeza marls, 239, 909, 912
- Trasimeno Lake, isotopic values, 1023
- Triassic-Jurassic structural history, Eastern Mediterranean basins, 968
- Triassic-Lias period, Mediterranean basins, 953
- Tripoli formation, 1071
- Triquetrorhabdulus carinatus* Zone (NN 1), 77, 727, 734, 741
- Troodos,
 Cyprus, 974
 Ophiolites, 974, 1092
- Troodos area, 920
- Troodos high, 1084
- Troodos Massif, 261, 373, 407, 411, 945, 947, 1057
- Trubi facies, 372, 392, 937
- Trubi limestones, 927, 937
- Trubi formation, Sicily, 779, 1030
- Tunisian-Sicilian-Calabrian barrier, 382
- Turbidite layers, effect of slumping on heat-flow values, 864
- Turbidite sedimentation, 41, 1140
- Turbidites, 180, 190, 219, 231, 234, 238, 250, 260, 308, 322, 363, 373, 399, 457, 486, 597, 675, 744, 870, 908, 910, 921, 961, 997
 Bioclastic, 915
 comprising ponded facies, 338
 distal terrigenous, 914
 fine-grained with bedding planes, 328
 interbeds derived from, 937
 Pliocene-Quaternary stratigraphic distribution of, 398
- Pre-Messinian, 1085
 Site 374, 397, 749, 939
 Site 376, 937, 1001
 Sites 375 and 376, 975
 upper Messinian, 373
- Turbiditic events, 462
- Turbiditic transport, Site 375, 1020
- Turbidity current origin of sapropels, 429
- Turbidity current sedimentation, 378
- Turbidity currents, 36, 46, 194, 373, 380, 442, 920
- Turbidity layers, 919
- Turkey, Paleozoic in, 953
- Turkish plate, 906
- Tuscany, Cyprideis fauna, 1074
- Tyrrenian basalts, radiometric ages, 1056
- Tyrrenian seamount, 5
- Tyrrenian Abyssal Plain, 4, 151, 368, 395, 513, 531, 862
- Tyrrenian Abyssal Plain,
 age and composition, 509
 back-arc spreading, 947, 1139
 basalt, 509
 oceanic tholeiites occurring in, 1139
 oceanization, 947, 1139
 rate of basaltic crust
 seamounts, 511, 515
- Tyrrenian Basin, 3, 161, 190, 478, 515, 541, 947
 basalt, 515
 heat flow values, 515
 Isotopic evidence, paleotemperatures, 1056
 magnetic anomalies, 515
 origin of, 509, 1055
 parallelism of M-reflector to modern seafloor, 1064
 radiometric ages, 1139
 seamount, 478
 Site 373, 151
 tholeiitic basalts, 1056
 volcanic breccias, 1093
- Tyrrenian Basin basalts, Potassium-argon dating of, 541
- Tyrrenian rise, 161
- Tyrrenian Sea, 5, 151, 197, 262, 333, 393, 395, 869, 938, 979
- Tyrrenian Sea,
 formation of, 965
 heat-flow measurements in, 857, 863
 marginal-type basin, 977
 volcanic activity, 538
- Tyrrenian Sea as back-arc basin, 870
- Unconformity, Menorca Rise, 76
- Underlying seamount, oceanic tholeiites, 5
- Underthrusting, European plate by African plate in Aegean Arc in Quaternary, 372
- Uniformitarianism, and the discovery of the Messinian Mediterranean evaporite, 1054
- Uplifting, Mediterranean landmasses, 382
- Upper evaporitic layer, Messinian evaporites, 1044
- Upper member of, Messinian evaporites, 365, 368
- Upper evaporite sequence, 1062
- Upper evaporite unit,
 cyclic deposition, 1068
 Site 372, 1064
 Site 374, 1064
 Site 375, 1064
 Site 376, 1064
- Vadose zone, 235, 1005
- Valencia Trough, structural history of, 962
- Valenzuela Formation, 901
- Valles Penedes, Graben, 889
- Valley-fill, Quaternary, Mediterranean Ridge Cleft, 310
- Variolitic texture, 509
- Varve, defined, 68
- Varve-like structures, 385
- Varves, 84, 581, 995
- Vena del Gesso Basin, 1071
- Venta la Virgen section, Southern Spain, 899
- Vera Basin, 745, 937
- Vertical distribution of carbonates, 554
- Vertical faulting, Pliocene, 965

- Vertical zoning in mantle, 522
Vindobonian molasses, 897, 898
Volcanic activity,
 Caucasus, 955
 land and sea areas surrounding, Tyrrhenian Sea, 538
Volcanic ash layers, composition and degree of sorting, 155, 156
Volcanic breccias, Tyrrhenian Basin, 1093
Volcanism,
 Burdigalian, 368
 evidence of in Tyrrhenian Abyssal Plain, 370
 Jurassic, 944
 Site 373, 1056
 Triassic, 944
 Westeri Mediterranean, 979
Volcanogenic sediments,
 clay mineralogy, 395
 X-ray diffraction studies of, 395
Volterra Basin, 1072
Vugs, 328
 filled with anhydrite, 594
 filled with carbonates, 603
Water content,
 basalt, 511, 534
 physical properties, 562
Waterfalls, eastern Mediterranean basins, 1025
Weathering, clay minerals in sapropels, 459
- Western extent of Mediterranean basins, Tethys, 952
Western Mediterranean,
 basement highs, 151
 basin subsidence, 1040
 heat-flow measurements in, 857
 subsidence during Pliocene-Pleistocene, 1046
 volcanism, 979
Western Mediterranean basins, 948
 heat flux, 868
 paleomagnetics, 874
 slumping, 893
 structural history of, 956
Western Mediterranean Sea, origin, 870
X-ray diffraction analyses, 516, 542, 583
 Luneburgite, 661
 volcanogenic sediments, 395
X-ray diffractograms, 622
 dolomite, 625
X-ray mineralogy studies,
 comparisons between sites, 380
 Site 372, 493
Zeolite-filled vesicles, basalt, 509
Zeolites, 478
 alteration products, 517, 549
Zoophycos, 182, 195, 237, 328, 430, 621, 822, 911, 912, 921, 1081