

## INDEX

- Aaiun-Tarfaya Basin, 801, 809, 814  
Abenaki Formation, 812, 813  
Acoustic anisotropy, causes for, 311  
Agadir Canyon, 766, 813  
Algal sources for lipids in sediments, 654  
Algal reefs, building of, 811  
Aliphatic-hydrocarbon ratios, 582, Table 8; 648  
Alkanes  
    Hole 415A, 581, Table 6  
    Hole 416A, 581, Table 7  
Amber, 553, 575  
    analysis of, 582  
    carbon-isotope composition, 587, Table 14  
    petrographic description, 587, Table 14  
Ameskhoud red sandstones, 809  
Ammonia and organic nitrogen  
    elemental analysis of, 625, 626, Table 2  
Ammonites, 545, 809, 814  
*Ammonitico rosso* facies, 812  
"Amsitène reef" formation, 808, 809  
Anaerobic sedimentary conditions, 639  
Angular unconformity, 811  
Anklout limestone, 811, 813  
Anomaly J, 5  
Anoxic conditions, 817  
Antarctic Ice Cap, enlargement of, 717  
Anticlinal fold, 766  
Aptychi, 363, 741  
Aragonite, 744  
Argana Basin, 811  
Argana Valley, 816  
Aromatic hydrocarbons, 647, 649  
    Hole 416A, 655, Table 7  
Atlantic  
    rapid subsidence of, 810  
    transgression, 811  
Atlas-Canary Trend, Late Cretaceous tectonics, 770,  
    768, Fig. 8  
Atlas Mountains, 753  
Atomic-absorption analyses, 744, 745, Table 2  
Attapulgitite, 703, 720  
Authorship, responsibility for, 13  
    biostratigraphy, 776  
Avalon uplift, 813  
Bacterial sources for lipids in sediments, 654  
Baltimore trough area, 812  
Bathonian regression, 811  
Bathymetry, Jurassic & early Cretaceous foraminifers,  
    368  
    Leg 50 Track, 319, 324, Fig. 4  
Benthic foraminifers SEE: Foraminifers, Benthic  
Biostratigraphic summary, 21  
    Site 415, 57, 778, 782-783, Fig. 7  
    Site 416, 64, 780, 788-791, Fig. 11  
Bitumen  
    Hole 415A, 580, Table 3  
    Hole 416A, 578, 580, Table 3, 592, Fig. 8  
    Site 415, 578, 592, Fig. 7  
    Site 416, 592, Fig. 9, 593, Fig. 10  
    Visible light absorption spectra of, 588, Table 15  
    589, Table 16  
Bivalves  
    Cretaceous, 545, 547  
    Pleistocene, 545, 548  
Black shales, 815  
Blake-Bahama Abyssal Plain, 366  
Blue reflector, 361, 763, 811, 812, 816  
    correlation of, 6  
    defined, 32  
    site 416, 168  
Bottom currents, 751  
Brine inflow through sedimentary strata, 691  
Brown reflector, 69  
    defined, 32  
Burial diagenesis, 743  
Burrowing, evidence for, 41, 43, 127, 138, 140, 363  
Burrows, 48, Figs. 10 and 11  
Butane, 617  
C<sub>1</sub>-C<sub>7</sub> hydrocarbons, variation in concentration with  
    time, 624, Table 1  
Calcareous fraction  
    vertical distribution of, 751  
    detrital, 752  
Calcisphaerulids, 357, 359, 363  
    method of investigation, 526  
    new species, 528  
    preservation of tests, 525  
Calcite compensation depth, 747  
Calciturbidites, 733  
Calpionellids, 163, 363  
    identification of, 525  
    method of investigation, 526  
    ultra structure, effect of preservation on, 525  
    wall-structure, 525  
Calpionellid limestone, 752  
    source of detrital micrite in, 752  
Canadian margin, 801  
Canary Islands, 753  
Cape Tafelney, 813  
Cape Tafelney Terrace, 753, 761  
    overthrusting beneath, 764  
    profile across, 765, Fig. 6  
Carbon analyses, site 330, 638, Table 1  
Carbon-carbonate analysis, methodology, 21  
Carbon dioxide, 615  
Carbon-isotope composition of lipids, 627  
Carbon, isotopic analysis of  
    methods, 577

- Site 416, 633, Table 1
- Carbon, isotopic composition of organic matter, 579
  - Hole 415A, 587, Table 3
  - Hole 416A, 586, Table 11; 587, Table 12
  - Site 415, 586, Table 10; 598, Fig. 16; 599, Fig. 18
  - Site 416, 598, Fig. 17; 599, Fig. 18
- Carbon isotopic composition
  - kerogen, 625
  - lipids, 625
  - method of analysis, 669
  - Moroccan Basin sediments, 669, Table 1; 670, Table 2; 671, Fig. 1
- Carbon-preference index (CPI), 606
- Carbonate-bomb, method of use, 20
- Carbonate diagenesis, 695
  - dissolution of, 359, 499
  - turbidites, 734
- Carboxylic acids (FAME), 647, 651
- Caribbean island-arc system, 368
- Catagenesis, evidence for, 554
- CCD, shoaling of, 74
  - Miocene, 500
- Chloroform extracts, 630
  - Site 416, 634, Table 4
- Chlorophyll diagenesis, 643
- Chondrites*, 43, 44, 126, 138, 146, 357, 363
- Clay minerals
  - method of study, 715
  - Site 415, 716, 718, Fig. 1
  - Site 416, 716, Fig. 2 (back pocket)
- Climate, Hauterivian, 815
- Coastal upwelling, effects of, 812
- Continental drift, 809
- “Continental interclaire”, 815
- Continental rise environment, organic matter in, 554
- Cooling, Miocene, 717
- Coquina, 42, 49, Fig. 12
- Coral reefs, building of, 811
- Corbisema triacantha* Zone, defined, 507
- Core disturbance, definitions of, 14
  - handling, 15, Fig. 1, 16
- Cretaceous- latest Jurassic time scale, 781, Fig. 6; 34, Fig. 8
  - sediments, depositional environment, 357
- Currents
  - bottom, 751
  - turbidity, 563, 813
- Decollement, 168, 761
- Deep-water assemblages, foraminifers, 368
  - grain assemblages, 739, 740
- Deformation features, Site 415, 43
- Dehydroabctetic acid, 639
- Depositional environment, Cretaceous, 362
  - Western Atlantic, 366
- Detrital fraction of sediments, 751
- Diagenesis
  - burial, 743
  - carbonates, 670, 695, 741
  - deep-sea floor, 744
  - evidence for, 554
  - method of studying, 725
- Site 416, sediments, 140
- Diagenetic environments, 743
- Diapiric evaporites, 6
  - structures, 803
- Diapirs, 5, 32, 813
- Diapirism hypothesis, 767
- Diatoms
  - Site 415, 508, 510, Fig. 3
  - Site 416, 508, 510, Fig. 3
- Dissolution facies, 356
  - mid-cretaceous, 362
  - of carbonate, 359, 499
- Distal turbidites, 128, 362, 363, 785
- Dolomite, 742
- Down-hole logging
  - Site 415, 53
  - Site 416, 151
- Drilling characteristics, 16
  - data, 13
- Drowned carbonate platform, 733, 746
- Eagle Mills Formation, 812
- Effective heating time, 610
- Electrical formation factor-porosity relations, 307, Table 1
  - Site 415, 310, Table 3
  - Site 416, 315, Table 4
- Electrical resistivity of sediments, defined, 306
- Electron-spin-resonance (ESR) spectroscopy of bitumen, 590, Fig. 4
  - results, 570, 586
  - spectra, Site 370, 569, Fig. 2
  - techniques, 567, 578
- Elemental analysis, 625, 626, Table 2
- Epeirogeny hypothesis, 768
- Erosion, evidence for major late-Cretaceous, 817
- Erosional episode, upper-Mid Miocene, 787
- Essaouira Basin, 784, 809
  - history of transgressions & regressions, 752, 785
  - salt diapirs, 813
  - subsidence of, 813
- Ethane, occurrence of, 553, 617
- Euridyce Formation, 805
- Eustatic fall of sea level, world-wide, 811
- Evaporite facies, development of, 807
- Evaporites, precipitation of, 809
  - end of deposition of, 810
- Extractable hydrocarbon content, 605
- Factor analysis, 698
  - Site 415, 699, Fig. 3
  - Site 416, 700, Fig. 4
- Fault grabens, 805
- Faults, 816
- Faunal comparisons, DSDP East Atlantic Sites, 360, 363
- Ferroan calcite, 742
- Flysch, 785
  - distal, 814
  - source area, 752
- Folding
  - anticlinal, 766

- Late Cretaceous, 766
- Foraminifers, abyssal assemblage, 359
  - Aptian-Cenomanian, 362
  - bathymetry of, 368
  - benthic, low diversity of Mesozoic, 354
    - paleoecology of, 162
    - Site 415, 65
    - Site 416, 67, 68, 362, Fig. 7
  - Berriasian, 361
  - biostratigraphy
    - Albian, 354
    - Cenomanian, 354
    - Albian-Coniacian, 356
    - Cenozoic, 64, 161
    - deep-water assemblages, 368
    - displaced, 363
    - distribution of
      - Site 415, 499, Fig. 2
      - Hole 416A, 500, Fig. 3
    - diversity, Hole 416A, 361
    - Hauterivian, 361
    - Hauterivian-Barremian, 361
    - lysocline, 65
    - Mesozoic, 353, 355, Fig. 2, 360
    - Miocene/Pliocene boundary, 497, 498
    - occurrence, Site 415, 359, Fig. 5
    - neritic assemblage, 368
    - shallow-water, 363
    - Site 415, 64
    - Site 416, 161
    - Tithonian-Kimmeridgian, 361
    - Valanginian, 361
    - zonation, 64, 161
      - Mesozoic, 65, 354, 356, Fig. 3
- Formation factor, defined, 307
- Fuerteventura sedimentary section, 753
- Gamma log repetition, 762
- Gas analysis, methodology, 25, 615
- Gas-chromatography analysis, 606
  - of saturated hydrocarbons, 607, Fig. 1
  - Hole 416A, 635, Fig. 6
  - hydrates, 619
  - hydrate zone, 619
  - liquid chromatography, method, 577
- Gaseous hydrocarbons
  - method of measuring, 553
  - in Cretaceous sediments, 553
- Geochemical analyses, Moroccan Basin sediments 606,
  - Table 1; 626, Table 1
  - data, mathematical treatment of, 695-703
  - evolution of mixed-origin organic matter, 575
- Geochemistry, methodology, 25
  - Site 415, 695, 696, Tables 1&2; 700, 701, Table 6
  - Site 416, 695, 697, Table 3; 698, Table 4; 701, 702, Table 7
- Geostrophic thermohaline current pattern, change of, 502
- Geosynclinal rocks, isotopic data, 688
- Geothermal gradient, 563
- Gilsonite, 651
- Gorringe Bank, 360, 363
- Graded beds, 140, 735, Fig. 2, 736, Fig. 4b
- Grain assemblages, deep water, 739, 740
- Grainstone, 736, Fig. 4a
- Grand Banks Basin, 809
- Grapestone, 737, 739, Fig. 7, 740
- Gravity sliding, 7i, 354, 761, 786
  - tectonics, 759
- Green algae, 740
- Green reflector, defined, 32, 763
- Hadid limestone, 811, 813
- Haha Basin, 801
- Hatteras Abyssal Plain, 366
- Hauterivian climate, 815
- Heavy hydrocarbons, 45, 615
  - increase with depth, 617
  - Site 415, 618, Table 4
  - Site 416, 618, Table 5
- Helminthoida*, 53, 57
- High Atlas, 759
  - uplift of, 786, 816
- High energy marine environment, 811
- Hole 415A, changes in nature of sediments, 357
  - Cretaceous summary log, 762
  - nannofossil biostratigraphy, 340
    - distribution, 348, Fig. 4
    - occurrence, 340
- Hole 416A, foraminifer biostratigraphy, 361, 500, Fig. 3
  - nannofossil biostratigraphy, 342
  - occurrence, 342
- Horsetail structures, 143
- Humic acids in sediments, 596, 629
  - Hole 415A, 581, Table 5
  - Hole 416A, 578, 580
  - Site 416, 578, 633, Table 2
- Huminite, 568
  - reflectance, 567
- Hydrocarbon fractions, gas chromatograms of, 583-585, Fig. 3
  - index, 555
  - potential, 609
  - ratios, 618
- Hydrocarbons, aromatic, 647, 649
  - Hole 416A, 655, Table 7
  - light, 623
  - heavy, 45, 615, 617, 618, Tables 4&5
  - triterpenoid, 653
- Hydrogen index, 570
  - Site 370, 566, Fig. 7
  - Site 415, 560, 562, Fig. 5
  - Site 416, 566, Fig. 7
- Hyposaline continental basins, 683, 688
- Inertinite, 568
- Infrared spectroscopy
  - methods, 578
  - results, 586
  - Site 415, 591, Fig. 5
  - Site 416, 591, Fig. 6
- Inoceramus*, 162, 357, 363, 785
- Insoluble residue, 738
- Interstitial water chemistry, Site 415, 46, 58, 74 691,

- Table 1; 692, Fig. 1
- Site 416, 691, Table 1; 692, Fig. 2, 693
- Site 370, 692, Fig. 2
- Interval velocity calculations, 314
  - Site 415, 316, Table 5
  - Site 416, 317, Table 6
- Intracontinental basins, 670
- Iroquois Formation, 808
- Isobutane, 617
- Isoprenoids, 579, 653
- Isotopic analysis SEE: specific isotope
- Jurassic/Cretaceous boundary, 793, 796
- Jurassic magnetically quiet zone, 5, 803, 812, 748
  - boundary of, 6
- Jurassic-Neocomian regression, 784
- Kerogens, 629
  - Site 330, 638, Table 1, 639
  - Site 416, 633, Table 3
  - Hole 416A, 634, Fig. 5
  - type I, 555, 569
  - type III, 555, 569, 570
- Ketones, 638
- Leg 50
  - navigation, 319, 320, Table 1
  - operations summary, 9, Fig. 3
  - summary of results, 5
  - track, 319, 324, Fig. 4
- Light hydrocarbons, 623
- Ligurian ocean basin, 809
- Lipid analysis
  - comparison of Leg 48 & 50 results, 659
  - experimental procedure, 647
  - Hole 416A, 650, Table 2
  - components, 638, Fig. 1, Table 1, 639
  - carbon-isotope composition of, 627
- Liptinites, 609
- Lithoclasts, 737
- Lithologic classification, 16
  - symbols, 20, Fig. 4
  - summary
    - Site 415, 32
    - Site 416, 753, Table 1
    - Site 370, 753, Table 1
  - Unit I, Site 415, 32
    - Site 416, 126
  - Unit II, Site 415, 40
    - Site 416, 126
  - Unit III, Site 415, 41
    - Site 416, 45
  - Unit IV, Site 415, 42
    - Site 416, 46
  - Unit V, Site 415, 43
    - Site 416, 46, 363
  - Unit VI, Site 415, 43
    - Site 416, 46, 363
  - Unit VII, Site 416, 138, 363
- Location map, DSDP sites 367, 370, 416, 467, Fig. 1
- Louann salt, 810
- Magnesium minerals formed *in situ*, 693
- Magnetic quiet zone, Jurassic, 5, 6, 748, 803, 812
- Magnetics, Leg 50, 319
  - profile of, 324, Fig. 4
- Main detrital fraction, composition of, 751
- Major-element concentrations, 675
  - analyses, Site 415, 676, Table 3
  - Site 416, 677, Table 4
  - distribution, 677, Fig. 1, 678, Fig. 2, 679, Fig. 3
- Margin, evolution of, 819
- Margins, "starved", 5, 775
- Marginal basins, 720
- Maturity of organic matter, 11, 553, 570
  - Site 370, 563, 567
  - Site 415, 561
  - Site 416, 563, 567
- Maturity of sediments, 610
  - Hole 416A, 554
- Mean chemical compositions, 696, 699, Table 5
- Megafossils, Site 415, 32
- Mesozoic sediments, organic matter in, 610
- Messel shale, 661
- Metalliferous precipitations, 702
- Metalloporphyrins, 647, 656, Table 8
- Metasomatism, 742
- Methane, 615
  - concentrations, 616, Table 1&2
- Methane-forming bacteria, 665, Tables 1&2
- Mic Mac Formation, 812
- Micritic limestone, 743, 744
- Micritization, 740
- Microbiology of sediments, 665
- Microstylolites, 143, 743
- Mineral carbon, 629
- Minor elements
  - analyses of, 682, Tables 5&6
  - distribution, 679, 680, Figs. 4&5; 681, Figs. 6&7; 683, Figs. 8-11; 684, Figs. 12-15; 685, Figs. 16 & 17
- Miocene/Pliocene boundaries
  - correlation between Sites 415 & 416, 499
    - DSDP sites & Bou Regneg Section, 500
    - Sites 415, 416 & 397, 501
  - Missisauga Formation, 813
  - Mohawk Formation, 809
  - Monocarboxylic acid
    - analysis, 657, Table 10
- Moroccan Basin, 5, 720
  - biostratigraphy, 775
  - depositional history, 73, 363, 775, 781
  - evolution of, 805
  - organic matter, 575-602, 605-608
  - seismic profile across, 6, Fig. 1
  - turbidites, 174
- Moroccan continental margin
  - evolution of, 759, 806, Fig. 5
  - paleogeographic sketch map, 757, Fig. 6
  - tectonic map of, 752, 760
- Moroccan continental slope, 32
- Moroccan Meseta, 753
- Morocco, Triassic history of, 805
- Multichannel seismic-reflection profile, 319
- n-Alkanes, 630
  - Hole 415A, 578
  - Hole 416A, 578, 594-595, Fig. 11
- Nannofossils, calcareous

- Albian-Cenomanian, 63, 160  
 Aptian, 160  
 Berriasian, 160  
 biostratigraphy, 794-795, Fig. 14  
*Chiatozygus litterarius* Zone, defined, 347  
 Cretaceous, 345  
*Cretarhabdus angustiformis* Zone, defined, 345  
 early Eocene, 63, 335  
*Eiffellithus turriseiffeli* Zone, defined, 347  
 Hauterivian-Valangian, 160  
 Jurassic  
   occurrence, 350  
   zonation, 345  
 late Maestrichtian, 63  
*Lithraphidites alatus* Zone, defined, 349  
*Lithraphidites bolli* Zone, defined, 345  
 lower-upper Miocene, 341  
*Micula mura-Nephrolithus frequens* Zone, defined, 349  
 middle-upper oligocene, 341  
 Miocene, 160, 334  
*Nannoconus colomii* Zone, defined, 345  
 Oligocene, 160  
 Paleocene, 63, 335  
*Parhabdolithus angustus* Zone, defined, 347  
*Parhabdolithus embergeri* Zone, defined, 345  
 Pleistocene, 61, 160, 333, 340  
 Pliocene, 61, 160, 333, 341  
 Pliocene/Miocene Boundary, 61, 333  
*Prediscosphaera cretacea* Zone, defined, 347  
 Site 415, 61, 333, 507  
 Site 416, 160, 507  
 species used  
   Tertiary, 335, Table 1  
   Cretaceous, 346, Table 1  
 Tithonian, 161  
 zonation used, 333  
   Tertiary, 336, Table 2  
   Cretaceous, 346, Fig. 2  
 Navigation, Leg 50, 319, 320, Table 1  
 Near-shore facies, 812  
 Neogene time scale, 22, Fig. 6, 779  
 Neomorphic calcite, 741  
 Neritic assemblages, Foraminifers, 368  
 New species, calcisphaerulids, 528  
 Nickel porphyry  
   mass spectrometer analysis of, 643, 644, Table 2  
   molecular-wt. distribution of, 644, 649  
 North African margins, 717  
 North/South Atlantic boundary current, 502  
 Northwest Africa  
   Berriasian & Valangian time, 747  
   Jurassic shallow seas, 747  
   transition to desert-type climate, 717  
 Norwegian Sea, opening of, 817  
 Oceanic crust, appearance of in Central Atlantic, 809  
 Oceanic deposits, prospects of oil formation in, 575  
 Oil formation zone, 570, 575  
 Oil source rocks, 600  
 Oldest strata, deep-ocean, 763, 815  
 Olive reflector, 763, 815  
 "Ooids", 734, 737, Fig. 5; 738, Fig. 6, 739  
 "Bahamian", 734  
   mineralogy of, 741  
 "pelagic", 734, 741  
   with quartz nuclei, 746  
 Opal-CT  
   precipitation of, 725  
   lepispheres, 728  
 Orange reflector, 32, 70, 763  
 Organic carbon & bitumen in sediments, 592, Figs. 7&8  
   method of measuring, 21, 555, 609  
 Organic-carbon content of sediments, 629  
   Hole 415A, 579, Table 1  
   Hole 416A, 579, Table 2  
   Site 415, 560, 579, Table 1  
   sapropelic claystones, 637  
 Organic carbon/organic nitrogen ratios, 627, Table 3  
 Organic chemistry of sediments  
   Hole 416A, 625, 647  
   Site 416, 146, 175, 553  
   Mesozoic, 637  
   shales, 629, 639  
 Organic diagenesis, Hole 416A, 625  
   Site 415, 625  
 Organic geochemistry, analytical methods, 637,  
 sediments, Site 415, 45, 553, 625  
 Organic matter, analysis of, 605  
   analytical data, Site 370, 568, Table 1  
   Site 416, 568, Table 1  
   diagenesis of, 553  
   experimental procedure, 575  
   evidence for a terrestrial source, 553, 596, 599  
   maturation of, 11, 561, 563, 567, 570  
   microscope analysis of, 567  
   source of in Moroccan Basin, 175, 563  
   type of, 610, 614, Table 2  
*Ostrea*, 545, 546, Fig. 1  
 Overgrowth cement, 742  
 Oxfordian sediments, nature of, 5  
 "Oxygen Index", 555  
   Site 370, 566, Fig. 7  
   Site 415, 562, Fig. 5  
   Site 416, 566, Fig. 7  
 Oxygen isotopes  
   method of analysis, 669  
   Moroccan Basin, 669, Table 1, 670, Table 2, 671,  
   Fig. 1  
 Oxygen isotope shift, 671  
 Oxygen minimum, South Atlantic Cretaceous, 612  
 Paleoecology of foraminifers, Site 415, 65  
 Paleoenvironment, Moroccan Basin, 170  
 Paleomagnetic Epoch 5, 501  
   Epoch 6, 498  
 Paleogene time scale, 23, Fig. 7  
 Palynomorphs  
   Berriasian, 468  
   biostratigraphy, Site 370, 794-795, Fig. 14  
   Site 367, 794-795, Fig. 14  
   Hauterivian, 468  
   Kimmeridgian-Portlandian, 467  
   Hole 416A, as compared to offshore Eastern  
   Canada assemblages, 468

Valangian, 468  
 Peloids, 735, 738, Fig. 6; 739, Fig. 7; 740, 742  
 Pentane, increase in concentration with depth, 617  
 Perennial sediment, 738  
 Petroleum hydrocarbon generation process, 605  
 Petroleum potential of sediments, 623  
   Site 330, 637  
   Site 370, 563  
   Site 415 560, 561, 612  
   Site 416, 568, 612  
 Petroleum source rock evaluation, 605  
 Petrology of organic matter, 609-614  
 Petroporphyrin, 645  
   demetallated, 653, Table 9; 656, Fig. 6  
 Phosphorite, 742, 746  
   staining by, 734  
 Physical properties  
   methodology, 27  
   measurements, Site 415, 47  
     Site 416, 58  
 Pigment data, 644  
 Plant fragments, analysis of, 582  
   petrographic description, 587, Table 14  
   carbon-isotope composition, 587, Table 14  
 Polycyclic aromatic hydrocarbon (PAH), 649  
   Gas chromatogram of, 654, Fig. 5  
 Polynuclear aromatic hydrocarbon  
   airborne sources of, 658  
   generation of, 658  
 Porcellanites, 725, 728  
 Porcellanite nodules, 128  
   zone, 728  
 Porphyrins, 647, 649  
 Portugal Basin, 809  
 Potential hydrocarbon index, Site 415 sediments, 46,  
   74  
   Site 416 sediments, 57  
 Pressure solution, 743  
 Pristane to phytane ratio, 590, 639, 659  
   variation with depth, 595, Fig. 12  
 Production index, 555  
 Prograding fan, 814  
 Prograding sequence, 751  
 Propane, 617  
 Provenance, Sites 370 & 416, 751  
 Pyrogram, Hole 416A, 569, Fig. 3  
   Site 415, 559, Fig. 3  
   typical, 559, Fig. 2  
 Pyrolysis determination, 25, 553, 555, 567, 605, 629,  
   632, Fig. 3  
 Pyrolysis study of organic matter, Site 370, 370, 555,  
   561, 564, Fig. 6  
   Site 415, 555, 556, Table 1; 559, 560, Fig. 4  
   Site 416, 555, 557, Table 2; 561, 564, Fig. 6; 633,  
   Fig. 4, Table 1  
 Pyrolytic hydrocarbon to organic carbon ratios, 605  
 Radiolarians, Cenozoic, 162  
   Site 415, 66, 429, 430, Table 1  
   Site 416, 68  
     biostratigraphy, 430  
     occurrences, 430, Table 2  
     zeolitic alteration of, 356  
 Re-arranged sterenes, 652, Tables 3&4  
 Reconstruction, central North Atlantic, 805  
 Red reflector, 11, 69, 762, 816, 817  
   defined, 8  
   Site 416, 169  
     structure of, 766, 767, Fig. 7  
 Redeposition of sediments, Morocco Basin, 73, 363  
 Redox conditions of the depositional environment,  
   695  
 Reducing environment, 610  
 Reflectance, vitrinite-huminite particles, 567  
 Reflectors, seismic SEE: specific reflector name  
 Regional seismic data, Site 415, 759  
 Regional setting, Sites 415 & 416, 803  
 Regression, Late Jurassic-Early Cretaceous, 812  
 Residual petroleum potential, 559  
 Restricted marine basins, 683  
 Ridge-and-swell topography, 764  
 Rif-Betic system, 753  
 Rifting, Triassic, 805  
 Safety and pollution-prevention program, 21  
   Site 415, 70  
   Site 416, 170  
 Sahara Platform, 816  
 "Salinity crisis", 74  
 Salt-dome emplacement, 356  
 Saturated hydrocarbons, 605  
 Saturated-plus-unsaturated hydrocarbon, 630, 635,  
   Fig. 6  
 Sea-floor spreading data, North Atlantic, 770  
 Sea level, Jurassic-Cretaceous, 747  
 Sediment composition, Sites 370/416  
   heavy minerals, 752  
   lithic fraction, 752  
 Sedimentary Basins, Western Morocco, 804, Fig. 3  
 Sedimentary environment, Mesozoic, 71  
   Neogene, 74  
   Paleogene, 73  
 Sedimentary structures, 21  
   Site 415, 32  
 Sedimentation rates, Site 370, 69, 164, Fig. 47; 165,  
   Fig. 48; 786, Fig. 10  
   Site 415, 66, 780, 785, Fig. 9; 786, Fig. 10  
   Site 416, 69, 70, 165, Fig. 48; 164, Fig. 47; 786,  
   Fig. 10  
   upper Paleocene, 818  
 Seismic data, regional, 759  
 Seismic reflection profiles, comparison with  
   drilling results, Site 415, 68  
   Site 416, 167  
 Seismic reflection profiles, Leg 50 underway, 319  
 Seismic reflectors compared with down-hole logs, 175  
 Seismo Stratigraphy, Site 415, 762  
   regional variation of Late Cretaceous, 764  
   diapirism, 766  
 Senegal Basin, 692, 815  
 Sepiolite, 720  
 Shallow-water diagenesis, 744  
 Shallow-water grain assemblages, 739, 740  
 Shallow-water material, 785

- redeposited, 362
- Shear strength of clay, 47
- Silica and carbonate diagenesis, comparison of, 729
- Silica-bearing host sediments, Site 370, 725, 726, Fig. 1
  - Site 415, 725, 726, Fig. 1
  - Site 416, 725, 726, Fig. 1
- Silica diagenesis, 727, Table 1
- Siliceous organisms, mineralogical alteration of, 725
- Silicified sediments, 727
- Silicoplagellates, Site 415, 507, 509, Fig. 2
  - Site 416, 507, 509, Fig. 2
- Site 370, interstitial water chemistry, 692, Fig. 2
  - lithologic summary, 753, Table 1
- Site 415, Agadir Canyon, 31
  - background and objectives, 32
  - biostratigraphic summary, 57, 778, 782-783, Fig. 7
  - coring summary, 40, Table 1
  - diatoms, 508, 510, Fig. 3
  - foraminifers, 64, 359, Fig. 5, 499, Fig. 2
    - benthic, 65
  - geochemistry of sediments, 695, 696, Tables 1&2; 700, 701, Table 6
  - interstitial-water chemistry, 46, 58, 74, 691, Table 1; 692, Fig. 1
  - lithology of sediments, 8, 32, 41, Table 2
  - location of, 33, Fig. 1
  - megafossils, 32
  - nannofossils, 61, 333, 335, 349, 507
  - origin of the allochthon, 767
  - regional setting, 803
  - sediment coarse fraction, 46, Table 5
  - seismic profile, 37, Fig. 6; 38, Fig. 7
  - stratigraphic hiatus, 8
  - summary of results, 8, 10, Fig. 4
- Site 416, Moroccan Basin, 115
  - background and objectives, 32
  - biostratigraphic summary, 780, 788-791, Fig. 11
  - diatoms, 508, 510, Fig. 3
  - down-hole logging results, 11
  - drilling results, 10, Fig. 5
  - foraminifers, 161
    - Benthic, 67, 68, 362, Fig. 7
  - geochemistry, 695, 697, Table 3; 698, Table 4; 701, 702, Table 7
  - interstitial-water chemistry, 691, Table 1, 692, Fig. 2, 693
  - lithologic summary, 8, 125, 756, Fig. 5, 753, Table 1
  - location, 117, Fig. 1
  - nannofossils, 160, 340, 507
    - biostratigraphy, 341
    - Cretaceous, 350
    - occurrence of, 341
  - operations, 117
  - regional setting, 803
  - sedimentation rates, 814
  - seismic profile, 119, Fig. 4
  - summary of results, 8
  - turbidites, 8
- Site-survey data, methods of acquiring, 13
- Slope-environments, foraminifers, 368
- Smackover Formation, 812
- Smectite, 717
- Sound velocity, defined, 311
  - measurements, 50
- South Atlas fault, sinistral shear, 770
- Soxhlet extraction, 605
- Spanish Sahara, 360
- Stained acetate peels, 751
- "Starved" margin, 5, 775
- Steranes, 652, Tables 3&4; 653, Tables 5A&5B
- Steroid al components, 655
- Stratigraphic hiatus, Late Cretaceous-Paleocene, 157, 785, 816
  - late Eocene-Early Oligocene, 157
  - lower Paleocene, 59
  - mid-Cretaceous, 357
  - Miocene/Pliocene boundary, 787
  - Paleocene/Eocene boundary, 157, 818
  - Plio/Pleistocene boundary, 157
  - Upper Cretaceous, 59, 68
  - upper Hauterivian-lower Eocene, 349
- Stratigraphic history, Moroccan Basin, 777
  - section, 157
  - series, Site 370, 792, Fig. 12, 159, Fig. 46
    - Site 415, 784, Fig. 8
    - Site 416, 159, Fig. 46; 792, Fig. 12
  - summary, Sites 415 & 416, 802, Fig. 1
- Strontium, 744
- Stylolites, 743
- Submarine canyons, 815
- Subsidence, 748
  - rate of, 811
  - Site 416, 814
- Sulfides, source of in turbidites, 688
- Sulfur isotopes, 682, 685, Table 7; 686, Figs. 18-19
  - comparison, Sites 415 & 416, 688, Fig. 22
- Summary & conclusions, Site 415, 71
  - Site 416, 170
- Synclines, 766
- Tan seismic reflector, 174
- Tarfaya Basin, 753
- Tectonic evolution of North Atlantic, influence, on
  - biotic evolution, 368
- Tectonic setting, Site 415, 759
- Terrigenous turbidites, 734
- Tetrapyrrole-pigment content, 643
  - structure, changes with in depth, 593, Fig. 15
- Thermal alteration, 554
  - degree of, 605, 608, Fig. 2
- Thermal analysis, 605, 606
- Thermal history of sediments, 609
- Thermal maturity, 606
- Toluene, 623
- Track of *Glomar Challenger*, Leg 50, 320, Fig. 1
- Transform-fault system, 810
- Transgression, early Liassic, 808
  - Late Jurassic, 812
- Transgressive episode, 784
- Triassic & Jurassic sedimentary units, 807, Fig. 6
- Triassic rifting, 805
- Triterpenoid hydrocarbons, 653, 658

Turbidites, 363, 368, 605, 717  
  cyclicality of, 132, Figs 8&9; 174, 357  
  distal, 128, 362, 363, 785  
  mean bed thickness, 745  
  sedimentary structures, 751  
  terrigenous, 570, 734  
  types of, 734, Table 1  
Turbidity currents, 563, 813  
Ultra-violet spectroscopy, 577  
Unconformity, angular, 58, 67, 811  
Unconformity, angular SEE ALSO: stratigraphic hiatus  
Underway geophysical measurements, 319  
Upwelling, 366  
Varder Ocean, 815  
Verrill Canyon Formation, 812  
Visible-light spectroscopy, 577  
Vitrinite, 568  
  reflectance data, 567, 614, Table 1, Fig. 5  
  histograms, 612, 613  
Wealdean turbidites, 815  
"Wealdean" deltas, 815  
Wet-bulk density vs. porosity, Site 415, 309, Fig. 2  
  Site 416, 309, Fig. 3  
X-ray mineralogy, Moroccan Basin, 707  
  analytical methods, 707  
  Hole 415A, 711, Fig. 2  
  Hole 416A, 712-713, Fig. 3  
  Site 415, 707, Table 1; 710, Fig. 1  
  Site 416, 708-709, Table 2  
Yellow reflector, defined, 32  
  Site 416, 168, 764, 811  
Zonations, Leg 50 method, 776  
Zonations, Leg 50 Method SEE ALSO: specific fossil group  
*Zoophycos*, 41, 43, 53, 57