

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

Expedition 301								
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments	
U1301	B	1R-1 to 36R-3	351.20	576.69	-	-	igneous rock	
	C	1H-1 to 19H-CC	0.00	262.92	-	-	sediment hole, no overlap	
	D	1H-1 to 6H-CC	120.00	177.26	-	-	sediment hole, no overlap	

Expedition 302								
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments	
M0001	A	1H-1	0.00	0.31	-	-	single hole	
M0002	A	1X-1 to 62X-CC	0.00	270.10	-	-	single hole	
M0003	A	1H-1 to 3H-CC	0.00	15.00	-	-	single hole	
M0004	A	1H-1 to 42X-CC	0.00	427.90	-	-	multiple holes, low recovery	
	B	1X-1 to 3X-CC	10.00	218.00	-	-	multiple holes, low recovery	
	C	1H-1 to 9X-CC	0.00	37.33	-	-	multiple holes, low recovery	

Expedition 303								
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments	
U1302	A	1H-CC	0	0.05	0.00	0.05	accommodates splice	
		2H-1 to 4H-2	0.1	22.1	13.15	36.33	accommodates splice	
		4H-6 to 4H-CC	26.6	28.93	40.83	43.16	accommodates splice	
		6H-1 to 6H-2	38.1	41.1	51.95	54.95	accommodates splice	
		6H-7 to 6H-CC	47.1	48.03	60.95	61.88	accommodates splice	
		7H-1 to 7H-CC	47.6	55.16	65.06	72.62	accommodates splice	
		8H-1 to 9H-CC	57.1	76.76	73.75	93.75	accommodates splice	
		10H-1	76.1	77.6	95.25	96.75	accommodates splice	
		12H-3 to 13H-CC	98.1	107.14	117.25	126.29	single cored, below splice	
		B	1H-1	0.0	1.5	8.9	10.4	accommodates splice
	9H-6 to 10H-CC		83.73	92.23	97.2	105.61	accommodates splice	
	11H-1 to 11H-CC		95.2	104.21	108.02	117.03	accommodates splice	
	C	1H-2 to 1H-3	1.5	4.5	5.52	8.52	accommodates splice	
		4H-3 to 4H-6	31.5	37.22	35.65	41.37	accommodates splice	
		5H-3 to 5H-6	41	47	47.19	53.19	accommodates splice	
		6H-2 to 6H-5	49	55	54.92	60.92	accommodates splice	
		9H-7 to 9H-CC	85.03	86.21	93.44	94.62	accommodates splice	
E	11H-1	95	96.5	106.48	107.98	accommodates splice		
	1H-1 to 1H-CC	0.0	5.6	0.11	5.71	accommodates splice		
U1303	A	2H-1 to 2H-3	5.6	10.1	9.81	14.31	accommodates splice	
		3H-3 to 3H-5	20.9	25.4	29.89	34.39	accommodates splice	
		6H-7 to 7H-1	55.35	57.4	62.06	64.87	accommodates splice	
U1304	B	8H-2	66.9	68.4	72.18	73.68	accommodates splice	
		5H-4 to 5H-CC	42.7	48.09	42.47	47.86	accommodates splice	
	A	2H-7 to 2H-CC	18.50	19.38	23.52	24.4	accommodates splice	
		7H-7 to 7H-CC	66.00	66.97	77.76	78.73	accommodates splice	
		8H-6 to 8H-CC	74.00	76.46	87.10	89.56	accommodates splice	
		9H-5 to 9H-CC	82.00	86.23	96.15	100.38	accommodates splice	
		11H-7 to 12H-1	104.00	106.00	119.92	122.75	accommodates splice	
		13H-1	114.00	115.50	132.12	133.62	accommodates splice	
		14H-7 to 15H-1	132.51	134.50	152.11	154.46	accommodates splice	
		15H-7 to 16H-1	142.00	144.00	161.96	165.02	accommodates splice	

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

		16H-7 to 16H-CC	151.50	152.62	172.52	173.64	accommodates splice
		17H-7 to 17H-CC	160.96	162.00	183.7	184.74	accommodates splice
		18H-7 to 18H-CC	170.50	171.59	193.91	195.0	accommodates splice
		19H-2 to 19H-3	172.51	174.64	197.27	199.40	accommodates splice
		19H-CC	174.64	174.85	199.4	199.61	accommodates splice
		21H-1 to 21H-4	184.50	190.50	210.38	216.38	accommodates splice
		22H-2	195.50	197.00	221.65	223.15	accommodates splice
		23H-2	205.01	206.54	231.80	233.33	accommodates splice
		23H-CC	213.32	213.58	240.11	240.37	accommodates splice
		24H-1 to 24H-4	213.00	218.99	241.14	247.13	accommodates splice
		26H-3 to 26H-7	232.50	239.21	261.39	268.10	below splice
	B	16H-7 to 17H-2	150.22	153.71	167.13	172.17	accommodates splice
		18H-1 to 18H-2	160.20	163.19	179.21	182.20	accommodates splice
		19H-CC	178.62	178.88	199.32	199.58	accommodates splice
		20H-1 to 20H-5	179.20	186.70	199.61	207.11	accommodates splice
		24H-6 to 24H-CC	222.20	224.69	246.96	249.45	accommodates splice
		25H-3 to 26H-1	227.20	235.20	252.79	260.84	accommodates splice
		26H-CC	242.35	242.45	267.99	268.09	below splice
	C	1H-1 to 3H-7	0.00	23.10	-0.30	23.88	accommodates splice
		4H-1 to 7H-2	23.60	55.10	26.70	56.83	accommodates splice
		8H-1	61.60	63.10	66.89	68.39	accommodates splice
	D	1H-1 to 1H-CC	52.00	61.76	56.64	66.40	accommodates splice
		2H-1 to 2H-CC	61.50	70.83	67.06	76.39	accommodates splice
		3H-1 to 3H-6	71.00	80.00	78.74	87.74	accommodates splice
		4H-2 to 4H-6	82.00	89.51	89.54	97.05	accommodates splice
		5H-1 to 6H-CC	90.00	108.14	100.65	119.35	accommodates splice
		8H-1 to 9H-6	118.50	137.00	133.23	152.22	accommodates splice
		10H-2 to 10H-CC	139.00	147.06	154.40	162.46	accommodates splice
		12H-1 to 12H-4	156.50	162.50	173.89	179.89	accommodates splice
		12H-6 to 12H-CC	164.00	166.50	181.39	183.89	accommodates splice
		13H-1 to 13H-6	166.00	175.00	184.95	193.95	accommodates splice
		14H-1 to 14H-2	175.50	177.42	195.52	197.44	accommodates splice
		15H-4 to 15H-6	185.80	190.12	206.44	210.76	accommodates splice
		16H-3 to 16H-7	193.40	200.12	215.60	222.32	accommodates splice
		17H-1 to 17H-7	199.90	209.33	222.61	232.04	accommodates splice
		18H-2 to 18H-5	210.90	216.90	232.98	238.98	accommodates splice
		18H-7 to 18H-CC	218.40	219.43	240.48	241.51	accommodates splice
		19H-5 to 19H-6	224.88	227.88	249.82	252.82	below splice
		21H-3 to 21H-CC	237.40	243.74	273.08	273.13	below splice
U1305	A	1H-2	1.50	3.00	5.38	6.88	accommodates splice
		6H-1	46.90	48.40	55.84	57.34	accommodates splice
		11H-3 to 11H-CC	97.40	104.23	111.89	118.72	accommodates splice
		13H-1 to 14H-1	113.40	124.40	130.20	141.84	accommodates splice
		18H-7	169.93	170.66	190.56	191.29	accommodates splice
		19H-1 to 19H-CC	170.40	180.29	191.78	201.67	accommodates splice
		20H-1 to 20H-4	179.90	185.97	203.54	209.61	accommodates splice
		24H-6	225.31	226.82	252.79	254.30	accommodates splice
		29H-CC to 30H-CC	273.46	279.98	303.16	312.83	accommodates splice
	B	2H-6	15.80	17.30	16.42	17.92	accommodates splice

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

		3H-6	25.30	26.80	26.93	28.43	accommodates splice
		6H-1 to 6H-2	46.30	49.30	51.90	54.90	accommodates splice
		6H-5 to 6H-CC	52.10	53.12	57.70	58.72	accommodates splice
		16H-6	148.90	150.39	163.41	164.90	accommodates splice
		20H-5	184.11	185.63	202.60	204.13	accommodates splice
		21H-1	188.80	190.27	209.41	210.88	accommodates splice
		21H-3 to 22H-1	191.76	199.76	212.37	220.74	accommodates splice
	C	1H-1 to 1H-0CC	0.00	5.67	0.05	5.72	accommodates splice
		2H-1 to 2H-CC	5.70	14.19	6.63	15.12	accommodates splice
		3H-1 to 3H-CC	15.20	24.71	17.18	26.69	accommodates splice
		4H-1 to 6H-3	24.70	48.20	28.09	52.09	accommodates splice
		6H-CC	53.29	53.53	57.18	57.42	accommodates splice
		7H-1 to 12H-2	53.20	103.70	58.77	112.90	accommodates splice
		12H-7 to 13H-CC	109.70	120.20	118.90	130.65	accommodates splice
		14H-CC to 16H-CC	129.42	148.67	141.08	163.22	accommodates splice
		17H-1 to 19H-CC	148.20	173.11	164.30	189.31	accommodates splice
		20H-1	173.10	174.56	190.96	192.42	accommodates splice
		21H-7 to 21H-CC	191.56	192.74	210.92	212.10	accommodates splice
		22H-7 to 25H-CC	201.09	230.52	220.90	253.36	accommodates splice
		26H-1 to 30H-CC	230.10	276.96	254.26	303.28	accommodates splice
		31H-CC	287.63	287.88	313.95	314.20	accommodates splice
U1306	A	1H-5 to 1H-6	6.00	8.17	6.00	8.17	accommodates splice
		2H-1 to 3H-CC	8.30	22.70	9.02	23.08	accommodates splice
		4H-1 to 5H-4	27.30	42.62	29.39	45.55	accommodates splice
		5H-6 to 7H-CC	43.47	65.04	46.40	69.68	accommodates splice
		8H-1 to 9H-6	65.30	83.28	70.40	88.77	accommodates splice
		10H-7 to 12H-2	93.36	106.30	99.90	113.34	accommodates splice
		13H-1 to 14H-CC	112.80	132.39	121.44	141.68	accommodates splice
		15H-1 to 15H-CC	131.80	141.20	142.40	151.80	accommodates splice
		17H-1 to 19H-3	142.80	166.27	155.33	179.82	accommodates splice
		19H-6 to 20H-3	169.27	175.79	182.82	189.04	accommodates splice
		20H-CC to 21H-2	181.16	183.80	194.41	198.11	accommodates splice
		25H-7 to 27H-2	227.85	240.83	244.11	260.09	accommodates splice
		28H-1 to 28H-CC	247.30	257.24	267.70	277.64	accommodates splice
		29H-7 to 30H-2	265.84	269.31	287.21	291.36	accommodates splice
		30H-7 to 31H-3	275.35	280.30	297.40	302.76	accommodates splice
		31H-7 to 32H-2	284.81	288.24	307.27	312.19	accommodates splice
		32H-7 to 33H-1	294.25	296.30	318.20	320.87	accommodates splice
		33H-7 to 33H-CC	303.80	304.93	328.37	329.50	accommodates splice
	B	2H-5	7.30	8.80	8.17	9.67	accommodates splice
		6H-1	39.30	40.77	45.04	46.51	accommodates splice
		20H-7 to 20H-CC	185.31	186.08	200.70	201.47	accommodates splice
		22H-1	195.30	196.80	212.46	213.96	accommodates splice
		29H-7 to 29H-CC	270.80	271.83	293.09	294.12	accommodates splice
		30H-7 to 30H-CC	280.30	281.29	304.26	305.25	accommodates splice
		31H-8 to 31H-CC	289.02	290.33	313.68	314.99	accommodates splice
		32H-4 to 32H-CC	294.80	300.26	321.89	327.35	accommodates splice
		33H-3 to 33H-CC	302.80	309.80	330.47	337.47	accommodates splice
	C	7H-7 to 7H-CC	61.50	62.38	69.36	70.24	accommodates splice

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

		10H-1 to 10H-CC	81.00	90.84	89.89	99.73	accommodates splice
		20H-5 to 20H-7	182.00	185.02	197.93	200.95	accommodates splice
		21H-1 to 21H-CC	185.50	195.30	202.46	212.26	accommodates splice
		22H-1 to 24H-CC	195.00	224.03	213.51	243.13	accommodates splice
		26H-2 to 26H-CC	238.50	247.17	259.26	267.93	accommodates splice
		28H-1 to 28H-7	256.00	265.77	277.69	287.46	accommodates splice
	D	1H-1 to 1H-4	0.00	6.00	0.05	6.05	accommodates splice
		3H-6 to 4H-1	24.00	27.50	26.11	30.41	accommodates splice
		9H-7 to 9H-CC	82.50	83.42	88.69	89.61	accommodates splice
		12H-2	105.50	107.00	112.43	113.93	accommodates splice
		12H-4 to 13H-1	108.50	115.00	115.43	122.13	accommodates splice
		15H-1	132.50	134.00	141.31	142.81	accommodates splice
		16H-1 to 16H-2	142.00	145.00	152.38	155.38	accommodates splice
		18H-5 to 18H-6	167.00	169.63	180.33	182.96	accommodates splice
		19H-4 to 19H-7	175.00	180.00	189.65	194.65	accommodates splice
U1307	A	1H-1	0.00	1.50	0.00	1.50	accommodates splice
		1H-6 to 2H-1	7.50	11.00	7.50	11.19	accommodates splice
		2H-7 to 3H-1	18.50	20.50	18.69	21.58	accommodates splice
		3H-7 to 4H-2	27.80	31.50	28.88	33.54	accommodates splice
		4H-7 to 4H-CC	37.50	38.50	39.54	40.54	accommodates splice
		5H-6 to 8H-2	45.47	65.00	48.52	70.13	accommodates splice
		8H-CC to 9H-CC	71.78	73.75	76.91	78.88	accommodates splice
		10H-6 to 10H-CC	85.20	87.29	91.57	93.66	accommodates splice
		11H-5 to 11H-6	93.20	96.16	99.72	102.68	accommodates splice
		12H-4 to 14H-1	101.20	113.90	108.88	121.81	accommodates splice
		14H-7 to 17H-CC	121.40	145.15	129.31	153.01	accommodates splice
		18H-CC to 19H-CC	152.96	163.09	161.35	173.70	single cored, below splice
	B	1H-3 to 2H-1	3.00	6.30	3.00	6.70	accommodates splice
		2H-6 to 3H-2	12.30	17.30	12.70	18.60	accommodates splice
		4H-6	31.30	32.05	34.49	35.24	accommodates splice
		5H-5 to 5H-CC	39.30	43.35	43.24	47.29	accommodates splice
		8H-5 to 8H-6	67.80	69.84	72.71	74.75	accommodates splice
		9H-CC to 10H-3	81.09	85.30	85.63	90.06	accommodates splice
		10H-CC to 11H-1	90.59	91.80	95.24	97.00	accommodates splice
		11H-CC	99.88	100.25	105.08	105.45	accommodates splice
		13H-6 to 13H-CC	116.80	119.26	123.33	125.79	accommodates splice
		16H-6 to 17H-3	145.30	151.80	154.62	161.12	accommodates splice
U1308	A	1H-1 to 1H-CC	0.00	8.62	0.00	8.62	accommodates splice
		2H-1 to 3H-CC	8.60	27.21	9.58	28.63	accommodates splice
		6H-1 to 6H-CC	46.60	56.13	52.69	62.22	accommodates splice
		9H-1 to 9H-CC	75.10	83.39	84.16	92.45	accommodates splice
		11H-1 to 11H-CC	94.10	104.12	102.49	112.51	accommodates splice
		13H-1 to 13H-CC	113.10	121.66	124.18	132.74	accommodates splice
		14H-1 to 15H-CC	122.60	141.35	135.00	154.81	accommodates splice
		16H-1 to 18H-CC	141.60	170.73	157.50	193.17	accommodates splice
		20H-1 to 20H-CC	179.60	184.50	191.67	203.94	accommodates splice
		21H-1 to 26H-CC	189.10	245.61	204.25	260.78	accommodates splice
		28H-1 to 30H-CC	255.60	282.14	270.77	297.31	accommodates splice
		31H-2 to 36H-CC	285.60	340.72	300.77	355.89	accommodates splice

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

B	5H-4 to 5H-5	37.00	40.00	41.59	44.59	accommodates splice
C	2H-2	5.90	7.41	7.79	9.30	accommodates splice
	7H-5 to 7H-CC	55.87	60.06	63.20	67.39	accommodates splice
	10H-2 to 11H-1	81.90	91.40	92.11	103.09	accommodates splice
	12H-1 to 13H-1	99.40	110.40	112.19	124.81	accommodates splice
	16H-1 to 16H-2	137.40	140.40	154.80	157.80	accommodates splice
	19H-3 to 19H-5	168.90	173.40	188.67	193.17	accommodates splice
	26H-4 to 27H-3	236.90	246.43	261.01	270.54	accommodates splice
	30H-3 to 30H-4	273.40	276.40	297.51	300.51	accommodates splice
E	7H-1 to 7H-CC	60.00	66.96	68.84	75.80	accommodates splice
	8H-1 to 8H-4	69.50	75.50	79.31	85.31	accommodates splice
	13H-2 to 13H-3	117.50	120.50	132.63	135.63	accommodates splice
	20H-2	183.00	184.50	202.44	203.94	accommodates splice
F	3H-6 to 4H-6	25.17	37.00	29.21	41.32	accommodates splice
	5H-1 to 5H-6	38.00	47.00	44.26	53.26	accommodates splice
	7H-CC to 8H-2	66.42	69.50	75.15	79.70	accommodates splice
	10H-2	87.00	88.50	100.10	101.60	accommodates splice

Expedition 304

Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
U1309	A	1R-1 to 1R-CC	0.00	1.92	-	-	igneous rock
	B	1R-1 to 20R-2	0.00	101.13	-	-	igneous rock
	D	1R-1 to 78R-4	20.50	401.60	-	-	igneous rock
	E	1R-1 to 1R-5	0.00	5.60	-	-	igneous rock
	F	1R-1 to 1R-CC	0.00	6.09	-	-	igneous rock
	G	1X-1 to 1X-CC	0.00	0.91	-	-	igneous rock
	H	1R-1	0.00	0.19	-	-	igneous rock
U1310	A	1M-1	0.00	0.55	-	-	igneous rock
	B	1R-1 to 1R-2	0.00	1.70	-	-	igneous rock
U1311	A	1R-1 to 2G-1	0.00	1.99	-	-	igneous rock

Expedition 305

Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
U1309	D	79G-1 to 295R-3	0.00	1415.31	-	-	igneous rock

Expedition 306

Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
U1312	A	1H-1 to 4H-1	0.00	30.00	3.23	30.30	accommodates splice
		4H-CC to 6H-1	36.00	49.00	36.30	49.60	accommodates splice
		6H-6 to 7H-1	55.00	58.50	55.60	59.24	accommodates splice
		7H-CC	66.74	67.03	67.48	67.77	accommodates splice
		8H-7 to 9H-1	75.50	77.50	77.00	82.40	accommodates splice
		9H-6 to 10H-1	83.50	87.00	88.40	92.35	accommodates splice
		10H-7 to 11H-2	94.50	98.00	99.85	103.11	accommodates splice
		11H-7 to 12H-1	104.00	106.00	109.11	112.36	accommodates splice
		12H-7 to 14H-1	113.50	125.00	119.86	134.04	accommodates splice
		14H-7 to 15H-1	132.50	134.50	141.54	144.48	accommodates splice
		15H-7 to 17H-CC	142.00	162.14	151.98	178.57	below splice
		18H-3 to 25H-CC	164.50	238.03	183.23	257.51	below splice

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

U1313	B	4H-7 to 5H-2	31.90	35.40	31.90	35.05	accommodates splice		
		6H-7 to 7H-2	50.90	54.40	50.90	54.40	accommodates splice		
		7H-7 to 8H-2	60.40	63.90	60.40	67.10	accommodates splice		
		8H-3 to 9H-1	63.90	71.90	67.10	76.05	accommodates splice		
		9H-7 to 10H-1	79.40	81.40	83.55	87.55	accommodates splice		
		10H-7 to 11H-2	88.90	92.40	95.05	98.45	accommodates splice		
		11H-7 to 11H-CC	98.40	99.29	104.45	105.34	accommodates splice		
		12H-7 to 12H-CC	106.66	107.31	114.37	115.02	accommodates splice		
		14H-7 to 15H-1	126.90	128.90	136.89	138.83	accommodates splice		
		15H-CC to 16H-1	135.85	138.40	145.78	150.83	accommodates splice		
		19H-4 to 19H-CC	169.90	175.53	178.63	184.26	below splice		
		U1313	A	1H-1 to 1H-3	0.00	4.50	0.00	4.50	accommodates splice
				2H-3 to 2H-6	8.20	14.20	83.81	14.81	accommodates splice
				3H-2 to 3H-4	16.20	20.70	17.74	22.24	accommodates splice
				4H-2 to 4H-7	25.70	33.86	29.45	37.61	accommodates splice
				5H-2 to 5H-6	35.20	42.70	39.95	47.45	accommodates splice
				6H-4 to 6H-7	46.38	51.74	52.60	57.96	accommodates splice
				7H-2 to 7H-6	54.20	61.70	62.09	69.59	accommodates splice
				8H-2 to 8H-4	63.70	68.20	72.53	77.03	accommodates splice
9H-2 to 9H-6	73.20			80.70	82.63	90.13	accommodates splice		
10H-2 to 10H-6	82.70			90.20	93.41	100.91	accommodates splice		
11H-2 to 11H-5	92.20			98.20	104.16	110.16	accommodates splice		
12H-2 to 12H-7	101.70			109.90	114.54	122.74	accommodates splice		
13H-2 to 13H-7	111.20			119.35	123.95	132.10	accommodates splice		
14H-2 to 14H-6	120.70			128.20	134.56	142.06	accommodates splice		
15H-3 to 15H-6	131.70			137.70	146.36	152.36	accommodates splice		
16H-3 to 16H-6	141.20			147.20	156.43	162.43	accommodates splice		
17H-3 to 33H-CC	150.70			308.64	167.31	338.19	accommodates splice/below splice		
U1314	D			1H-3 to 1H-6	3.00	9.00	4.02	10.02	accommodates splice
				2H-3 to 2H-5	12.50	17.00	13.68	18.18	accommodates splice
		3H-1 to 3H-6	19.00	28.00	21.60	30.60	accommodates splice		
		4H-4 to 4H-5	33.00	36.00	37.40	40.40	accommodates splice		
		5H-3 to 5H-6	41.00	47.00	46.75	52.75	accommodates splice		
		6H-3 to 6H-6	50.50	56.50	56.77	62.77	accommodates splice		
		7H-4 to 7H-6	61.50	66.00	69.41	73.91	accommodates splice		
		8H-3 to 8H-6	69.50	75.50	77.08	83.08	accommodates splice		
		9H-4 to 9H-6	80.50	85.00	89.23	93.73	accommodates splice		
		10H-4 to 10H-7	90.00	95.22	100.04	105.26	accommodates splice		
		11H-4 to 11H-7	99.50	104.78	110.22	115.5	accommodates splice		
		12H-5 to 12H-6	110.50	113.50	121.96	124.96	accommodates splice		
		13H-4 to 13H-6	118.50	123.00	131.21	135.71	accommodates splice		
		14H-4 to 14H-6	128.00	132.50	142.01	146.51	accommodates splice		
		15H-3 to 15H-6	136.00	142.00	151.19	157.19	accommodates splice		
		16H-3 to 16H-6	145.50	151.50	162.12	168.12	accommodates splice		
		U1314	A	1H-1 to 8H-2	0.00	61.90	0.00	64.65	accommodates splice
				8H-7 to 11H-6	67.90	96.40	70.65	101.45	accommodates splice
				12H-1 to 20H-1	96.90	174.40	103.80	188.0	accommodates splice
23H-7 to 24H-1	210.40			212.40	225.25	227.95	accommodates splice		
24H-7 to 25H-1	219.90			221.90	235.45	237.95	accommodates splice		

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

		25H-7 to 26H-1	229.40	231.40	245.45	248.20	accommodates splice
		26H-6 to 26H-CC	237.40	239.76	254.20	256.56	accommodates splice
		27H-7 to 28H-1	248.40	250.36	267.95	270.10	accommodates splice
		28H-4 to 28H-CC	253.36	257.58	273.10	277.32	accommodates splice
	B	3H-5	19.50	21.00	21.20	22.70	accommodates splice
		8H-1 to 8H-4	61.00	67.00	64.65	70.65	accommodates splice
		20H-7 to 21H-3	184.00	189.00	198.95	204.20	accommodates splice
		22H-2	195.50	197.00	211.70	213.20	accommodates splice
		22H-CC to 23H-3	203.63	208.00	219.83	224.45	accommodates splice
		23H-7 to 24H-3	212.50	217.50	228.95	234.90	accommodates splice
		24H-7 to 25H-2	222.00	225.50	239.40	243.75	accommodates splice
		25H-7 to 26H-1	231.50	233.50	249.75	252.55	accommodates splice
		26H-7 to 27H-2	241.00	244.50	260.05	265.55	accommodates splice
		27H-7	250.50	251.06	271.55	272.11	accommodates splice
		28H-5 to 30H-CC	257.00	279.91	277.45	300.36	single cored, below splice
	C	9H-3	77.70	79.20	81.50	83.00	accommodates splice
		11H-2 to 11H-3	95.20	98.20	101.40	104.40	accommodates splice
		12H-2	104.70	106.20	112.85	114.35	accommodates splice
		13H-2	114.20	115.70	123.90	125.40	accommodates splice
		14H-2	123.70	125.20	134.80	136.30	accommodates splice
		17H-4	155.20	156.70	166.50	168.00	accommodates splice
		19H-5 to 19H-6	175.70	178.70	188.55	191.55	accommodates splice
		20H-1 to 20H-5	179.20	186.70	191.30	198.80	accommodates splice
		21H-2 to 22H-5	190.20	205.70	204.20	219.85	accommodates splice
U1315	A	Drilled. No Cores.	-	-	-	-	Drilled. No Cores.

Expedition 307							
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
U1316	A	1H-CC	6.77	7.33	6.77	7.33	accommodates splice
		2H-7 to 2H-CC	16.30	17.34	17.50	18.54	accommodates splice
		3H-7 to 3H-CC	25.80	26.93	27.07	28.20	accommodates splice
		4H-6 to 4H-CC	33.80	36.26	35.87	38.33	accommodates splice
		5H-CC to 6H-1	44.83	46.80	46.78	49.55	accommodates splice
		6H-7 to 6H-CC	54.30	55.32	57.05	58.07	accommodates splice
		7H-CC to 10X-CC	57.79	80.15	62.11	85.51	accommodates splice
		11X-4 to 11X-CC	82.80	84.28	88.16	89.64	accommodates splice
		12X-CC	85.68	86.11	92.43	92.86	accommodates splice
		13X-CC to 15X-CC	93.44	95.96	100.19	104.00	accommodates splice
		16X-7 to 17X-CC	108.48	110.12	116.52	119.41	accommodates splice
		18X-7 to 19X-1	121.30	119.76	132.87	131.33	accommodates splice
		20X-2 to 21X-CC	119.65	132.54	130.95	143.09	accommodates splice
	B	1H-1 to 1H-CC	0.00	5.50	0.25	5.75	accommodates splice
		2H-3 to 2H-CC	8.50	15.18	9.30	15.98	accommodates splice
		3H-3 to 3H-CC	18.00	24.94	18.60	25.54	accommodates splice
		4H-4 to 4H-CC	29.50	34.47	29.76	34.73	accommodates splice
		5H-4 to 6H-1	39.00	45.00	39.50	45.56	accommodates splice
		6H-6 to 7H-2	51.50	55.40	52.06	55.54	accommodates splice
		7H-CC to 8H-CC	59.07	59.48	59.21	59.62	accommodates splice
	C	2R-CC	53.26	53.56	60.25	60.55	accommodates splice

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

		3R-CC	63.65	63.90	70.83	71.08	accommodates splice
		6R-1 to 6R-2	87.60	90.16	95.46	98.02	accommodates splice
		7R-1	97.20	98.70	106.55	108.05	accommodates splice
		7R-3 to 7R-5	100.20	104.70	109.55	114.05	accommodates splice
		7R-CC	106.95	107.20	116.30	116.55	accommodates splice
		9R-1	116.60	118.10	126.86	128.36	accommodates splice
		11R-1 to 11R-2	133.40	136.40	143.66	146.66	single cored, below splice
		11R-4 to 11R-CC	137.90	143.36	148.16	143.36	single cored, below splice
U1317	B	1H-1 to 17X-CC	0.00	151.44	-	-	unique coral content in sediments, PA copy 1
	C	1H-1 to 18X-CC	0.00	154.25	-	-	unique coral content in sediments, PA copy 2
	D	4R-1 to 18R-CC	136.20	269.12	-	-	single cored, below splice
U1318	A	1H-1 to 1H-3	0.00	5.00	-0.36	4.64	accommodates splice
		1H-6 to 2H-2	8.00	12.20	7.64	12.14	accommodates splice
		2H-6 to 3H-2	17.20	21.70	17.14	22.49	accommodates splice
		3H-7 to 4H-2	27.80	30.05	28.59	31.99	accommodates splice
		4H-6 to 5H-1	34.55	39.20	36.49	41.11	accommodates splice
		5H-5 to 6H-1	44.20	48.70	46.11	50.01	accommodates splice
		6H-7 to 7H-2	55.90	59.70	57.21	61.56	accommodates splice
		7H-CC to 8H-2	64.57	69.17	66.43	71.76	accommodates splice
		8H-CC to 9H-2	73.41	78.70	76.00	81.21	accommodates splice
		9H-6 to 10H-3	83.70	89.70	86.21	92.35	accommodates splice
		10H-CC to 11H-3	94.00	99.70	96.65	102.16	accommodates splice
		12H-6	111.70	112.50	114.11	114.91	accommodates splice
		13H-2	115.20	116.70	117.41	118.91	accommodates splice
		14H-4	127.70	128.21	130.59	131.10	accommodates splice
		15H-1 to 15H-5	132.70	139.06	135.59	141.95	accommodates splice
	B	2H-1	5.00	6.50	4.69	6.19	accommodates splice
		4H-1 to 4H-2	24.00	27.00	24.54	27.54	accommodates splice
		4H-CC to 5H-1	32.96	35.00	33.50	35.29	accommodates splice
		5H-7 to 5H-CC	42.00	43.28	42.29	43.57	accommodates splice
		6H-6 to 7H-1	50.50	54.00	51.81	55.61	accommodates splice
		7H-CC	61.54	61.96	63.15	63.57	accommodates splice
		8H-CC to 12H-1	70.84	101.50	72.80	104.11	accommodates splice
		13H-1 to 13H-3	109.50	114.00	112.76	117.26	accommodates splice
		13H-CC	117.47	117.85	120.73	121.11	accommodates splice
		14H-CC	127.27	127.44	130.11	130.28	accommodates splice
		17X-1 to 27X-CC	147.70	241.41	150.84	244.55	single cored, below splice
	C	5H-1 to 5H-CC	98.50	106.85	103.45	111.80	accommodates splice
		6H-CC to 7H-6	115.24	125.64	119.35	129.75	accommodates splice
		9X-CC	144.82	145.22	149.26	149.66	accommodates splice

Expedition 308							
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
U1319	A	1H-1 to 18X-CC	0.00	157.50	-	-	single cored
U1320	A	1H-1 to 33X-CC	0.00	299.60	-	-	single cored
U1321	N/A	Cores.	-	-	-	-	Drilled/logged. No Cores.
U1322	B	1H-1 to 29H-CC	0.00	234.50	-	-	deepest hole
U1323	N/A	Cores.	-	-	-	-	Drilled/logged. No Cores.
U1324	B	1H-1 to 74X-CC	0.00	608.20	-	-	deepest hole

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

Expedition 309							
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
1256	D	75R-1 to 170R-3	752.00	1255.52	-	-	igneous rock

Expedition 310							
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
M0005	A	1R to 12R	0.00	16.35	-	-	unique reef sediments and rocks
	B	1R to 8R	0.00	21.75	-	-	unique reef sediments and rocks
	C	1R to 16R	0.00	27.91	-	-	unique reef sediments and rocks
	D	1R to 36R	0.00	102.17	-	-	unique reef sediments and rocks
	E	1R to 4R	0.00	2.00	-	-	unique reef sediments and rocks
M0006	A	1R to 4R	0.00	2.00	-	-	unique reef sediments and rocks
M0007	A	1R to 36R	0.00	44.40	-	-	unique reef sediments and rocks
	B	1R to 36R	0.00	48.23	-	-	unique reef sediments and rocks
	C	1R to 22R	0.00	32.25	-	-	unique reef sediments and rocks
M0008	A	1R to 19R	0.00	40.20	-	-	unique reef sediments and rocks
M0009	A	1R to 18R	0.00	23.04	-	-	unique reef sediments and rocks
	B	1R to 18R	0.00	27.12	-	-	unique reef sediments and rocks
	C	1R to 21R	0.00	25.66	-	-	unique reef sediments and rocks
	D	1R to 25R	0.00	44.59	-	-	unique reef sediments and rocks
	E	1R to 12R	0.00	20.50	-	-	unique reef sediments and rocks
M0010	A	1R to 20R	0.00	34.60	-	-	unique reef sediments and rocks
M0011	A	1R to 12R	0.00	17.65	-	-	unique reef sediments and rocks
M0012	A	1R to 19R	0.00	34.10	-	-	unique reef sediments and rocks
M0013	A	1R to 5R	0.00	11.70	-	-	unique reef sediments and rocks
M0014	A	1R to 14R	0.00	21.81	-	-	unique reef sediments and rocks
M0015	A	1R to 41R	0.00	42.18	-	-	unique reef sediments and rocks
	B	1R to 38R	0.00	40.12	-	-	unique reef sediments and rocks
M0016	A	1R to 36R	0.00	38.31	-	-	unique reef sediments and rocks
	B	1R to 24R	0.00	44.62	-	-	unique reef sediments and rocks
M0017	A	1R to 21R	0.00	40.56	-	-	unique reef sediments and rocks
M0018	A	1R to 22R	0.00	40.05	-	-	unique reef sediments and rocks
M0019	A	1R to 34R	0.00	66.96	-	-	unique reef sediments and rocks
M0020	A	1R to 25R	0.00	42.16	-	-	unique reef sediments and rocks
M0021	A	1R to 22R	0.00	34.23	-	-	unique reef sediments and rocks
	B	1R to 20R	0.00	32.81	-	-	unique reef sediments and rocks
M0022	A	1R to 4R	0.00	8.80	-	-	unique reef sediments and rocks
M0023	A	1R to 16R	0.00	31.36	-	-	unique reef sediments and rocks
	B	1R to 16R	0.00	31.12	-	-	unique reef sediments and rocks
M0024	A	1R to 16R	0.00	31.85	-	-	unique reef sediments and rocks
M0025	A	1R to 13R	0.00	20.93	-	-	unique reef sediments and rocks
	B	1R to 13R	0.00	20.50	-	-	unique reef sediments and rocks
M0026	A	1R to 8R	0.00	12.40	-	-	unique reef sediments and rocks

Expedition 311							
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
U1325	B	1H to 28P	0.00	206.50	-	-	multiple holes, low recovery, small overlap
	C	1X to 15X	188.80	304.30	-	-	multiple holes, low recovery, small overlap

Integrated Ocean Drilling Program Permanent Archives, Expeditions 301 to 312

U1326	C	1H to 13E	0.00	86.70	-	-	multiple holes, low recovery, small overlap
	D	1X to 20X	78.80	270.79	-	-	multiple holes, low recovery, small overlap
U1327	C	1H to 35X	0.00	300.00	-	-	deepest hole
U1328	B	1H to 10H	0.00	56.50	-	-	multiple holes, low recovery, no overlap
	C	1H to 27X	56.50	300.00	-	-	multiple holes, low recovery, no overlap
U1329	C	1H to 23P	0.00	189.50	-	-	multiple holes, low recovery, no overlap
U1329	D	1X	201.00	210.50	-	-	multiple holes, low recovery, no overlap

Expedition 312							
Site	Hole	Core/Section	Depth (mbsf)Top	Depth (mbsf) Bottom	Depth (mcd)Top	Depth (mcd) Bottom	Comments
1256	D	171G-1 to 234R-1	0.00	1502.83	-	-	igneous rock