

<b>U1332 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1332	B	1	H	1	1.50	1.50	0.00	1.50	0.15	1.65		accommodates splice	
320	U1332	B	1	H	2	0.40	0.40	1.50	1.90	1.65	2.05	0.00	accommodates splice	
320	U1332	B	1	H	CC	0.20	0.20	1.90	2.10	2.05	2.25	0.00	accommodates splice	
320	U1332	A	1	H	3	0.74	0.74	3.00	3.74	3.00	3.74	0.75	accommodates splice	
320	U1332	A	1	H	CC	0.17	0.17	3.74	3.91	3.74	3.91	0.00	accommodates splice	
320	U1332	A	2	H	1	1.50	1.50	3.90	5.40	4.21	5.71	0.30	accommodates splice	
320	U1332	B	2	H	2	1.50	1.50	3.60	5.10	4.25	5.75	-1.46	accommodates splice	
320	U1332	B	2	H	3	1.50	1.50	5.10	6.60	5.75	7.25	0.00	accommodates splice	
320	U1332	B	2	H	4	1.50	1.50	6.60	8.10	7.25	8.75	0.00	accommodates splice	
320	U1332	B	2	H	5	1.50	1.50	8.10	9.60	8.75	10.25	0.00	accommodates splice	
320	U1332	B	2	H	6	1.50	1.50	9.60	11.10	10.25	11.75	0.00	accommodates splice	
320	U1332	A	2	H	6	1.50	1.50	11.40	12.90	11.71	13.21	-0.04	accommodates splice	
320	U1332	A	2	H	7	0.53	0.53	12.90	13.43	13.21	13.74	0.00	accommodates splice	
320	U1332	A	2	H	CC	0.24	0.24	13.43	13.67	13.74	13.98	0.00	accommodates splice	
320	U1332	A	3	H	1	1.50	1.50	13.40	14.90	14.05	15.55	0.07	accommodates splice	
320	U1332	B	3	H	2	1.50	1.50	13.10	14.60	15.25	16.75	-0.30	accommodates splice	
320	U1332	B	3	H	3	1.50	1.50	14.60	16.10	16.75	18.25	0.00	accommodates splice	
320	U1332	B	3	H	4	1.50	1.50	16.10	17.60	18.25	19.75	0.00	accommodates splice	
320	U1332	B	3	H	5	1.50	1.50	17.60	19.10	19.75	21.25	0.00	accommodates splice	
320	U1332	B	3	H	6	0.49	0.49	19.10	19.59	21.25	21.74	0.00	accommodates splice	
320	U1332	A	3	H	6	1.50	1.50	20.90	22.40	21.55	23.05	-0.19	accommodates splice	
320	U1332	A	3	H	7	0.82	0.82	22.40	23.22	23.05	23.87	0.00	accommodates splice	
320	U1332	A	3	H	CC	0.34	0.34	23.22	23.56	23.87	24.21	0.00	accommodates splice	
320	U1332	B	4	H	1	1.50	1.50	19.60	21.10	23.75	25.25	-0.46	accommodates splice	
320	U1332	B	4	H	2	1.50	1.50	21.10	22.60	25.25	26.75	0.00	accommodates splice	
320	U1332	B	4	H	3	1.50	1.50	22.60	24.10	26.75	28.25	0.00	accommodates splice	
320	U1332	B	4	H	4	1.50	1.50	24.10	25.60	28.25	29.75	0.00	accommodates splice	
320	U1332	B	4	H	5	1.50	1.50	25.60	27.10	29.75	31.25	0.00	accommodates splice	
320	U1332	B	4	H	6	1.50	1.50	27.10	28.60	31.25	32.75	0.00	accommodates splice	
320	U1332	B	4	H	7	0.78	0.78	28.60	29.38	32.75	33.53	0.00	accommodates splice	
320	U1332	A	4	H	6	1.50	1.50	30.40	31.90	32.95	34.45	-0.58	accommodates splice	
320	U1332	A	4	H	7	0.79	0.79	31.90	32.69	34.45	35.24	0.00	accommodates splice	
320	U1332	A	4	H	CC	0.31	0.31	32.69	33.00	35.24	35.55	0.00	accommodates splice	
320	U1332	C	4	H	6	1.50	1.50	34.00	35.50	36.35	37.85	0.80	accommodates splice	
320	U1332	A	5	H	1	1.50	1.50	32.40	33.90	37.45	38.95	-0.40	accommodates splice	
320	U1332	A	5	H	2	1.50	1.50	33.90	35.40	38.95	40.45	0.00	accommodates splice	
320	U1332	A	5	H	3	1.50	1.50	35.40	36.90	40.45	41.95	0.00	accommodates splice	
320	U1332	A	5	H	4	1.50	1.50	36.90	38.40	41.95	43.45	0.00	accommodates splice	
320	U1332	A	5	H	5	1.50	1.50	38.40	39.90	43.45	44.95	0.00	accommodates splice	
320	U1332	A	5	H	6	1.50	1.50	39.90	41.40	44.95	46.45	0.00	accommodates splice	
320	U1332	A	5	H	7	0.87	0.87	41.40	42.27	46.45	47.32	0.00	accommodates splice	
320	U1332	A	5	H	CC	0.25	0.25	42.27	42.52	47.32	47.57	0.00	accommodates splice	
320	U1332	B	6	H	2	1.50	1.50	40.10	41.60	47.15	48.65	47.15	accommodates splice	
320	U1332	B	6	H	3	1.50	1.50	41.60	43.10	48.65	50.15	0.00	accommodates splice	
320	U1332	B	6	H	4	1.50	1.50	43.10	44.60	50.15	51.65	0.00	accommodates splice	
320	U1332	B	6	H	5	1.50	1.50	44.60	46.10	51.65	53.15	0.00	accommodates splice	
320	U1332	B	6	H	6	1.50	1.50	46.10	47.60	53.15	54.65	0.00	accommodates splice	
320	U1332	B	6	H	7	0.81	0.81	47.60	48.41	54.65	55.46	0.00	accommodates splice	
320	U1332	B	6	H	CC	0.14	0.14	48.41	48.55	55.46	55.60	0.00	accommodates splice	
320	U1332	A	6	H	CC	0.32	0.32	51.70	52.02	57.20	57.52	1.60	accommodates splice	
320	U1332	B	7	H	1	1.50	1.50	48.10	49.60	58.45	59.95	0.93	accommodates splice	
320	U1332	A	7	H	1	1.50	1.50	51.40	52.90	59.15	60.65	-0.80	accommodates splice	
320	U1332	A	7	H	2	1.50	1.50	52.90	54.40	60.65	62.15	0.00	accommodates splice	
320	U1332	A	7	H	3	1.50	1.50	54.40	55.90	62.15	63.65	0.00	accommodates splice	
320	U1332	A	7	H	4	1.50	1.50	55.90	57.40	63.65	65.15	0.00	accommodates splice	
320	U1332	A	7	H	5	1.50	1.50	57.40	58.90	65.15	66.65	0.00	accommodates splice	
320	U1332	A	7	H	6	1.50	1.50	58.90	60.40	66.65	68.15	0.00	accommodates splice	
320	U1332	A	7	H	7	0.88	0.88	60.40	61.28	68.15	69.03	0.00	accommodates splice	
320	U1332	A	8	H	1	1.50	1.50	60.90	62.40	68.25	69.75	-0.78	accommodates splice	
320	U1332	A	8	H	2	1.50	1.50	62.40	63.90	69.75	71.25	0.00	accommodates splice	
320	U1332	A	8	H	3	1.50	1.50	63.90	65.40	71.25	72.75	0.00	accommodates splice	

<b>U1332 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1332	A	8	H	4	1.50	1.50	65.40	66.90	72.75	74.25	0.00	accommodates splice	
320	U1332	A	8	H	5	1.50	1.50	66.90	68.40	74.25	75.75	0.00	accommodates splice	
320	U1332	A	8	H	6	1.50	1.50	68.40	69.90	75.75	77.25	0.00	accommodates splice	
320	U1332	A	8	H	7	0.82	0.82	69.90	70.72	77.25	78.07	0.00	accommodates splice	
320	U1332	A	8	H	CC	0.33	0.33	70.72	71.05	78.07	78.40	0.00	accommodates splice	
320	U1332	C	10	H	2	1.50	1.50	77.00	78.50	77.55	79.05	-0.85	accommodates splice	
320	U1332	C	10	H	3	1.50	1.50	78.50	80.00	79.05	80.55	0.00	accommodates splice	
320	U1332	C	10	H	4	1.50	1.50	80.00	81.50	80.55	82.05	0.00	accommodates splice	
320	U1332	C	10	H	5	1.50	1.50	81.50	83.00	82.05	83.55	0.00	accommodates splice	
320	U1332	A	9	H	CC	0.30	0.30	80.22	80.52	82.85	83.15	-0.70	accommodates splice	
320	U1332	A	10	H	1	1.50	1.50	79.90	81.40	83.20	84.70	0.05	accommodates splice	
320	U1332	A	10	H	2	1.50	1.50	81.40	82.90	84.70	86.20	0.00	accommodates splice	
320	U1332	A	10	H	3	1.50	1.50	82.90	84.40	86.20	87.70	0.00	accommodates splice	
320	U1332	C	11	H	1	1.50	1.50	85.00	86.50	88.43	89.93	0.73	accommodates splice	
320	U1332	C	11	H	2	1.50	1.50	86.50	88.00	89.93	91.43	0.00	accommodates splice	
320	U1332	A	10	H	7	0.67	0.67	88.90	89.57	92.20	92.87	0.77	accommodates splice	
320	U1332	A	10	H	CC	0.37	0.37	89.57	89.94	92.87	93.24	0.00	accommodates splice	
320	U1332	A	11	H	1	1.50	1.50	89.40	90.90	92.78	94.28	-0.46	accommodates splice	
320	U1332	B	11	H	2	1.50	1.50	87.60	89.10	93.49	94.99	-0.79	accommodates splice	
320	U1332	B	11	H	3	1.50	1.50	89.10	90.60	94.99	96.49	0.00	accommodates splice	
320	U1332	B	11	H	4	1.50	1.50	90.60	92.10	96.49	97.99	0.00	accommodates splice	
320	U1332	B	11	H	5	1.50	1.50	92.10	93.60	97.99	99.49	0.00	accommodates splice	
320	U1332	B	11	H	CC	0.27	0.27	93.60	93.87	99.49	99.76	0.00	accommodates splice	
320	U1332	B	12	H	1	1.50	1.50	91.10	92.60	100.37	101.87	0.61	accommodates splice	
320	U1332	A	11	H	CC	0.32	0.32	98.25	98.57	101.63	101.95	-0.24	accommodates splice	
320	U1332	B	12	H	2	1.50	1.50	92.60	94.10	101.87	103.37	-0.08	accommodates splice	
320	U1332	B	12	H	3	1.50	1.50	94.10	95.60	103.37	104.87	0.00	accommodates splice	
320	U1332	B	12	H	4	1.50	1.50	95.60	97.10	104.87	106.37	0.00	accommodates splice	
320	U1332	B	12	H	5	1.50	1.50	97.10	98.60	106.37	107.87	0.00	accommodates splice	
320	U1332	B	12	H	6	1.50	1.50	98.60	100.10	107.87	109.37	0.00	accommodates splice	
320	U1332	B	12	H	7	0.61	0.61	100.10	100.71	109.37	109.98	0.00	accommodates splice	
320	U1332	B	12	H	CC	0.35	0.35	100.71	101.06	109.98	110.33	0.00	accommodates splice	
320	U1332	A	12	H	5	1.50	1.50	104.90	106.40	111.12	112.62	0.79	accommodates splice	
320	U1332	A	12	H	6	1.30	1.30	106.40	107.70	112.62	113.92	0.00	accommodates splice	
320	U1332	A	12	H	7	0.54	0.54	107.70	108.24	113.92	114.46	0.00	accommodates splice	
320	U1332	A	12	H	CC	0.26	0.26	108.24	108.50	114.46	114.72	0.00	accommodates splice	
320	U1332	C	13	H	4	1.50	1.50	108.50	110.00	114.10	115.60	-0.62	accommodates splice	
320	U1332	C	13	H	5	1.50	1.50	110.00	111.50	115.60	117.10	0.00	accommodates splice	
320	U1332	A	13	H	1	1.50	1.50	108.40	109.90	117.02	118.52	-0.08	accommodates splice	
320	U1332	C	13	H	7	0.77	0.77	113.00	113.77	118.60	119.37	0.08	accommodates splice	
320	U1332	C	13	H	CC	0.36	0.36	113.77	114.13	119.37	119.73	0.00	accommodates splice	
320	U1332	B	13	H	7	0.85	0.85	109.60	110.45	120.08	120.93	0.35	accommodates splice	
320	U1332	B	13	H	CC	0.36	0.36	110.45	110.81	120.93	121.29	0.00	accommodates splice	
320	U1332	C	14	X	1	0.85	0.85	113.50	114.35	121.46	122.31	0.17	accommodates splice	
320	U1332	C	14	X	2	1.50	1.50	114.35	115.85	122.31	123.81	0.00	accommodates splice	
320	U1332	C	14	X	3	1.50	1.50	115.85	117.35	123.81	125.31	0.00	accommodates splice	
320	U1332	A	13	H	6	1.50	1.50	115.90	117.40	124.52	126.02	-0.79	accommodates splice	
320	U1332	A	13	H	7	0.78	0.78	117.40	118.18	126.02	126.80	0.00	accommodates splice	
320	U1332	A	13	H	CC	0.25	0.25	118.18	118.43	126.80	127.05	0.00	accommodates splice	
320	U1332	C	14	X	5	0.84	0.84	118.85	119.69	126.81	127.65	-0.24	accommodates splice	
320	U1332	C	14	X	CC	0.19	0.19	119.69	119.88	127.65	127.84	0.00	accommodates splice	
320	U1332	C	15	X	1	1.50	1.50	118.00	119.50	128.76	130.26	0.92	accommodates splice	
320	U1332	A	14	H	1	1.50	1.50	117.90	119.40	130.40	131.90	0.14	accommodates splice	
320	U1332	A	14	H	2	1.50	1.50	119.40	120.90	131.90	133.40	0.00	accommodates splice	
320	U1332	A	14	H	3	1.50	1.50	120.90	122.40	133.40	134.90	0.00	accommodates splice	
320	U1332	A	14	H	4	1.50	1.50	122.40	123.90	134.90	136.40	0.00	below splice	
320	U1332	A	14	H	5	1.50	1.50	123.90	125.40	136.40	137.90	0.00	below splice	
320	U1332	A	14	H	6	0.63	0.63	125.40	126.03	137.90	138.53	0.00	below splice	
320	U1332	A	14	H	CC	0.30	0.30	126.03	126.33	138.53	138.83	0.00	below splice	
320	U1332	B	15	X	5	1.50	1.50	122.10	123.60	138.15	139.65	-0.68	below splice	
320	U1332	A	15	X	1	1.50	1.50	125.90	127.40	139.40	140.90	-0.25	below splice	

<b>U1332 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1332	A	15	X	2	1.50	1.50	127.40	128.90	140.90	142.40	0.00	below splice	
320	U1332	A	15	X	3	1.50	1.50	128.90	130.40	142.40	143.90	0.00	below splice	
320	U1332	A	15	X	4	1.50	1.50	130.40	131.90	143.90	145.40	0.00	below splice	
320	U1332	A	15	X	5	0.90	0.90	131.90	132.80	145.40	146.30	0.00	below splice	
320	U1332	A	15	X	CC	0.18	0.18	132.80	132.98	146.30	146.48	0.00	below splice	
320	U1332	A	16	X	1	1.50	1.50	135.50	137.00	149.00	150.50	2.52	below splice	
320	U1332	A	16	X	2	0.87	0.87	137.00	137.87	150.50	151.37	0.00	below splice	
320	U1332	A	16	X	CC	0.38	0.38	137.87	138.25	151.37	151.75	0.00	below splice	
320	U1332	B	17	X	1	0.38	0.38	134.30	134.68	152.38	152.76	0.63	below splice	
320	U1332	B	17	X	CC	0.40	0.40	134.68	135.08	152.76	153.16	0.00	below splice	
320	U1332	A	17	X	1	1.33	1.33	144.50	145.83	158.00	159.33	4.84	below splice	
320	U1332	A	17	X	2	1.42	1.42	145.83	147.25	159.33	160.75	0.00	below splice	
320	U1332	A	17	X	3	0.87	0.87	147.25	148.12	160.75	161.62	0.00	below splice	
320	U1332	A	17	X	CC	0.14	0.14	148.12	148.26	161.62	161.76	0.00	below splice	
320	U1332	A	18	X	CC	0.16	0.16	150.40	150.56	163.90	164.06	2.14	below splice	