

U1334 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1334	C	1	H	1	1.50	1.50	0.00	1.50	3.65	5.15	3.65	accommodates splice	
320	U1334	C	1	H	2	1.50	1.50	1.50	3.00	5.15	6.65	0.00	accommodates splice	
320	U1334	B	1	H	1	1.50	1.50	3.70	5.20	7.70	9.20	1.05	accommodates splice	
320	U1334	B	1	H	2	1.50	1.50	5.20	6.70	9.20	10.70	0.00	accommodates splice	
320	U1334	B	1	H	3	1.50	1.50	6.70	8.20	10.70	12.20	0.00	accommodates splice	
320	U1334	B	1	H	4	1.50	1.50	8.20	9.70	12.20	13.70	0.00	accommodates splice	
320	U1334	B	1	H	5	1.50	1.50	9.70	11.20	13.70	15.20	0.00	accommodates splice	
320	U1334	B	1	H	6	1.50	1.50	11.20	12.70	15.20	16.70	0.00	accommodates splice	
320	U1334	B	1	H	7	0.78	0.78	12.70	13.48	16.70	17.48	0.00	accommodates splice	
320	U1334	B	1	H	CC	0.24	0.24	13.48	13.72	17.48	17.72	0.00	accommodates splice	
320	U1334	B	2	H	1	1.50	1.50	13.20	14.70	17.89	19.39	0.17	accommodates splice	
320	U1334	B	2	H	2	1.50	1.50	14.70	16.20	19.39	20.89	0.00	accommodates splice	
320	U1334	B	2	H	3	1.50	1.50	16.20	17.70	20.89	22.39	0.00	accommodates splice	
320	U1334	B	2	H	4	1.50	1.50	17.70	19.20	22.39	23.89	0.00	accommodates splice	
320	U1334	B	2	H	5	1.50	1.50	19.20	20.70	23.89	25.39	0.00	accommodates splice	
320	U1334	B	2	H	6	1.50	1.50	20.70	22.20	25.39	26.89	0.00	accommodates splice	
320	U1334	B	2	H	7	0.71	0.71	22.20	22.91	26.89	27.60	0.00	accommodates splice	
320	U1334	B	2	H	CC	0.17	0.17	22.91	23.08	27.60	27.77	0.00	accommodates splice	
320	U1334	C	3	H	3	1.50	1.50	21.30	22.80	27.95	29.45	0.18	accommodates splice	
320	U1334	C	3	H	4	1.50	1.50	22.80	24.30	29.45	30.95	0.00	accommodates splice	
320	U1334	C	3	H	5	1.50	1.50	24.30	25.80	30.95	32.45	0.00	accommodates splice	
320	U1334	C	3	H	6	1.50	1.50	25.80	27.30	32.45	33.95	0.00	accommodates splice	
320	U1334	C	3	H	7	0.65	0.65	27.30	27.95	33.95	34.60	0.00	accommodates splice	
320	U1334	C	3	H	CC	0.17	0.17	27.95	28.12	34.60	34.77	0.00	accommodates splice	
320	U1334	B	3	H	6	1.50	1.50	30.20	31.70	34.84	36.34	0.07	accommodates splice	
320	U1334	B	3	H	7	0.77	0.77	31.70	32.47	36.34	37.11	0.00	accommodates splice	
320	U1334	B	3	H	CC	0.40	0.40	32.47	32.87	37.11	37.51	0.00	accommodates splice	
320	U1334	C	4	H	1	1.50	1.50	28.50	30.00	38.54	40.04	1.03	accommodates splice	
320	U1334	C	4	H	2	1.50	1.50	30.00	31.50	40.04	41.54	0.00	accommodates splice	
320	U1334	C	4	H	3	1.50	1.50	31.50	33.00	41.54	43.04	0.00	accommodates splice	
320	U1334	C	4	H	4	1.50	1.50	33.00	34.50	43.04	44.54	0.00	accommodates splice	
320	U1334	C	4	H	5	1.50	1.50	34.50	36.00	44.54	46.04	0.00	accommodates splice	
320	U1334	C	4	H	6	1.50	1.50	36.00	37.50	46.04	47.54	0.00	accommodates splice	
320	U1334	C	4	H	7	0.56	0.56	37.50	38.06	47.54	48.10	0.00	accommodates splice	
320	U1334	B	5	H	1	1.50	1.50	41.70	43.20	47.69	49.19	-0.41	accommodates splice	
320	U1334	B	5	H	2	1.50	1.50	43.20	44.70	49.19	50.69	0.00	accommodates splice	
320	U1334	B	5	H	3	1.50	1.50	44.70	46.20	50.69	52.19	0.00	accommodates splice	
320	U1334	B	5	H	4	1.50	1.50	46.20	47.70	52.19	53.69	0.00	accommodates splice	
320	U1334	B	5	H	5	1.50	1.50	47.70	49.20	53.69	55.19	0.00	accommodates splice	
320	U1334	B	5	H	6	1.42	1.42	49.20	50.62	55.19	56.61	0.00	accommodates splice	
320	U1334	B	5	H	CC	0.34	0.34	50.62	50.96	56.61	56.95	0.00	accommodates splice	
320	U1334	B	6	H	1	1.50	1.50	49.20	50.70	56.51	58.01	-0.44	accommodates splice	
320	U1334	B	6	H	2	1.50	1.50	50.70	52.20	58.01	59.51	0.00	accommodates splice	
320	U1334	B	6	H	3	1.50	1.50	52.20	53.70	59.51	61.01	0.00	accommodates splice	
320	U1334	B	6	H	4	1.50	1.50	53.70	55.20	61.01	62.51	0.00	accommodates splice	
320	U1334	B	6	H	5	1.50	1.50	55.20	56.70	62.51	64.01	0.00	accommodates splice	
320	U1334	B	6	H	6	1.50	1.50	56.70	58.20	64.01	65.51	0.00	accommodates splice	
320	U1334	B	6	H	7	0.79	0.79	58.20	58.99	65.51	66.30	0.00	accommodates splice	
320	U1334	B	6	H	CC	0.24	0.24	58.99	59.23	66.30	66.54	0.00	accommodates splice	
320	U1334	C	6	H	6	1.50	1.50	55.00	56.50	67.06	68.56	0.52	accommodates splice	
320	U1334	C	6	H	7	0.60	0.60	56.50	57.10	68.56	69.16	0.00	accommodates splice	
320	U1334	C	6	H	CC	0.18	0.18	57.10	57.28	69.16	69.34	0.00	accommodates splice	
320	U1334	C	7	H	1	1.50	1.50	57.00	58.50	69.06	70.56	-0.28	accommodates splice	
320	U1334	C	7	H	2	1.50	1.50	58.50	60.00	70.56	72.06	0.00	accommodates splice	
320	U1334	C	7	H	3	1.50	1.50	60.00	61.50	72.06	73.56	0.00	accommodates splice	
320	U1334	C	7	H	4	1.50	1.50	61.50	63.00	73.56	75.06	0.00	accommodates splice	
320	U1334	C	7	H	5	1.50	1.50	63.00	64.50	75.06	76.56	0.00	accommodates splice	
320	U1334	C	7	H	6	1.50	1.50	64.50	66.00	76.56	78.06	0.00	accommodates splice	
320	U1334	C	7	H	7	0.40	0.40	66.00	66.40	78.06	78.46	0.00	accommodates splice	
320	U1334	C	7	H	CC	0.24	0.24	66.40	66.64	78.46	78.70	0.00	accommodates splice	
320	U1334	C	8	H	1	1.50	1.50	66.50	68.00	80.46	81.96	1.76	accommodates splice	
320	U1334	C	8	H	2	1.50	1.50	68.00	69.50	81.96	83.46	0.00	accommodates splice	

U1334 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1334	C	8	H	3	1.50	1.50	69.50	71.00	83.46	84.96	0.00	accommodates splice	
320	U1334	C	8	H	4	1.50	1.50	71.00	72.50	84.96	86.46	0.00	accommodates splice	
320	U1334	C	8	H	5	1.50	1.50	72.50	74.00	86.46	87.96	0.00	accommodates splice	
320	U1334	C	8	H	6	1.50	1.50	74.00	75.50	87.96	89.46	0.00	accommodates splice	
320	U1334	C	8	H	7	0.65	0.65	75.50	76.15	89.46	90.11	0.00	accommodates splice	
320	U1334	C	8	H	CC	0.21	0.21	76.15	76.36	90.11	90.32	0.00	accommodates splice	
320	U1334	C	9	H	1	1.50	1.50	76.00	77.50	92.30	93.80	1.98	accommodates splice	
320	U1334	C	9	H	2	1.50	1.50	77.50	79.00	93.80	95.30	0.00	accommodates splice	
320	U1334	C	9	H	3	1.50	1.50	79.00	80.50	95.30	96.80	0.00	accommodates splice	
320	U1334	C	9	H	4	1.50	1.50	80.50	82.00	96.80	98.30	0.00	accommodates splice	
320	U1334	C	9	H	5	1.50	1.50	82.00	83.50	98.30	99.80	0.00	accommodates splice	
320	U1334	C	9	H	6	1.50	1.50	83.50	85.00	99.80	101.30	0.00	accommodates splice	
320	U1334	C	9	H	7	0.65	0.65	85.00	85.65	101.30	101.95	0.00	accommodates splice	
320	U1334	C	9	H	CC	0.17	0.17	85.65	85.82	101.95	102.12	0.00	accommodates splice	
320	U1334	B	10	H	1	1.50	1.50	87.20	88.70	102.64	104.14	0.52	accommodates splice	
320	U1334	B	10	H	2	1.50	1.50	88.70	90.20	104.14	105.64	0.00	accommodates splice	
320	U1334	B	10	H	3	1.50	1.50	90.20	91.70	105.64	107.14	0.00	accommodates splice	
320	U1334	B	10	H	4	1.50	1.50	91.70	93.20	107.14	108.64	0.00	accommodates splice	
320	U1334	B	10	H	5	1.50	1.50	93.20	94.70	108.64	110.14	0.00	accommodates splice	
320	U1334	B	10	H	6	1.50	1.50	94.70	96.20	110.14	111.64	0.00	accommodates splice	
320	U1334	B	10	H	7	0.77	0.77	96.20	96.97	111.64	112.41	0.00	accommodates splice	
320	U1334	B	10	H	CC	0.28	0.28	96.97	97.25	112.41	112.69	0.00	accommodates splice	
320	U1334	C	10	H	7	0.49	0.49	94.50	94.99	112.48	112.97	-0.21	accommodates splice	
320	U1334	C	10	H	CC	0.18	0.18	94.99	95.17	112.97	113.15	0.00	accommodates splice	
320	U1334	C	11	H	1	1.50	1.50	95.00	96.50	114.69	116.19	1.54	accommodates splice	
320	U1334	C	11	H	2	1.50	1.50	96.50	98.00	116.19	117.69	0.00	accommodates splice	
320	U1334	C	11	H	3	1.50	1.50	98.00	99.50	117.69	119.19	0.00	accommodates splice	
320	U1334	C	11	H	4	1.50	1.50	99.50	101.00	119.19	120.69	0.00	accommodates splice	
320	U1334	C	11	H	5	1.50	1.50	101.00	102.50	120.69	122.19	0.00	accommodates splice	
320	U1334	C	11	H	6	1.00	1.00	102.50	103.50	122.19	123.19	0.00	accommodates splice	
320	U1334	C	11	H	7	0.86	0.86	103.50	104.36	123.19	124.05	0.00	accommodates splice	
320	U1334	C	11	H	CC	0.26	0.26	104.36	104.62	124.05	124.31	0.00	accommodates splice	
320	U1334	A	12	H	7	0.69	0.69	111.97	112.66	126.12	126.81	1.81	accommodates splice	
320	U1334	A	12	H	CC	0.19	0.19	112.66	112.85	126.81	127.00	0.00	accommodates splice	
320	U1334	C	12	H	1	1.50	1.50	104.50	106.00	127.25	128.75	0.25	accommodates splice	
320	U1334	C	12	H	2	1.50	1.50	106.00	107.50	128.75	130.25	0.00	accommodates splice	
320	U1334	A	13	H	3	1.50	1.50	114.70	116.20	130.14	131.64	-0.11	accommodates splice	
320	U1334	A	13	H	4	1.50	1.50	116.20	117.70	131.64	133.14	0.00	accommodates splice	
320	U1334	A	13	H	5	1.50	1.50	117.70	119.20	133.14	134.64	0.00	accommodates splice	
320	U1334	A	13	H	6	1.50	1.50	119.20	120.70	134.64	136.14	0.00	accommodates splice	
320	U1334	A	13	H	7	1.00	1.00	120.70	121.70	136.14	137.14	0.00	accommodates splice	
320	U1334	A	13	H	8	0.60	0.60	121.70	122.30	137.14	137.74	0.00	accommodates splice	
320	U1334	A	13	H	CC	0.30	0.30	122.30	122.60	137.74	138.04	0.00	accommodates splice	
320	U1334	A	14	H	1	1.50	1.50	122.20	123.70	139.13	140.63	1.09	accommodates splice	
320	U1334	A	14	H	2	1.50	1.50	123.70	125.20	140.63	142.13	0.00	accommodates splice	
320	U1334	A	14	H	3	1.50	1.50	125.20	126.70	142.13	143.63	0.00	accommodates splice	
320	U1334	A	14	H	4	1.50	1.50	126.70	128.20	143.63	145.13	0.00	accommodates splice	
320	U1334	A	14	H	5	1.50	1.50	128.20	129.70	145.13	146.63	0.00	accommodates splice	
320	U1334	A	14	H	6	1.50	1.50	129.70	131.20	146.63	148.13	0.00	accommodates splice	
320	U1334	A	14	H	7	0.49	0.49	131.20	131.69	148.13	148.62	0.00	accommodates splice	
320	U1334	A	14	H	CC	0.32	0.32	131.69	132.01	148.62	148.94	0.00	accommodates splice	
320	U1334	A	15	H	1	1.50	1.50	131.70	133.20	150.56	152.06	1.62	accommodates splice	
320	U1334	A	15	H	2	1.50	1.50	133.20	134.70	152.06	153.56	0.00	accommodates splice	
320	U1334	A	15	H	3	1.50	1.50	134.70	136.20	153.56	155.06	0.00	accommodates splice	
320	U1334	A	15	H	4	1.50	1.50	136.20	137.70	155.06	156.56	0.00	accommodates splice	
320	U1334	A	15	H	5	1.50	1.50	137.70	139.20	156.56	158.06	0.00	accommodates splice	
320	U1334	A	15	H	6	1.00	1.00	139.20	140.20	158.06	159.06	0.00	accommodates splice	
320	U1334	A	15	H	7	0.67	0.67	140.20	140.87	159.06	159.73	0.00	accommodates splice	
320	U1334	A	15	H	CC	0.38	0.38	140.87	141.25	159.73	160.11	0.00	accommodates splice	
320	U1334	A	16	H	1	1.50	1.50	141.20	141.20	161.76	163.26	1.65	accommodates splice	
320	U1334	A	16	H	2	1.50	1.50	142.70	144.20	163.26	164.76	0.00	accommodates splice	
320	U1334	A	16	H	3	1.50	1.50	144.20	145.70	164.76	166.26	0.00	accommodates splice	

U1334 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1334	A	16	H	4	1.50	1.50	145.70	147.20	166.26	167.76	0.00	accommodates splice	
320	U1334	A	16	H	5	1.50	1.50	147.20	148.70	167.76	169.26	0.00	accommodates splice	
320	U1334	A	16	H	6	0.62	0.62	148.70	149.32	169.26	169.88	0.00	accommodates splice	
320	U1334	A	16	H	CC	0.30	0.30	149.32	149.62	169.88	170.18	0.00	accommodates splice	
320	U1334	C	16	H	1	1.50	1.50	142.50	144.00	172.19	173.69	2.01	accommodates splice	
320	U1334	A	17	H	1	1.50	1.50	150.70	152.20	173.92	175.42	0.23	accommodates splice	Line split all 10 meters
320	U1334	A	17	H	2	1.50	1.50	152.20	153.70	175.42	176.92	0.00	accommodates splice	Line split all 10 meters
320	U1334	A	17	H	3	1.50	1.50	153.70	155.20	176.92	178.42	0.00	accommodates splice	Line split all 10 meters
320	U1334	A	17	H	4	1.29	1.31	155.20	156.51	178.42	179.73	0.00	accommodates splice	Line split all 10 meters
320	U1334	A	17	H	5	1.40	1.40	156.51	157.91	179.73	181.13	0.00	accommodates splice	Line split all 10 meters
320	U1334	A	17	H	6	0.74	0.74	157.91	158.65	181.13	181.87	0.00	accommodates splice	Line split all 10 meters
320	U1334	A	17	H	CC	0.36	0.36	158.65	159.01	181.87	182.23	0.00	accommodates splice	
320	U1334	C	17	H	1	1.50	1.50	152.00	153.50	182.35	183.85	0.12	accommodates splice	
320	U1334	C	17	H	2	1.50	1.50	153.50	155.00	183.85	185.35	0.00	accommodates splice	
320	U1334	C	17	H	3	1.50	1.50	155.00	156.50	185.35	186.85	0.00	accommodates splice	
320	U1334	C	17	H	4	1.50	1.50	156.50	158.00	186.85	188.35	0.00	accommodates splice	
320	U1334	C	17	H	5	1.50	1.50	158.00	159.50	188.35	189.85	0.00	accommodates splice	
320	U1334	C	17	H	6	1.50	1.50	159.50	161.00	189.85	191.35	0.00	accommodates splice	
320	U1334	C	17	H	7	0.33	0.33	161.00	161.33	191.35	191.68	0.00	accommodates splice	
320	U1334	C	17	H	CC	0.19	0.19	161.33	161.52	191.68	191.87	0.00	accommodates splice	
320	U1334	A	18	H	6	1.40	1.40	167.70	169.10	191.80	193.20	-0.07	accommodates splice	
320	U1334	C	18	H	1	1.50	1.50	161.50	163.00	192.94	194.44	-0.26	accommodates splice	
320	U1334	C	18	H	2	1.50	1.50	163.00	164.50	194.44	195.94	0.00	accommodates splice	
320	U1334	C	18	H	3	1.50	1.50	164.50	166.00	195.94	197.44	0.00	accommodates splice	
320	U1334	C	18	H	4	1.50	1.50	166.00	167.50	197.44	198.94	0.00	accommodates splice	
320	U1334	C	18	H	5	1.50	1.50	167.50	169.00	198.94	200.44	0.00	accommodates splice	
320	U1334	C	18	H	6	1.50	1.50	169.00	170.50	200.44	201.94	0.00	accommodates splice	
320	U1334	C	18	H	7	0.58	0.58	170.50	171.08	201.94	202.52	0.00	accommodates splice	Small crack in liner.
320	U1334	C	18	H	CC	0.11	0.11	171.08	171.19	202.52	202.63	0.00	accommodates splice	
320	U1334	A	19	H	CC	0.38	0.38	178.16	178.54	204.58	204.96	1.95	accommodates splice	
320	U1334	A	20	H	1	1.50	1.50	179.20	180.70	206.18	207.68	1.22	accommodates splice	
320	U1334	B	19	H	5	1.50	1.50	178.70	180.20	206.95	208.45	-0.73	accommodates splice	
320	U1334	B	19	H	6	1.50	1.50	180.20	181.70	208.45	209.95	0.00	accommodates splice	
320	U1334	B	19	H	7	0.67	0.67	181.70	182.37	209.95	210.62	0.00	accommodates splice	
320	U1334	B	19	H	CC	0.32	0.32	182.37	182.69	210.62	210.94	0.00	accommodates splice	
320	U1334	C	19	H	6	1.50	1.50	178.50	180.00	211.02	212.52	0.08	accommodates splice	
320	U1334	C	19	H	7	0.68	0.68	180.00	180.68	212.52	213.20	0.00	accommodates splice	
320	U1334	B	20	H	1	1.50	1.50	182.20	183.70	213.00	214.50	-0.20	accommodates splice	
320	U1334	C	20	H	1	1.50	1.50	180.50	182.00	214.27	215.77	-0.23	accommodates splice	
320	U1334	C	20	H	2	1.50	1.50	182.00	183.50	215.77	217.27	0.00	accommodates splice	
320	U1334	C	20	H	3	1.50	1.50	183.50	185.00	217.27	218.77	0.00	accommodates splice	
320	U1334	C	20	H	4	1.50	1.50	185.00	186.50	218.77	220.27	0.00	accommodates splice	
320	U1334	C	20	H	5	1.50	1.50	186.50	188.00	220.27	221.77	0.00	accommodates splice	
320	U1334	C	20	H	6	1.50	1.50	188.00	189.50	221.77	223.27	0.00	accommodates splice	
320	U1334	C	20	H	7	0.47	0.47	189.50	189.97	223.27	223.74	0.00	accommodates splice	
320	U1334	C	20	H	CC	0.05	0.05	189.97	190.02	223.74	223.79	0.00	accommodates splice	
320	U1334	C	21	H	1	1.50	1.50	190.00	191.50	224.20	225.70	0.41	accommodates splice	
320	U1334	C	21	H	2	1.50	1.50	191.50	193.00	225.70	227.20	0.00	accommodates splice	
320	U1334	C	21	H	3	1.50	1.50	193.00	194.50	227.20	228.70	0.00	accommodates splice	
320	U1334	C	21	H	4	1.50	1.50	194.50	196.00	228.70	230.20	0.00	accommodates splice	
320	U1334	C	21	H	5	1.50	1.50	196.00	197.50	230.20	231.70	0.00	accommodates splice	
320	U1334	C	21	H	6	1.50	1.50	197.50	199.00	231.70	233.20	0.00	accommodates splice	
320	U1334	C	21	H	7	0.69	0.69	199.00	199.69	233.20	233.89	0.00	accommodates splice	
320	U1334	C	21	H	CC	0.28	0.28	199.69	199.97	233.89	234.17	0.00	accommodates splice	
320	U1334	C	22	H	1	1.50	1.50	199.50	201.00	235.30	236.80	1.13	accommodates splice	
320	U1334	C	22	H	2	1.50	1.50	201.00	202.50	236.80	238.30	0.00	accommodates splice	
320	U1334	C	22	H	3	1.50	1.50	202.50	204.00	238.30	239.80	0.00	accommodates splice	
320	U1334	C	22	H	4	1.50	1.50	204.00	205.50	239.80	241.30	0.00	accommodates splice	
320	U1334	C	22	H	5	1.50	1.50	205.50	207.00	241.30	242.80	0.00	accommodates splice	
320	U1334	C	22	H	6	1.50	1.50	207.00	208.50	242.80	244.30	0.00	accommodates splice	
320	U1334	C	22	H	7	0.63	0.63	208.50	209.13	244.30	244.93	0.00	accommodates splice	
320	U1334	C	22	H	CC	0.28	0.28	209.13	209.41	244.93	245.21	0.00	accommodates splice	

U1334 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1334	A	22	H	4	1.50	1.50	202.70	204.20	245.40	246.90	0.19	accommodates splice	
320	U1334	A	22	H	5	1.50	1.50	204.20	205.70	246.90	248.40	0.00	accommodates splice	
320	U1334	A	22	H	6	0.96	0.96	205.70	206.66	248.40	249.36	0.00	accommodates splice	
320	U1334	A	22	H	CC	0.25	0.25	206.66	206.91	249.36	249.61	0.00	accommodates splice	
320	U1334	C	23	X	1	1.50	1.50	209.00	210.50	249.93	251.43	0.32	accommodates splice	
320	U1334	C	23	X	2	1.50	1.50	210.50	212.00	251.43	252.93	0.00	accommodates splice	
320	U1334	C	23	X	3	1.33	1.33	212.00	213.33	252.93	254.26	0.00	accommodates splice	
320	U1334	C	23	X	CC	0.28	0.28	213.33	213.61	254.26	254.54	0.00	accommodates splice	
320	U1334	B	23	X	CC	0.38	0.38	220.10	220.48	254.76	255.14	0.22	accommodates splice	
320	U1334	C	24	X	1	1.50	1.50	214.00	215.50	258.20	259.70	3.06	accommodates splice	
320	U1334	A	23	X	CC	0.36	0.36	215.86	216.22	260.16	260.52	0.46	accommodates splice	
320	U1334	A	24	X	1	1.50	1.50	214.50	216.00	261.40	262.90	0.88	accommodates splice	
320	U1334	A	24	X	2	1.50	1.50	216.00	217.50	262.90	264.40	0.00	accommodates splice	
320	U1334	A	24	X	3	1.50	1.50	217.50	219.00	264.40	265.90	0.00	accommodates splice	
320	U1334	B	24	X	1	1.50	1.50	219.00	220.50	266.60	268.10	0.70	accommodates splice	
320	U1334	B	24	X	2	1.50	1.50	220.50	222.00	268.10	269.60	0.00	accommodates splice	
320	U1334	B	24	X	3	1.50	1.50	222.00	223.50	269.60	271.10	0.00	accommodates splice	
320	U1334	B	24	X	4	1.50	1.50	223.50	225.00	271.10	272.60	0.00	accommodates splice	
320	U1334	B	24	X	5	1.50	1.50	225.00	226.50	272.60	274.10	0.00	accommodates splice	
320	U1334	B	24	X	6	1.50	1.50	226.50	228.00	274.10	275.60	0.00	accommodates splice	
320	U1334	B	24	X	7	0.43	0.43	228.00	228.43	275.60	276.03	0.00	accommodates splice	
320	U1334	B	24	X	CC	0.30	0.30	228.43	228.73	276.03	276.33	0.00	accommodates splice	
320	U1334	B	25	X	1	1.50	1.50	228.60	230.10	277.39	278.89	1.06	accommodates splice	
320	U1334	B	25	X	2	1.50	1.50	230.10	231.60	278.89	280.39	0.00	accommodates splice	
320	U1334	B	25	X	3	1.50	1.50	231.60	233.10	280.39	281.89	0.00	accommodates splice	
320	U1334	B	25	X	4	1.50	1.50	233.10	234.60	281.89	283.39	0.00	accommodates splice	
320	U1334	B	25	X	5	1.50	1.50	234.60	236.10	283.39	284.89	0.00	accommodates splice	
320	U1334	B	25	X	6	1.50	1.50	236.10	237.60	284.89	286.39	0.00	accommodates splice	
320	U1334	C	27	X	1	1.50	1.50	239.20	240.70	285.28	286.78	-1.11	accommodates splice	
320	U1334	C	27	X	2	1.50	1.50	240.70	242.20	286.78	288.28	0.00	accommodates splice	
320	U1334	C	27	X	3	1.50	1.50	242.20	243.70	288.28	289.78	0.00	accommodates splice	
320	U1334	C	27	X	4	1.50	1.50	243.70	245.20	289.78	291.28	0.00	accommodates splice	
320	U1334	C	27	X	5	1.50	1.50	245.20	246.70	291.28	292.78	0.00	accommodates splice	
320	U1334	A	27	X	1	1.50	1.50	243.20	244.70	292.44	293.94	-0.34	accommodates splice	
320	U1334	A	27	X	2	1.50	1.50	244.70	246.20	293.94	295.44	0.00	accommodates splice	
320	U1334	A	27	X	3	1.00	1.00	246.20	247.20	295.44	296.44	0.00	accommodates splice	
320	U1334	A	27	X	4	1.00	1.00	247.20	248.20	296.44	297.44	0.00	accommodates splice	
320	U1334	B	27	X	1	1.50	1.50	247.80	249.30	297.52	299.02	0.08	accommodates splice	
320	U1334	B	27	X	2	1.50	1.50	249.30	250.80	299.02	300.52	0.00	accommodates splice	
320	U1334	B	27	X	3	1.50	1.50	250.80	252.30	300.52	302.02	0.00	accommodates splice	
320	U1334	B	27	X	4	1.50	1.50	252.30	253.80	302.02	303.52	0.00	accommodates splice	
320	U1334	B	27	X	5	1.50	1.50	253.80	255.30	303.52	305.02	0.00	accommodates splice	
320	U1334	B	27	X	6	1.50	1.50	255.30	256.80	305.02	306.52	0.00	accommodates splice	
320	U1334	B	27	X	7	0.44	0.44	256.80	257.24	306.52	306.96	0.00	accommodates splice	
320	U1334	B	27	X	CC	0.37	0.37	257.24	257.61	306.96	307.33	0.00	accommodates splice	
320	U1334	B	28	X	1	1.50	1.50	257.40	258.90	308.20	309.70	0.87	accommodates splice	
320	U1334	A	28	X	7	0.47	0.47	261.80	262.27	310.71	311.18	1.01	accommodates splice	
320	U1334	A	28	X	CC	0.49	0.49	262.27	262.76	311.18	311.67	0.00	accommodates splice	
320	U1334	A	29	X	1	0.95	0.95	262.40	263.35	312.08	313.03	0.41	accommodates splice	Split along entire length.
320	U1334	A	29	X	2	0.56	0.56	263.35	263.91	313.03	313.59	0.00	accommodates splice	Split along entire length.
320	U1334	A	29	X	3	1.50	1.50	263.91	265.41	313.59	315.09	0.00	accommodates splice	Split along entire length.
320	U1334	A	29	X	4	1.50	1.50	265.41	266.91	315.09	316.59	0.00	accommodates splice	Split along entire length.
320	U1334	A	29	X	5	1.50	1.50	266.91	268.41	316.59	318.09	0.00	accommodates splice	Split along entire length.
320	U1334	A	29	X	6	1.16	1.16	268.41	269.57	318.09	319.25	0.00	accommodates splice	Split along entire length.
320	U1334	A	29	X	7	1.51	1.51	269.57	271.08	319.25	320.76	0.00	accommodates splice	Split along entire length.
320	U1334	A	29	X	8	0.57	0.57	271.08	271.65	320.76	321.33	0.00	accommodates splice	Split along entire length.
320	U1334	A	29	X	CC	0.40	0.40	271.65	272.05	321.33	321.73	0.00	accommodates splice	
320	U1334	A	30	X	1	1.50	1.50	272.10	273.60	323.07	324.57	1.34	accommodates splice	
320	U1334	A	30	X	2	1.50	1.50	273.60	275.10	324.57	326.07	0.00	accommodates splice	
320	U1334	A	30	X	3	1.50	1.50	275.10	276.60	326.07	327.57	0.00	accommodates splice	
320	U1334	A	30	X	4	1.50	1.50	276.60	278.10	327.57	329.07	0.00	accommodates splice	
320	U1334	A	30	X	5	1.50	1.50	278.10	279.60	329.07	330.57	0.00	accommodates splice	

U1334 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1334	A	30	X	6	1.00	1.00	279.60	280.60	330.57	331.57	0.00	below splice	
320	U1334	C	30	X	7	0.48	0.48	277.00	277.48	331.52	332.00	-0.05	below splice	
320	U1334	C	30	X	CC	0.48	0.48	277.48	277.96	332.00	332.48	0.00	below splice	
320	U1334	C	31	X	1	1.31	1.31	277.70	279.01	334.43	335.74	1.95	below splice	
320	U1334	C	31	X	2	0.73	0.73	279.01	279.74	335.74	336.47	0.00	below splice	
320	U1334	C	31	X	CC	0.37	0.37	279.74	280.11	336.47	336.84	0.00	below splice	
320	U1334	C	32	X	CC	0.47	0.47	279.70	280.17	336.43	336.90	-0.41	below splice	
320	U1334	C	33	X	1	0.47	0.47	280.20	280.70	336.93	337.43	0.03	below splice	