

U1336 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1336	B	1	H	CC	0.34	0.34	1.39	1.73	1.39	1.73	1.39	accommodates splice	
320	U1336	B	2	H	1	1.50	1.50	1.80	3.30	2.33	3.83	0.60	accommodates splice	
320	U1336	B	2	H	2	1.50	1.50	3.30	4.80	3.83	5.33	0.00	accommodates splice	
320	U1336	B	2	H	3	1.50	1.50	4.80	6.30	5.33	6.83	0.00	accommodates splice	
320	U1336	A	1	H	6	0.48	0.48	7.50	7.98	7.76	8.24	0.93	accommodates splice	
320	U1336	A	1	H	CC	0.26	0.26	7.98	8.24	8.24	8.50	0.00	accommodates splice	
320	U1336	A	2	H	1	1.50	1.50	8.00	9.50	9.51	11.01	1.01	accommodates splice	
320	U1336	B	2	H	CC	0.25	0.25	11.63	11.88	12.16	12.41	1.15	accommodates splice	
320	U1336	B	3	H	1	1.50	1.50	11.30	12.80	13.86	15.36	1.45	accommodates splice	
320	U1336	B	3	H	2	1.50	1.50	12.80	14.30	15.36	16.86	0.00	accommodates splice	
320	U1336	A	2	H	7	0.53	0.53	17.00	17.53	18.51	19.04	1.65	accommodates splice	
320	U1336	A	2	H	CC	0.20	0.20	17.53	17.73	19.04	19.24	0.00	accommodates splice	
320	U1336	A	3	H	1	1.50	1.50	17.50	19.00	19.33	20.83	0.09	accommodates splice	
320	U1336	A	3	H	2	1.50	1.50	19.00	20.50	20.83	22.33	0.00	accommodates splice	
320	U1336	B	3	H	CC	0.25	0.25	20.91	21.16	23.47	23.72	1.14	accommodates splice	
320	U1336	B	4	H	1	1.50	1.50	20.80	22.30	24.98	26.48	1.26	accommodates splice	
320	U1336	A	3	H	7	0.73	0.73	26.50	27.23	28.33	29.06	1.85	accommodates splice	
320	U1336	A	3	H	CC	0.29	0.29	27.23	27.52	29.06	29.35	0.00	accommodates splice	
320	U1336	A	4	H	1	1.50	1.50	27.00	28.50	29.80	31.30	0.45	accommodates splice	
320	U1336	A	4	H	2	1.50	1.50	28.50	30.00	31.30	32.80	0.00	accommodates splice	
320	U1336	B	4	H	7	0.55	0.55	29.80	30.35	33.98	34.53	1.18	accommodates splice	
320	U1336	B	4	H	CC	0.22	0.22	30.35	30.57	34.53	34.75	0.00	accommodates splice	
320	U1336	B	5	H	1	1.50	1.50	30.30	31.80	35.88	37.38	1.13	accommodates splice	
320	U1336	A	4	H	CC	0.22	0.22	36.03	36.25	38.83	39.05	1.45	accommodates splice	
320	U1336	A	5	H	1	1.50	1.50	36.50	38.00	39.78	41.28	0.73	accommodates splice	
320	U1336	A	5	H	2	1.50	1.50	38.00	39.50	41.28	42.78	0.00	accommodates splice	
320	U1336	A	5	H	3	1.50	1.50	39.50	41.00	42.78	44.28	0.00	accommodates splice	
320	U1336	B	5	H	7	0.72	0.72	39.30	40.02	44.88	45.60	0.60	accommodates splice	
320	U1336	B	5	H	CC	0.28	0.28	40.02	40.30	45.60	45.88	0.00	accommodates splice	
320	U1336	A	5	H	7	0.70	0.70	45.50	46.20	48.78	49.48	2.90	accommodates splice	
320	U1336	A	5	H	CC	0.26	0.26	46.20	46.46	49.48	49.74	0.00	accommodates splice	
320	U1336	A	6	H	1	1.50	1.50	46.00	47.50	52.64	54.14	2.90	accommodates splice	
320	U1336	A	6	H	2	1.50	1.50	47.50	49.00	54.14	55.64	0.00	accommodates splice	
320	U1336	B	6	H	7	0.85	0.85	48.80	49.65	56.33	57.18	0.69	accommodates splice	
320	U1336	B	6	H	CC	0.25	0.25	49.65	49.90	57.18	57.43	0.00	accommodates splice	
320	U1336	B	7	H	1	1.50	1.50	49.30	50.80	57.99	59.49	0.56	accommodates splice	
320	U1336	B	7	H	2	1.50	1.50	50.80	52.30	59.49	60.99	0.00	accommodates splice	
320	U1336	A	6	H	CC	0.19	0.19	55.00	55.19	61.64	61.83	0.65	accommodates splice	
320	U1336	A	7	H	1	1.50	1.50	55.50	57.00	63.54	65.04	1.71	accommodates splice	
320	U1336	A	7	H	2	1.50	1.50	57.00	58.50	65.04	66.54	0.00	accommodates splice	
320	U1336	B	7	H	CC	0.25	0.25	58.43	58.68	67.12	67.37	0.58	accommodates splice	
320	U1336	B	8	H	1	1.50	1.50	58.80	60.30	67.68	69.18	0.31	accommodates splice	
320	U1336	B	8	H	2	1.50	1.50	60.30	61.80	69.18	70.68	0.00	accommodates splice	
320	U1336	B	8	H	3	1.50	1.50	61.80	63.30	70.68	72.18	0.00	accommodates splice	
320	U1336	A	7	H	CC	0.32	0.32	65.29	65.61	73.33	73.65	1.15	accommodates splice	
320	U1336	B	8	H	7	0.71	0.71	67.50	68.21	76.38	77.09	2.73	accommodates splice	
320	U1336	B	8	H	CC	0.29	0.29	68.21	68.50	77.09	77.38	0.00	accommodates splice	
320	U1336	B	9	H	1	1.50	1.50	68.30	69.80	77.11	78.61	-0.27	accommodates splice	
320	U1336	B	9	H	2	1.50	1.50	69.80	71.30	78.61	80.11	0.00	accommodates splice	
320	U1336	B	9	H	3	1.50	1.50	71.30	72.80	80.11	81.61	0.00	accommodates splice	
320	U1336	A	8	H	CC	0.19	0.19	74.24	74.43	83.33	83.52	1.72	accommodates splice	
320	U1336	A	9	H	1	1.50	1.50	74.50	76.00	84.27	85.77	0.75	accommodates splice	
320	U1336	B	9	H	CC	0.32	0.32	77.45	77.77	86.26	86.58	0.49	accommodates splice	
320	U1336	B	10	H	1	1.50	1.50	77.80	79.30	87.99	89.49	1.41	accommodates splice	
320	U1336	A	9	H	5	1.50	1.50	80.50	82.00	90.27	91.77	0.78	accommodates splice	
320	U1336	A	9	H	6	1.50	1.50	82.00	83.50	91.77	93.27	0.00	accommodates splice	
320	U1336	A	9	H	7	0.87	0.87	83.50	84.37	93.27	94.14	0.00	accommodates splice	
320	U1336	A	9	H	CC	0.26	0.26	84.37	84.63	94.14	94.40	0.00	accommodates splice	
320	U1336	A	10	H	1	1.50	1.50	84.00	85.50	93.71	95.21	-0.69	accommodates splice	
320	U1336	B	10	H	7	0.73	0.73	86.80	87.53	96.99	97.72	1.78	accommodates splice	
320	U1336	B	10	H	CC	0.27	0.27	87.53	87.80	97.72	97.99	0.00	accommodates splice	
320	U1336	B	11	H	1	1.50	1.50	87.30	88.80	97.99	99.49	0.00	accommodates splice	
320	U1336	B	11	H	2	1.50	1.50	88.80	90.30	99.49	100.99	0.00	accommodates splice	
320	U1336	A	10	H	7	0.88	0.88	92.70	93.58	102.41	103.29	1.42	accommodates splice	
320	U1336	A	10	H	CC	0.25	0.25	93.58	93.83	103.29	103.54	0.00	accommodates splice	
320	U1336	B	11	H	7	0.64	0.64	96.30	96.94	106.99	107.63	3.45	accommodates splice	

U1336 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1336	B	11	H	CC	0.31	0.31	96.94	97.25	107.63	107.94	0.00	accommodates splice	
320	U1336	A	11	H	5	1.50	1.50	99.50	101.00	111.29	112.79	3.35	accommodates splice	
320	U1336	A	11	H	6	1.50	1.50	101.00	102.50	112.79	114.29	0.00	accommodates splice	
320	U1336	A	11	H	7	0.80	0.80	102.50	103.30	114.29	115.09	0.00	accommodates splice	
320	U1336	A	11	H	CC	0.23	0.23	103.30	103.53	115.09	115.32	0.00	accommodates splice	
320	U1336	A	12	H	1	1.50	1.50	103.00	104.50	115.88	117.38	0.56	accommodates splice	
320	U1336	B	12	H	7	0.57	0.57	105.80	106.37	118.31	118.88	0.93	accommodates splice	
320	U1336	B	12	H	CC	0.23	0.23	106.37	106.60	118.88	119.11	0.00	accommodates splice	
320	U1336	A	12	H	5	1.50	1.50	109.00	110.50	121.88	123.38	2.77	accommodates splice	
320	U1336	A	12	H	6	1.00	1.00	110.50	111.50	123.38	124.38	0.00	accommodates splice	
320	U1336	A	12	H	7	0.76	0.76	111.50	112.26	124.38	125.14	0.00	accommodates splice	
320	U1336	A	12	H	CC	0.22	0.22	112.26	112.48	125.14	125.36	0.00	accommodates splice	
320	U1336	A	13	H	1	1.50	1.50	112.00	114.00	126.72	128.22	1.36	accommodates splice	
320	U1336	B	13	H	7	0.77	0.77	115.30	116.07	129.56	130.33	1.34	accommodates splice	
320	U1336	B	13	H	CC	0.34	0.34	116.07	116.41	130.33	130.67	0.00	accommodates splice	
320	U1336	B	14	H	1	1.50	1.50	115.80	117.30	132.78	134.28	2.11	accommodates splice	
320	U1336	A	13	H	7	0.82	0.82	121.50	122.32	135.72	136.54	1.44	accommodates splice	
320	U1336	A	13	H	CC	0.31	0.31	122.32	122.63	136.54	136.85	0.00	accommodates splice	
320	U1336	A	14	H	1	1.50	1.50	122.00	123.50	137.73	139.23	0.88	accommodates splice	
320	U1336	A	14	H	CC	0.05	0.05	123.50	123.55	139.23	139.28	0.00	accommodates splice	
320	U1336	A	15	H	1	1.50	1.50	123.50	125.00	139.73	141.23	0.45	accommodates splice	
320	U1336	A	15	H	2	1.50	1.50	125.00	126.50	141.23	142.73	0.00	accommodates splice	
320	U1336	A	15	H	3	1.50	1.50	126.50	128.00	142.73	144.23	0.00	accommodates splice	
320	U1336	B	15	H	3	1.50	1.50	128.30	129.80	146.09	147.59	1.86	accommodates splice	
320	U1336	B	15	H	4	1.50	1.50	129.80	131.30	147.59	149.09	0.00	accommodates splice	
320	U1336	B	15	H	5	1.50	1.50	131.30	132.80	149.09	150.59	0.00	accommodates splice	
320	U1336	B	15	H	6	1.00	1.00	132.80	133.80	150.59	151.59	0.00	accommodates splice	
320	U1336	B	15	H	7	0.75	0.75	133.80	134.55	151.59	152.34	0.00	accommodates splice	
320	U1336	B	15	H	CC	0.28	0.28	134.55	134.83	152.34	152.62	0.00	accommodates splice	
320	U1336	B	16	H	1	0.63	0.63	134.80	135.43	152.59	153.22	-0.03	accommodates splice	Water-filled gap of 5.5 meters between sections 1 and 2.
320	U1336	B	16	H	2	1.19	1.19	135.43	136.62	153.22	154.41	0.00	accommodates splice	Water-filled gap of 5.5 meters between sections 1 and 2.
320	U1336	B	16	H	CC	0.24	0.24	136.62	136.86	154.41	154.65	0.00	accommodates splice	
320	U1336	B	17	H	1	1.50	1.50	136.80	138.30	154.59	156.09	-0.06	accommodates splice	Split liner.
320	U1336	B	17	H	2	1.50	1.50	138.30	139.80	156.09	157.59	0.00	accommodates splice	Split liner.
320	U1336	A	16	H	4	1.50	1.50	137.50	139.00	159.00	160.50	1.41	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	16	H	5	1.50	1.50	139.00	140.50	160.50	162.00	0.00	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	16	H	6	1.27	1.27	140.50	141.77	162.00	163.27	0.00	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	16	H	CC	0.27	0.27	141.77	142.04	163.27	163.54	0.00	deepest hole, below splice	
320	U1336	A	17	H	1	1.50	1.50	142.00	143.50	165.41	166.91	1.87	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	17	H	2	1.50	1.50	143.50	145.00	166.91	168.41	0.00	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	17	H	3	1.50	1.50	145.00	146.50	168.41	169.91	0.00	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	17	H	4	1.50	1.50	146.50	148.00	169.91	171.41	0.00	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	17	H	5	1.50	1.50	148.00	149.50	171.41	172.91	0.00	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	17	H	6	1.50	1.50	149.50	151.00	172.91	174.41	0.00	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	17	H	7	0.63	0.63	151.00	151.63	174.41	175.04	0.00	deepest hole, below splice	Split along the entire core liner.
320	U1336	A	17	H	CC	0.26	0.26	151.63	151.89	175.04	175.30	0.00	deepest hole, below splice	
320	U1336	A	18	H	1	1.50	1.50	151.50	153.00	174.91	176.41	-0.39	deepest hole, below splice	
320	U1336	A	18	H	2	1.50	1.50	153.00	154.50	176.41	177.91	0.00	deepest hole, below splice	
320	U1336	A	18	H	3	1.50	1.50	154.50	156.00	177.91	179.41	0.00	deepest hole, below splice	
320	U1336	A	18	H	4	1.50	1.50	156.00	157.50	179.41	180.91	0.00	deepest hole, below splice	
320	U1336	A	18	H	5	1.50	1.50	157.50	159.00	180.91	182.41	0.00	deepest hole, below splice	
320	U1336	A	18	H	6	1.50	1.50	159.00	160.50	182.41	183.91	0.00	deepest hole, below splice	
320	U1336	A	18	H	7	0.77	0.77	160.50	161.27	183.91	184.68	0.00	deepest hole, below splice	
320	U1336	A	18	H	CC	0.31	0.31	161.27	161.58	184.68	184.99	0.00	deepest hole, below splice	
320	U1336	A	19	H	1	1.50	1.50	161.00	162.50	184.41	185.91	-0.58	deepest hole, below splice	
320	U1336	A	19	H	2	1.50	1.50	162.50	164.00	185.91	187.41	0.00	deepest hole, below splice	
320	U1336	A	19	H	3	1.50	1.50	164.00	165.50	187.41	188.91	0.00	deepest hole, below splice	
320	U1336	A	19	H	4	1.50	1.50	165.50	167.00	188.91	190.41	0.00	deepest hole, below splice	
320	U1336	A	19	H	5	1.50	1.50	167.00	168.50	190.41	191.91	0.00	deepest hole, below splice	
320	U1336	A	19	H	6	1.50	1.50	168.50	170.00	191.91	193.41	0.00	deepest hole, below splice	
320	U1336	A	19	H	7	0.37	0.37	170.00	170.37	193.41	193.78	0.00	deepest hole, below splice	
320	U1336	A	19	H	CC	0.28	0.28	170.37	170.65	193.78	194.06	0.00	deepest hole, below splice	
320	U1336	A	20	H	1	1.50	1.50	170.50	172.00	193.91	195.41	-0.15	deepest hole, below splice	
320	U1336	A	20	H	2	1.50	1.50	172.00	173.50	195.41	196.91	0.00	deepest hole, below splice	

U1336 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1336	A	20	H	3	1.50	1.50	173.50	175.00	198.91	198.41	0.00	deepest hole, below splice	
320	U1336	A	20	H	4	1.50	1.50	175.00	176.50	198.41	199.91	0.00	deepest hole, below splice	
320	U1336	A	20	H	5	1.50	1.50	176.50	178.00	199.91	201.41	0.00	deepest hole, below splice	
320	U1336	A	20	H	6	1.50	1.50	178.00	179.50	201.41	202.91	0.00	deepest hole, below splice	
320	U1336	A	20	H	7	0.63	0.63	179.50	180.13	202.91	203.54	0.00	deepest hole, below splice	Liner crushed.
320	U1336	A	21	H	1	1.50	1.50	180.00	181.50	203.41	204.91	-0.13	deepest hole, below splice	Split liner.
320	U1336	A	21	H	2	1.50	1.50	181.50	183.00	204.91	206.41	0.00	deepest hole, below splice	Split liner.
320	U1336	A	21	H	3	1.00	1.00	183.00	184.00	206.41	207.41	0.00	deepest hole, below splice	Split liner.
320	U1336	A	21	H	4	0.58	0.58	184.00	184.58	207.41	207.99	0.00	deepest hole, below splice	Split liner.
320	U1336	A	21	H	CC	0.25	0.25	184.58	184.83	207.99	208.24	0.00	deepest hole, below splice	
320	U1336	A	22	X	1	1.50	1.50	184.80	186.30	208.21	209.71	-0.03	deepest hole, below splice	
320	U1336	A	22	X	2	1.50	1.50	186.30	187.80	209.71	211.21	0.00	deepest hole, below splice	
320	U1336	A	22	X	3	1.50	1.50	187.80	189.30	211.21	212.71	0.00	deepest hole, below splice	
320	U1336	A	22	X	4	1.50	1.50	189.30	190.80	212.71	214.21	0.00	deepest hole, below splice	
320	U1336	A	22	X	5	1.30	1.30	190.80	192.10	214.21	215.51	0.00	deepest hole, below splice	
320	U1336	A	22	X	6	0.49	0.49	192.10	192.59	215.51	216.00	0.00	deepest hole, below splice	
320	U1336	A	22	X	CC	0.18	0.18	192.59	192.77	216.00	216.18	0.00	deepest hole, below splice	
320	U1336	A	23	X	1	1.50	1.50	194.40	195.90	217.81	219.31	1.63	deepest hole, below splice	
320	U1336	A	23	X	2	1.50	1.50	195.90	197.40	219.31	220.81	0.00	deepest hole, below splice	
320	U1336	A	23	X	3	1.50	1.50	197.40	198.90	220.81	222.31	0.00	deepest hole, below splice	
320	U1336	A	23	X	4	1.50	1.50	198.90	200.40	222.31	223.81	0.00	deepest hole, below splice	
320	U1336	A	23	X	5	1.50	1.50	200.40	201.90	223.81	225.31	0.00	deepest hole, below splice	
320	U1336	A	23	X	CC	0.30	0.30	201.90	202.20	225.31	225.61	0.00	deepest hole, below splice	
320	U1336	A	24	X	1	1.50	1.50	202.40	203.90	225.81	227.31	0.20	deepest hole, below splice	CHERT AT TOP
320	U1336	A	24	X	2	1.50	1.50	203.90	205.40	227.31	228.81	0.00	deepest hole, below splice	
320	U1336	A	24	X	3	1.50	1.50	205.40	206.90	228.81	230.31	0.00	deepest hole, below splice	
320	U1336	A	24	X	4	1.50	1.50	206.90	208.40	230.31	231.81	0.00	deepest hole, below splice	
320	U1336	A	24	X	5	0.87	0.87	208.40	209.27	231.81	232.68	0.00	deepest hole, below splice	
320	U1336	A	24	X	CC	0.40	0.40	209.27	209.67	232.68	233.08	0.00	deepest hole, below splice	
320	U1336	A	25	X	1	1.50	1.50	212.00	213.50	235.41	236.91	2.33	deepest hole, below splice	
320	U1336	A	25	X	2	1.50	1.50	213.50	215.00	236.91	238.41	0.00	deepest hole, below splice	
320	U1336	A	25	X	3	1.50	1.50	215.00	216.50	238.41	239.91	0.00	deepest hole, below splice	
320	U1336	A	25	X	CC	0.46	0.46	216.50	216.96	239.91	240.37	0.00	deepest hole, below splice	
320	U1336	A	26	X	1	1.50	1.50	221.60	223.10	245.01	246.51	4.64	deepest hole, below splice	
320	U1336	A	26	X	2	1.50	1.50	223.10	224.60	246.51	248.01	0.00	deepest hole, below splice	
320	U1336	A	26	X	3	1.50	1.50	224.60	226.10	248.01	249.51	0.00	deepest hole, below splice	
320	U1336	A	26	X	4	1.50	1.50	226.10	227.60	249.51	251.01	0.00	deepest hole, below splice	
320	U1336	A	26	X	5	1.50	1.50	227.60	229.10	251.01	252.51	0.00	deepest hole, below splice	
320	U1336	A	26	X	6	1.20	1.20	229.10	230.30	252.51	253.71	0.00	deepest hole, below splice	
320	U1336	A	26	X	7	0.43	0.43	230.30	230.73	253.71	254.14	0.00	deepest hole, below splice	
320	U1336	A	26	X	CC	0.27	0.27	230.73	231.00	254.14	254.41	0.00	deepest hole, below splice	
320	U1336	A	27	X	1	1.50	1.50	231.20	232.70	254.61	256.11	0.20	deepest hole, below splice	
320	U1336	A	27	X	2	1.50	1.50	232.70	234.20	256.11	257.61	0.00	deepest hole, below splice	
320	U1336	A	27	X	3	1.50	1.50	234.20	235.70	257.61	259.11	0.00	deepest hole, below splice	
320	U1336	A	27	X	4	1.30	1.30	235.70	237.00	259.11	260.41	0.00	deepest hole, below splice	
320	U1336	A	27	X	5	0.45	0.45	237.00	237.45	260.41	260.86	0.00	deepest hole, below splice	
320	U1336	A	27	X	CC	0.38	0.38	237.45	237.83	260.86	261.24	0.00	deepest hole, below splice	
320	U1336	A	28	X	1	1.50	1.50	240.80	242.30	264.21	265.71	2.97	deepest hole, below splice	
320	U1336	A	28	X	2	1.26	1.23	242.30	243.53	265.71	266.94	0.00	deepest hole, below splice	
320	U1336	A	28	X	CC	0.30	0.30	243.53	243.83	266.94	267.24	0.00	deepest hole, below splice	
320	U1336	A	29	X	1	1.50	1.50	250.40	251.90	273.81	275.31	6.57	deepest hole, below splice	
320	U1336	A	29	X	2	1.50	1.50	251.90	253.40	275.31	276.81	0.00	deepest hole, below splice	
320	U1336	A	29	X	3	0.65	0.65	253.40	254.05	276.81	277.46	0.00	deepest hole, below splice	
320	U1336	A	29	X	CC	0.52	0.52	254.05	254.57	277.46	277.98	0.00	deepest hole, below splice	
320	U1336	A	30	X	1	1.50	1.50	260.00	261.50	283.41	284.91	5.43	deepest hole, below splice	
320	U1336	A	30	X	2	1.50	1.50	261.50	263.00	284.91	286.41	0.00	deepest hole, below splice	
320	U1336	A	30	X	3	0.90	0.90	263.00	263.90	286.41	287.31	0.00	deepest hole, below splice	
320	U1336	A	30	X	CC	0.53	0.53	263.90	264.43	287.31	287.84	0.00	deepest hole, below splice	
320	U1336	A	31	X	1	1.50	1.50	269.60	271.10	293.01	294.51	5.17	deepest hole, below splice	
320	U1336	A	31	X	2	1.50	1.50	271.10	272.60	294.51	296.01	0.00	deepest hole, below splice	
320	U1336	A	31	X	3	1.20	1.20	272.60	273.80	296.01	297.21	0.00	deepest hole, below splice	
320	U1336	A	31	X	4	0.43	0.43	273.80	274.23	297.21	297.64	0.00	deepest hole, below splice	
320	U1336	A	31	X	CC	0.38	0.38	274.23	274.61	297.64	298.02	0.00	deepest hole, below splice	
320	U1336	A	32	X	1	1.50	1.50	279.20	280.70	302.61	304.11	4.59	deepest hole, below splice	
320	U1336	A	32	X	2	1.50	1.50	280.70	282.20	304.11	305.61	0.00	deepest hole, below splice	
320	U1336	A	32	X	3	0.71	0.71	282.20	282.91	305.61	306.32	0.00	deepest hole, below splice	

U1336 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1336	A	32	X	CC	0.43	0.43	282.91	283.34	306.32	306.75	0.00	deepest hole, below splice	
320	U1336	A	33	X	1	0.15	0.15	288.80	288.95	312.21	312.36	5.46	deepest hole, below splice	
320	U1336	A	33	X	2	1.00	1.00	288.95	289.95	312.36	313.36	0.00	deepest hole, below splice	
320	U1336	A	33	X	3	0.59	0.59	289.95	290.54	313.36	313.95	0.00	deepest hole, below splice	
320	U1336	A	33	X	CC	0.75	0.75	290.54	291.29	313.95	314.70	0.00	deepest hole, below splice	
320	U1336	A	34	X	CC	0.32	0.32	293.80	294.12	317.21	317.53	2.51	deepest hole, below splice	
320	U1336	A	35	X	1	0.92	0.92	298.30	299.22	321.71	322.63	4.18	deepest hole, below splice	
320	U1336	A	35	X	CC	0.40	0.40	299.22	299.62	322.63	323.03	0.00	deepest hole, below splice	