

U1341 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1341	C	1	H	1	1.50	1.50	0.00	1.50	0.06	1.56	0.06	Accommodates Splice	
323	U1341	C	1	H	2	1.50	1.50	1.50	3.00	1.56	3.06	0.00	Accommodates Splice	
323	U1341	C	1	H	3	1.50	1.50	3.00	4.50	3.06	4.56	0.00	Accommodates Splice	
323	U1341	C	1	H	4	0.78	0.78	4.50	5.28	4.56	5.34	0.00	Accommodates Splice	
323	U1341	C	1	H	CC	0.26	0.26	5.28	5.54	5.34	5.60	0.00	Accommodates Splice	
323	U1341	A	2	H	2	1.50	1.50	4.50	6.00	4.85	6.35	-0.75	Accommodates Splice	
323	U1341	A	2	H	3	1.50	1.50	6.00	7.50	6.35	7.85	0.00	Accommodates Splice	
323	U1341	A	2	H	4	1.50	1.50	7.50	9.00	7.85	9.35	0.00	Accommodates Splice	
323	U1341	A	2	H	5	1.50	1.50	9.00	10.50	9.35	10.85	0.00	Accommodates Splice	
323	U1341	A	2	H	6	1.50	1.50	10.50	12.00	10.85	12.35	0.00	Accommodates Splice	
323	U1341	A	2	H	7	0.49	0.49	12.00	12.49	12.35	12.84	0.00	Accommodates Splice	
323	U1341	A	2	H	CC	0.00	0.15	12.49	12.64	12.84	12.99	0.00	Accommodates Splice	
323	U1341	A	3	H	1	1.50	1.50	12.50	14.00	12.96	14.46	-0.03	Accommodates Splice	
323	U1341	B	2	H	5	1.50	1.50	14.70	16.20	14.52	16.02	0.06	Accommodates Splice	
323	U1341	C	3	H	1	1.50	1.50	15.00	16.50	16.03	17.53	0.01	Accommodates Splice	
323	U1341	C	3	H	2	1.50	1.50	16.50	18.00	17.53	19.03	0.00	Accommodates Splice	
323	U1341	C	3	H	3	1.50	1.50	18.00	19.50	19.03	20.53	0.00	Accommodates Splice	
323	U1341	C	3	H	4	1.50	1.50	19.50	21.00	20.53	22.03	0.00	Accommodates Splice	
323	U1341	C	3	H	5	1.50	1.50	21.00	22.50	22.03	23.53	0.00	Accommodates Splice	
323	U1341	C	3	H	6	1.50	1.50	22.50	24.00	23.53	25.03	0.00	Accommodates Splice	
323	U1341	C	3	H	7	0.77	0.77	24.00	24.77	25.03	25.80	0.00	Accommodates Splice	
323	U1341	C	3	H	CC	0.15	0.15	24.77	24.92	25.80	25.95	0.00	Accommodates Splice	
323	U1341	C	4	H	1	1.50	1.50	24.50	26.00	26.13	27.63	0.18	Accommodates Splice	
323	U1341	B	3	H	7	0.74	0.74	27.20	27.94	27.65	28.39	0.02	Accommodates Splice	
323	U1341	B	3	H	CC	0.24	0.24	27.94	28.18	28.39	28.63	0.00	Accommodates Splice	
323	U1341	B	4	H	1	1.50	1.50	27.70	29.20	28.95	30.45	0.00	Accommodates Splice	
323	U1341	B	4	H	2	1.50	1.50	29.20	30.70	30.45	31.95	0.00	Accommodates Splice	
323	U1341	B	4	H	3	1.50	1.50	30.70	32.20	31.95	33.45	0.00	Accommodates Splice	
323	U1341	B	4	H	4	1.50	1.50	32.20	33.70	33.45	34.95	0.00	Accommodates Splice	
323	U1341	B	4	H	5	1.50	1.50	33.70	35.20	34.95	36.45	0.00	Accommodates Splice	
323	U1341	B	4	H	6	1.50	1.50	35.20	36.70	36.45	37.95	0.00	Accommodates Splice	
323	U1341	B	4	H	7	0.78	0.78	36.70	37.48	37.95	38.73	0.00	Accommodates Splice	
323	U1341	B	4	H	CC	0.22	0.22	37.48	37.70	38.73	38.95	0.00	Accommodates Splice	
323	U1341	B	5	H	1	1.50	1.50	37.20	38.70	39.63	41.13	0.68	Accommodates Splice	
323	U1341	C	5	H	5	1.10	1.10	40.00	41.10	41.03	42.13	-0.10	Accommodates Splice	
323	U1341	C	5	H	6	0.55	0.55	41.10	41.65	42.13	42.68	0.00	Accommodates Splice	
323	U1341	C	5	H	CC	0.14	0.14	41.65	41.79	42.68	42.82	0.00	Accommodates Splice	
323	U1341	A	5	H	CC	0.00	0.31	41.01	41.32	42.92	43.23	0.10	Accommodates Splice	
323	U1341	A	6	H	1	1.50	1.50	41.00	42.50	44.42	45.92	1.19	Accommodates Splice	
323	U1341	A	6	H	2	1.50	1.50	42.50	44.00	45.92	47.42	0.00	Accommodates Splice	
323	U1341	A	6	H	3	1.50	1.50	44.00	45.50	47.42	48.92	0.00	Accommodates Splice	
323	U1341	A	6	H	4	1.50	1.50	45.50	47.00	48.92	50.42	0.00	Accommodates Splice	
323	U1341	A	6	H	5	1.50	1.50	47.00	48.50	50.42	51.92	0.00	Accommodates Splice	
323	U1341	A	6	H	6	1.50	1.50	48.50	50.00	51.92	53.42	0.00	Accommodates Splice	
323	U1341	A	6	H	7	0.75	0.75	50.00	50.75	53.42	54.17	0.00	Accommodates Splice	
323	U1341	A	6	H	CC	0.00	0.20	50.75	50.95	54.17	54.37	0.00	Accommodates Splice	
323	U1341	A	7	H	1	1.50	1.50	50.50	52.00	54.16	55.66	-0.21	Accommodates Splice	
323	U1341	B	6	H	5	1.50	1.50	52.70	54.20	55.41	56.91	-0.25	Accommodates Splice	
323	U1341	B	6	H	6	1.50	1.50	54.20	55.70	56.91	58.41	0.00	Accommodates Splice	
323	U1341	B	6	H	7	0.83	0.83	55.70	56.53	58.41	59.24	0.00	Accommodates Splice	
323	U1341	B	6	H	CC	0.15	0.15	56.53	56.68	59.24	59.39	0.00	Accommodates Splice	
323	U1341	B	7	H	1	1.50	1.50	56.20	57.70	58.99	60.49	-0.40	Accommodates Splice	
323	U1341	B	7	H	2	1.50	1.50	57.70	59.20	60.49	61.99	0.00	Accommodates Splice	
323	U1341	C	7	H	4	1.50	1.50	57.50	59.00	61.91	63.41	-0.08	Accommodates Splice	
323	U1341	C	7	H	5	1.50	1.50	59.00	60.50	63.41	64.91	0.00	Accommodates Splice	
323	U1341	C	7	H	6	1.47	1.47	60.50	61.97	64.91	66.38	0.00	Accommodates Splice	
323	U1341	C	7	H	CC	0.27	0.27	61.97	62.24	66.38	66.65	0.00	Accommodates Splice	
323	U1341	C	8	H	1	1.50	1.50	61.00	62.50	66.03	67.53	-0.62	Accommodates Splice	
323	U1341	A	8	H	3	1.50	1.50	63.00	64.50	67.89	69.39	0.36	Accommodates Splice	
323	U1341	A	8	H	4	1.50	1.50	64.50	66.00	69.39	70.89	0.00	Accommodates Splice	
323	U1341	A	8	H	5	1.50	1.50	66.00	67.50	70.89	72.39	0.00	Accommodates Splice	
323	U1341	A	8	H	6	1.00	1.00	67.50	68.50	72.39	73.39	0.00	Accommodates Splice	
323	U1341	A	8	H	7	0.59	0.59	68.50	69.09	73.39	73.98	0.00	Accommodates Splice	
323	U1341	A	8	H	CC	0.00	0.32	69.09	69.41	73.98	74.30	0.00	Accommodates Splice	
323	U1341	B	8	H	4	1.50	1.50	70.20	71.70	74.45	75.95	0.15	Accommodates Splice	
323	U1341	B	8	H	5	1.50	1.50	71.70	73.20	75.95	77.45	0.00	Accommodates Splice	
323	U1341	B	8	H	6	1.50	1.50	73.20	74.70	77.45	78.95	0.00	Accommodates Splice	
323	U1341	B	8	H	7	0.88	0.88	74.70	75.58	78.95	79.83	0.00	Accommodates Splice	
323	U1341	B	8	H	CC	0.17	0.17	75.58	75.75	79.83	80.00	0.00	Accommodates Splice	

U1341 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1341	C	9	H	3	1.50	1.50	73.50	75.00	79.81	81.31	-0.19	Accommodates Splice	
323	U1341	C	9	H	4	1.50	1.50	75.00	76.50	81.31	82.81	0.00	Accommodates Splice	
323	U1341	C	9	H	5	1.50	1.50	76.50	78.00	82.81	84.31	0.00	Accommodates Splice	
323	U1341	A	9	H	CC	0.00	0.27	79.39	79.66	84.23	84.50	-0.08	Accommodates Splice	
323	U1341	A	10	H	1	1.50	1.50	79.00	80.50	84.05	85.55	-0.45	Accommodates Splice	
323	U1341	A	10	H	2	1.50	1.50	80.50	82.00	85.55	87.05	0.00	Accommodates Splice	
323	U1341	A	10	H	3	1.50	1.50	82.00	83.50	87.05	88.55	0.00	Accommodates Splice	
323	U1341	A	10	H	4	1.50	1.50	83.50	85.00	88.55	90.05	0.00	Accommodates Splice	
323	U1341	A	10	H	5	1.50	1.50	85.00	86.50	90.05	91.55	0.00	Accommodates Splice	
323	U1341	A	10	H	6	1.50	1.50	86.50	88.00	91.55	93.05	0.00	Accommodates Splice	
323	U1341	A	10	H	7	0.74	0.74	88.00	88.74	93.05	93.79	0.00	Accommodates Splice	
323	U1341	A	10	H	CC	0.38	0.38	88.74	89.12	93.79	94.17	0.00	Accommodates Splice	
323	U1341	A	11	H	1	1.50	1.50	88.50	90.00	93.65	95.15	-0.52	Accommodates Splice	
323	U1341	A	11	H	2	1.50	1.50	90.00	91.50	95.15	96.65	0.00	Accommodates Splice	
323	U1341	A	11	H	3	1.50	1.50	91.50	93.00	96.65	98.15	0.00	Accommodates Splice	
323	U1341	A	11	H	4	1.50	1.50	93.00	94.50	98.15	99.65	0.00	Accommodates Splice	
323	U1341	A	11	H	5	1.50	1.50	94.50	96.00	99.65	101.15	0.00	Accommodates Splice	
323	U1341	A	11	H	6	1.50	1.50	96.00	97.50	101.15	102.65	0.00	Accommodates Splice	
323	U1341	A	11	H	7	0.75	0.75	97.50	98.25	102.65	103.40	0.00	Accommodates Splice	
323	U1341	A	11	H	CC	0.26	0.26	98.25	98.51	103.40	103.66	0.00	Accommodates Splice	
323	U1341	A	12	H	1	1.50	1.50	98.00	99.50	103.36	104.86	-0.30	Accommodates Splice	
323	U1341	A	12	H	2	1.50	1.50	99.50	101.00	104.86	106.36	0.00	Accommodates Splice	
323	U1341	A	12	H	3	1.50	1.50	101.00	102.50	106.36	107.86	0.00	Accommodates Splice	
323	U1341	A	12	H	4	1.50	1.50	102.50	104.00	107.86	109.36	0.00	Accommodates Splice	
323	U1341	A	12	H	5	1.50	1.50	104.00	105.50	109.36	110.86	0.00	Accommodates Splice	
323	U1341	A	12	H	6	1.50	1.50	105.50	107.00	110.86	112.36	0.00	Accommodates Splice	
323	U1341	A	12	H	7	0.87	0.87	107.00	107.87	112.36	113.23	0.00	Accommodates Splice	
323	U1341	A	12	H	CC	0.29	0.29	107.87	108.16	113.23	113.52	0.00	Accommodates Splice	
323	U1341	A	13	H	1	1.50	1.50	107.50	109.00	112.47	113.97	-1.05	Accommodates Splice	
323	U1341	A	13	H	2	1.50	1.50	109.00	110.50	113.97	115.47	0.00	Accommodates Splice	
323	U1341	A	13	H	3	1.50	1.50	110.50	112.00	115.47	116.97	0.00	Accommodates Splice	
323	U1341	A	13	H	4	1.50	1.50	112.00	113.50	116.97	118.47	0.00	Accommodates Splice	
323	U1341	A	13	H	5	1.50	1.50	113.50	115.00	118.47	119.97	0.00	Accommodates Splice	
323	U1341	A	13	H	6	1.50	1.50	115.00	116.50	119.97	121.47	0.00	Accommodates Splice	
323	U1341	A	13	H	7	0.76	0.76	116.50	117.26	121.47	122.23	0.00	Accommodates Splice	
323	U1341	C	14	H	4	1.50	1.50	119.00	120.50	122.84	124.34	0.61	Accommodates Splice	
323	U1341	C	14	H	5	1.50	1.50	120.50	122.00	124.34	125.84	0.00	Accommodates Splice	
323	U1341	C	14	H	6	1.50	1.50	122.00	123.50	125.84	127.34	0.00	Accommodates Splice	
323	U1341	C	14	H	7	0.84	0.84	123.50	124.34	127.34	128.18	0.00	Accommodates Splice	
323	U1341	C	14	H	CC	0.00	0.32	124.34	124.66	128.18	128.50	0.00	Accommodates Splice	
323	U1341	B	13	H	6	1.50	1.50	120.70	122.20	129.09	130.59	0.59	Accommodates Splice	
323	U1341	B	13	H	7	0.72	0.72	122.20	122.92	130.59	131.31	0.00	Accommodates Splice	
323	U1341	B	13	H	CC	0.00	0.32	122.92	123.24	131.31	131.63	0.00	Accommodates Splice	
323	U1341	B	14	H	1	1.50	1.50	122.70	124.20	131.44	132.94	-0.19	Accommodates Splice	
323	U1341	B	14	H	2	1.50	1.50	124.20	125.70	132.94	134.44	0.00	Accommodates Splice	
323	U1341	B	14	H	3	1.50	1.50	125.70	127.20	134.44	135.94	0.00	Accommodates Splice	
323	U1341	A	15	H	4	1.50	1.50	131.00	132.50	135.58	137.08	-0.36	Accommodates Splice	
323	U1341	A	15	H	5	1.04	1.04	132.50	133.54	137.08	138.12	0.00	Accommodates Splice	
323	U1341	A	15	H	6	1.30	1.30	133.54	134.84	138.12	139.42	0.00	Accommodates Splice	
323	U1341	A	15	H	7	0.52	0.52	134.84	135.36	139.42	139.94	0.00	Accommodates Splice	
323	U1341	A	15	H	CC	0.90	0.90	135.36	136.26	139.94	140.84	0.00	Accommodates Splice	
323	U1341	C	16	H	1	1.50	1.50	133.50	135.00	142.11	143.61	1.27	Accommodates Splice	
323	U1341	C	16	H	2	1.50	1.50	135.00	136.50	143.61	145.11	0.00	Accommodates Splice	
323	U1341	C	16	H	3	1.50	1.50	136.50	138.00	145.11	146.61	0.00	Accommodates Splice	
323	U1341	C	16	H	4	1.35	1.35	138.00	139.35	146.61	147.96	0.00	Accommodates Splice	
323	U1341	C	16	H	CC	0.30	0.30	139.35	139.65	147.96	148.26	0.00	Accommodates Splice	
323	U1341	C	17	H	1	1.50	1.50	137.50	139.00	147.71	149.21	-0.55	Accommodates Splice	
323	U1341	C	17	H	2	1.50	1.50	139.00	140.50	149.21	150.71	0.00	Accommodates Splice	
323	U1341	C	17	H	3	1.50	1.50	140.50	142.00	150.71	152.21	0.00	Accommodates Splice	
323	U1341	C	17	H	4	1.50	1.50	142.00	143.50	152.21	153.71	0.00	Accommodates Splice	
323	U1341	C	17	H	5	1.50	1.50	143.50	145.00	153.71	155.21	0.00	Accommodates Splice	
323	U1341	C	17	H	6	1.50	1.50	145.00	146.50	155.21	156.71	0.00	Accommodates Splice	
323	U1341	C	17	H	7	0.49	0.49	146.50	146.99	156.71	157.20	0.00	Accommodates Splice	
323	U1341	C	17	H	CC	0.00	0.19	146.99	147.18	157.20	157.39	0.00	Accommodates Splice	
323	U1341	C	18	H	1	1.50	1.50	147.00	148.50	155.82	157.32	-1.57	Accommodates Splice	
323	U1341	C	18	H	2	1.50	1.50	148.50	150.00	157.32	158.82	0.00	Accommodates Splice	
323	U1341	C	18	H	3	1.50	1.50	150.00	151.50	158.82	160.32	0.00	Accommodates Splice	
323	U1341	C	18	H	4	1.50	1.50	151.50	153.00	160.32	161.82	0.00	Accommodates Splice	
323	U1341	C	18	H	5	1.50	1.50	153.00	154.50	161.82	163.32	0.00	Accommodates Splice	

Split Liner  
Split Liner, Bent Liner

U1341 Permanent Archive List
------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1341	C	18	H	6	1.50	1.50	154.50	156.00	163.32	164.82	0.00	Accommodates Splice	
323	U1341	C	18	H	7	0.83	0.83	156.00	156.83	164.82	165.65	0.00	Accommodates Splice	
323	U1341	C	18	H	CC	0.00	0.27	156.83	157.10	165.65	165.92	0.00	Accommodates Splice	
323	U1341	B	17	H	CC	0.00	0.16	158.03	158.19	166.60	166.76	0.68	Accommodates Splice	
323	U1341	B	18	H	1	1.50	1.50	157.20	158.70	167.63	169.13	0.87	Accommodates Splice	
323	U1341	B	18	H	2	1.50	1.50	158.70	160.20	169.13	170.63	0.00	Accommodates Splice	
323	U1341	B	18	H	3	1.50	1.50	160.20	161.70	170.63	172.13	0.00	Accommodates Splice	
323	U1341	B	18	H	4	1.50	1.50	161.70	163.20	172.13	173.63	0.00	Accommodates Splice	
323	U1341	B	18	H	5	1.50	1.50	163.20	164.70	173.63	175.13	0.00	Accommodates Splice	
323	U1341	B	18	H	6	1.00	1.00	164.70	165.70	175.13	176.13	0.00	Accommodates Splice	
323	U1341	B	18	H	7	0.75	0.75	165.70	166.45	176.13	176.88	0.00	Accommodates Splice	
323	U1341	B	18	H	CC	0.00	0.36	166.45	166.81	176.88	177.24	0.00	Accommodates Splice	
323	U1341	B	19	H	1	1.50	1.50	166.70	168.20	177.04	178.54	-0.20	Accommodates Splice	
323	U1341	B	19	H	2	1.50	1.50	168.20	169.70	178.54	180.04	0.00	Accommodates Splice	
323	U1341	B	19	H	3	1.50	1.50	169.70	171.20	180.04	181.54	0.00	Accommodates Splice	
323	U1341	B	19	H	4	1.50	1.50	171.20	172.70	181.54	183.04	0.00	Accommodates Splice	
323	U1341	B	19	H	5	1.50	1.50	172.70	174.20	183.04	184.54	0.00	Accommodates Splice	
323	U1341	B	19	H	6	1.50	1.50	174.20	175.70	184.54	186.04	0.00	Accommodates Splice	
323	U1341	B	19	H	7	0.65	0.65	175.70	176.35	186.04	186.69	0.00	Accommodates Splice	
323	U1341	B	19	H	CC	0.30	0.30	176.35	176.65	186.69	186.99	0.00	Accommodates Splice	
323	U1341	B	20	H	1	1.50	1.50	176.20	177.70	187.38	188.88	0.39	Accommodates Splice	
323	U1341	B	20	H	2	1.50	1.50	177.70	179.20	188.88	190.38	0.00	Accommodates Splice	
323	U1341	B	20	H	3	0.71	0.71	179.20	179.91	190.38	191.09	0.00	Accommodates Splice	
323	U1341	B	20	H	CC	0.00	0.26	179.91	180.17	191.09	191.35	0.00	Accommodates Splice	
323	U1341	C	21	H	3	1.50	1.50	178.50	180.00	190.63	192.13	-0.72	Accommodates Splice	
323	U1341	C	21	H	4	1.50	1.50	180.00	181.50	192.13	193.63	0.00	Accommodates Splice	
323	U1341	C	21	H	5	1.50	1.50	181.50	183.00	193.63	195.13	0.00	Accommodates Splice	
323	U1341	C	21	H	6	1.50	1.50	183.00	184.50	195.13	196.63	0.00	Accommodates Splice	
323	U1341	C	21	H	7	0.84	0.84	184.50	185.34	196.63	197.47	0.00	Accommodates Splice	
323	U1341	C	21	H	CC	0.21	0.21	185.34	185.55	197.47	197.68	0.00	Accommodates Splice	
323	U1341	B	21	H	6	1.50	1.50	188.20	189.70	199.47	200.97	1.79	Accommodates Splice	
323	U1341	B	21	H	7	0.77	0.77	189.70	190.47	200.97	201.74	0.00	Accommodates Splice	
323	U1341	B	21	H	CC	0.25	0.25	190.47	190.72	201.74	201.99	0.00	Accommodates Splice	
323	U1341	B	22	H	1	1.50	1.50	190.20	191.70	202.67	204.17	0.68	Accommodates Splice	
323	U1341	B	22	H	2	1.50	1.50	191.70	193.20	204.17	205.67	0.00	Accommodates Splice	
323	U1341	C	23	H	4	1.50	1.50	191.50	193.00	204.87	206.37	-0.80	Accommodates Splice	
323	U1341	C	23	H	5	1.50	1.50	193.00	194.50	206.37	207.87	0.00	Accommodates Splice	
323	U1341	C	23	H	6	1.50	1.50	194.50	196.00	207.87	209.37	0.00	Accommodates Splice	
323	U1341	C	23	H	7	0.80	0.80	196.00	196.80	209.37	210.17	0.00	Accommodates Splice	
323	U1341	C	23	H	CC	0.26	0.26	196.80	197.06	210.17	210.43	0.00	Accommodates Splice	
323	U1341	C	24	H	1	1.50	1.50	196.50	198.00	208.63	210.13	-1.80	Accommodates Splice	
323	U1341	C	24	H	2	0.84	0.84	198.00	198.84	210.13	210.97	0.00	Accommodates Splice	
323	U1341	C	24	H	3	1.03	1.03	198.84	199.87	210.97	212.00	0.00	Accommodates Splice	Liner Patch
323	U1341	C	24	H	4	1.46	1.46	199.87	201.33	212.00	213.46	0.00	Accommodates Splice	Liner Patch
323	U1341	C	24	H	CC	0.35	0.35	201.33	201.68	213.46	213.81	0.00	Accommodates Splice	
323	U1341	B	23	H	2	1.50	1.50	201.20	202.70	213.29	214.79	-0.52	Accommodates Splice	
323	U1341	B	23	H	3	1.50	1.50	202.70	204.20	214.79	216.29	0.00	Accommodates Splice	
323	U1341	B	23	H	4	1.50	1.50	204.20	205.70	216.29	217.79	0.00	Accommodates Splice	
323	U1341	B	23	H	5	1.50	1.50	205.70	207.20	217.79	219.29	0.00	Accommodates Splice	
323	U1341	B	23	H	6	1.50	1.50	207.20	208.70	219.29	220.79	0.00	Accommodates Splice	
323	U1341	B	23	H	7	0.77	0.77	208.70	209.47	220.79	221.56	0.00	Accommodates Splice	
323	U1341	B	23	H	CC	0.31	0.31	209.47	209.78	221.56	221.87	0.00	Accommodates Splice	
323	U1341	B	24	H	1	1.50	1.50	209.20	210.70	222.46	223.96	0.59	Accommodates Splice	
323	U1341	A	23	H	6	1.50	1.50	210.00	211.50	223.53	225.03	-0.43	Accommodates Splice	
323	U1341	A	23	H	7	0.88	0.88	211.50	212.38	225.03	225.91	0.00	Accommodates Splice	
323	U1341	A	23	H	CC	0.25	0.25	212.38	212.63	225.91	226.16	0.00	Accommodates Splice	
323	U1341	C	26	H	1	1.50	1.50	211.00	212.50	226.21	227.71	0.05	Accommodates Splice	
323	U1341	C	26	H	2	1.50	1.50	212.50	214.00	227.71	229.21	0.00	Accommodates Splice	
323	U1341	C	26	H	3	1.50	1.50	214.00	215.50	229.21	230.71	0.00	Accommodates Splice	
323	U1341	C	26	H	4	1.50	1.50	215.50	217.00	230.71	232.21	0.00	Accommodates Splice	
323	U1341	C	26	H	5	1.50	1.50	217.00	218.50	232.21	233.71	0.00	Accommodates Splice	
323	U1341	C	26	H	6	1.50	1.50	218.50	220.00	233.71	235.21	0.00	Accommodates Splice	
323	U1341	C	26	H	7	0.71	0.71	220.00	220.71	235.21	235.92	0.00	Accommodates Splice	
323	U1341	C	26	H	CC	0.21	0.21	220.71	220.92	235.92	236.13	0.00	Accommodates Splice	
323	U1341	C	27	H	1	1.50	1.50	222.00	222.50	236.83	238.33	0.70	Accommodates Splice	
323	U1341	A	25	H	3	1.50	1.50	224.50	226.00	238.28	239.78	-0.05	Accommodates Splice	
323	U1341	A	25	H	4	1.50	1.50	226.00	227.50	239.78	241.28	0.00	Accommodates Splice	
323	U1341	A	25	H	5	1.50	1.50	227.50	229.00	241.28	242.78	0.00	Accommodates Splice	
323	U1341	A	25	H	6	1.50	1.50	229.00	230.50	242.78	244.28	0.00	Accommodates Splice	

<b>U1341 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1341	A	25	H	7	0.72	0.72	230.50	231.22	244.28	245.00	0.00	Accommodates Splice	
323	U1341	A	25	H	CC	0.21	0.21	231.22	231.43	245.00	245.21	0.00	Accommodates Splice	
323	U1341	A	26	H	1	1.50	1.50	231.00	232.50	247.00	248.50	1.79	Accommodates Splice	Gravelly bits at top of section.
323	U1341	A	26	H	2	0.56	0.56	232.50	233.06	248.50	249.06	0.00	Accommodates Splice	
323	U1341	A	26	H	CC	0.15	0.15	233.06	233.21	249.06	249.21	0.00	Accommodates Splice	
323	U1341	A	27	H	1	1.50	1.50	233.20	234.70	249.35	250.85	0.14	Accommodates Splice	
323	U1341	B	26	H	7	0.76	0.76	237.20	237.96	251.92	252.68	1.07	Accommodates Splice	
323	U1341	B	26	H	CC	0.25	0.25	237.96	238.21	252.68	252.93	0.00	Accommodates Splice	
323	U1341	B	27	H	1	1.50	1.50	237.70	239.20	253.14	254.64	0.21	Accommodates Splice	
323	U1341	A	27	H	6	0.56	0.56	240.70	241.26	256.85	257.41	2.21	Accommodates Splice	
323	U1341	A	27	H	CC	0.24	0.24	241.26	241.50	257.41	257.65	0.00	Accommodates Splice	
323	U1341	A	28	H	1	1.50	1.50	242.70	244.20	258.81	260.31	1.16	Accommodates Splice	Drilling holes in liner due to expansion.
323	U1341	B	27	H	7	0.65	0.65	246.70	247.35	262.14	262.79	1.83	Accommodates Splice	
323	U1341	B	27	H	CC	0.25	0.25	247.35	247.60	262.79	263.04	0.00	Accommodates Splice	
323	U1341	B	28	H	1	1.50	1.50	247.20	248.70	262.72	264.22	-0.32	Accommodates Splice	
323	U1341	A	28	H	6	1.50	1.50	250.20	251.70	266.31	267.81	2.09	Accommodates Splice	
323	U1341	A	28	H	7	0.64	0.64	251.70	252.34	267.81	268.45	0.00	Accommodates Splice	
323	U1341	A	28	H	CC	0.20	0.20	252.34	252.54	268.45	268.65	0.00	Accommodates Splice	
323	U1341	A	29	H	1	1.50	1.50	252.20	253.70	268.71	270.21	0.06	Accommodates Splice	
323	U1341	B	28	H	7	0.82	0.82	256.20	257.02	271.72	272.54	1.51	Accommodates Splice	
323	U1341	B	28	H	CC	0.17	0.17	257.02	257.19	272.54	272.71	0.00	Accommodates Splice	
323	U1341	B	29	H	1	1.50	1.50	258.70	258.20	272.78	274.28	0.07	Accommodates Splice	
323	U1341	B	29	H	2	1.50	1.50	258.20	259.70	274.28	275.78	0.00	Accommodates Splice	
323	U1341	B	29	H	3	1.50	1.50	259.70	261.20	275.78	277.28	0.00	Accommodates Splice	
323	U1341	A	29	H	7	0.84	0.84	261.20	262.04	277.71	278.55	0.43	Accommodates Splice	
323	U1341	A	29	H	CC	0.20	0.20	262.04	262.24	278.55	278.75	0.00	Accommodates Splice	
323	U1341	B	29	H	7	0.52	0.52	265.30	265.82	281.38	281.90	2.63	Accommodates Splice	
323	U1341	B	29	H	CC	0.20	0.20	265.82	266.02	281.90	282.10	0.00	Accommodates Splice	
323	U1341	B	30	H	1	1.50	1.50	266.20	267.70	283.27	284.77	1.17	Accommodates Splice	
323	U1341	B	30	H	2	1.50	1.50	267.70	269.20	284.77	286.27	0.00	Accommodates Splice	
323	U1341	B	30	H	3	1.50	1.50	269.20	270.70	286.27	287.77	0.00	Accommodates Splice	
323	U1341	A	30	H	7	0.84	0.84	270.70	271.54	288.07	288.91	0.30	Accommodates Splice	
323	U1341	A	30	H	CC	0.00	0.28	271.54	271.82	288.91	289.19	0.00	Accommodates Splice	
323	U1341	A	31	H	1	1.50	1.50	271.20	272.70	288.75	290.25	-0.44	Accommodates Splice	
323	U1341	A	31	H	2	1.50	1.50	272.70	274.20	290.25	291.75	0.00	Accommodates Splice	
323	U1341	B	30	H	7	0.80	0.80	275.20	276.00	292.27	293.07	0.52	Accommodates Splice	
323	U1341	B	30	H	CC	0.19	0.19	276.00	276.19	293.07	293.26	0.00	Accommodates Splice	
323	U1341	B	31	H	1	1.50	1.50	275.70	277.20	293.64	295.14	0.38	Accommodates Splice	
323	U1341	B	31	H	2	1.50	1.50	277.20	278.70	295.14	296.64	0.00	Accommodates Splice	
323	U1341	A	31	H	7	0.83	0.83	280.20	281.03	297.75	298.58	1.11	Accommodates Splice	
323	U1341	A	31	H	CC	0.00	0.27	281.03	281.30	298.58	298.85	0.00	Accommodates Splice	
323	U1341	B	31	H	CC	0.24	0.24	283.57	283.81	301.51	301.75	2.66	Accommodates Splice	
323	U1341	B	32	H	1	1.50	1.50	283.80	285.30	301.85	303.35	0.10	Accommodates Splice	Crushed; split liner
323	U1341	B	32	H	2	0.90	0.90	285.30	286.20	303.35	304.25	0.00	Accommodates Splice	Crushed; split liner; missing bottom of section 2.
323	U1341	B	32	H	3	0.64	0.64	286.20	286.84	304.25	304.89	0.00	Accommodates Splice	Crushed; split liner; missing top of section 3.
323	U1341	A	32	H	5	1.50	1.50	286.70	288.20	306.48	307.98	1.59	Accommodates Splice	
323	U1341	A	32	H	6	1.50	1.50	288.20	289.70	307.98	309.48	0.00	Accommodates Splice	
323	U1341	A	32	H	7	0.62	0.62	289.70	290.32	309.48	310.10	0.00	Accommodates Splice	
323	U1341	A	32	H	CC	0.00	0.29	290.32	290.61	310.10	310.39	0.00	Accommodates Splice	
323	U1341	B	33	H	1	1.50	1.50	293.30	294.80	310.63	312.13	0.24	Accommodates Splice	
323	U1341	B	33	H	2	1.50	1.50	294.80	296.30	312.13	313.63	0.00	Accommodates Splice	
323	U1341	B	33	H	3	1.50	1.50	296.30	297.80	313.63	315.13	0.00	Accommodates Splice	
323	U1341	B	33	H	6	0.66	0.66	300.30	300.96	317.63	318.29	2.50	Accommodates Splice	
323	U1341	B	33	H	CC	0.00	0.27	300.96	301.23	318.29	318.56	0.00	Accommodates Splice	
323	U1341	B	34	H	1	1.50	1.50	301.20	302.70	319.03	320.53	0.47	Accommodates Splice	
323	U1341	B	34	H	2	1.50	1.50	302.70	304.20	320.53	322.03	0.00	Accommodates Splice	
323	U1341	B	34	H	3	1.50	1.50	304.20	305.70	322.03	323.53	0.00	Accommodates Splice	
323	U1341	B	34	H	4	1.41	1.41	305.70	307.11	323.53	324.94	0.00	Accommodates Splice	
323	U1341	B	34	H	CC	0.21	0.21	307.11	307.32	324.94	325.15	0.00	Accommodates Splice	
323	U1341	B	35	H	1	1.50	1.50	307.30	308.80	325.70	327.20	0.55	Accommodates Splice	
323	U1341	B	35	H	2	1.50	1.50	308.80	310.30	327.20	328.70	0.00	Accommodates Splice	
323	U1341	B	35	H	3	1.50	1.50	310.30	311.80	328.70	330.20	0.00	Accommodates Splice	
323	U1341	B	35	H	4	1.50	1.50	311.80	313.30	330.20	331.70	0.00	Accommodates Splice	
323	U1341	B	35	H	5	1.50	1.50	313.30	314.80	331.70	333.20	0.00	Accommodates Splice	
323	U1341	B	35	H	6	1.00	1.00	314.80	315.80	333.20	334.20	0.00	Accommodates Splice	
323	U1341	B	35	H	7	0.66	0.66	315.80	316.46	334.20	334.86	0.00	Accommodates Splice	
323	U1341	B	35	H	CC	0.29	0.29	316.46	316.75	334.86	335.15	0.00	Accommodates Splice	
323	U1341	A	35	H	CC	0.00	0.21	318.81	319.02	336.04	336.25	0.89	Accommodates Splice	
323	U1341	A	36	H	1	1.50	1.50	318.70	320.20	336.99	338.49	0.74	Accommodates Splice	

**U1341 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1341	A	36	H	2	1.50	1.50	320.20	321.70	338.49	339.99	0.00	Accomodates Splice	
323	U1341	B	36	H	5	1.50	1.50	322.80	324.30	340.70	342.20	0.71	Accomodates Splice	
323	U1341	B	36	H	6	1.37	1.37	324.30	325.67	342.20	343.57	0.00	Accomodates Splice	
323	U1341	B	36	H	CC	0.26	0.26	325.67	325.93	343.57	343.83	0.00	Accomodates Splice	
323	U1341	A	36	H	CC	0.26	0.26	327.93	328.19	346.22	346.48	2.39	Accomodates Splice	
323	U1341	A	37	H	1	1.50	1.50	328.20	329.70	346.82	348.32	0.34	Accomodates Splice	
323	U1341	A	37	H	2	1.50	1.50	329.70	331.20	348.32	349.82	0.00	Accomodates Splice	
323	U1341	A	37	H	3	1.35	1.35	331.20	332.55	349.82	351.17	0.00	Accomodates Splice	
323	U1341	A	37	H	CC	0.26	0.26	332.55	332.81	351.17	351.43	0.00	Accomodates Splice	
323	U1341	A	38	H	1	1.50	1.50	332.70	334.20	351.36	352.86	-0.07	Accomodates Splice	
323	U1341	B	37	H	CC	0.36	0.36	334.92	335.28	353.65	354.01	0.79	Accomodates Splice	
323	U1341	B	38	H	1	1.50	1.50	335.80	337.30	354.89	356.39	0.88	Accomodates Splice	
323	U1341	B	38	H	2	1.50	1.50	337.30	338.80	356.39	357.89	0.00	Accomodates Splice	
323	U1341	A	38	H	6	1.30	1.30	340.20	341.50	358.86	360.16	0.97	Accomodates Splice	
323	U1341	A	38	H	7	0.58	0.58	341.50	342.08	360.16	360.74	0.00	Accomodates Splice	
323	U1341	A	38	H	CC	0.18	0.18	342.08	342.26	360.74	360.92	0.00	Accomodates Splice	
323	U1341	A	39	H	1	1.50	1.50	342.20	343.70	361.36	362.86	0.44	Accomodates Splice	
323	U1341	B	38	H	CC	0.00	0.25	345.53	345.78	364.62	364.87	1.76	Accomodates Splice	
323	U1341	B	39	H	1	1.50	1.50	345.30	346.80	364.92	366.42	0.05	Accomodates Splice	
323	U1341	B	39	H	2	1.50	1.50	346.80	348.30	366.42	367.92	0.00	Accomodates Splice	
323	U1341	B	39	H	3	1.50	1.50	348.30	349.80	367.92	369.42	0.00	Accomodates Splice	
323	U1341	A	39	H	7	0.60	0.60	351.20	351.80	370.36	370.96	0.94	Accomodates Splice	
323	U1341	A	39	H	CC	0.23	0.23	351.80	352.03	370.96	371.19	0.00	Accomodates Splice	
323	U1341	A	40	H	1	1.50	1.50	351.70	353.20	370.66	372.16	-0.53	Accomodates Splice	
323	U1341	A	40	H	2	1.50	1.50	353.20	354.70	372.16	373.66	0.00	Accomodates Splice	
323	U1341	A	40	H	3	1.30	1.30	354.70	356.00	373.66	374.96	0.00	Accomodates Splice	
323	U1341	B	40	H	1	1.50	1.50	354.80	356.30	374.75	376.25	-0.21	Below Splice	
323	U1341	B	40	H	2	1.00	1.00	356.30	357.30	376.25	377.25	0.00	Below Splice	
323	U1341	B	40	H	3	0.63	0.63	357.30	357.93	377.25	377.88	0.00	Below Splice	
323	U1341	B	40	H	CC	0.00	0.18	357.93	358.11	377.88	378.06	0.00	Below Splice	
323	U1341	B	41	H	1	1.50	1.50	358.30	359.80	378.25	379.75	0.19	Below Splice	
323	U1341	B	41	H	2	1.50	1.50	359.80	361.30	379.75	381.25	0.00	Below Splice	
323	U1341	B	41	H	3	1.50	1.50	361.30	362.80	381.25	382.75	0.00	Below Splice	
323	U1341	B	41	H	4	1.50	1.50	362.80	364.30	382.75	384.25	0.00	Below Splice	
323	U1341	B	41	H	5	1.00	1.00	364.30	365.30	384.25	385.25	0.00	Below Splice	
323	U1341	B	41	H	6	0.71	0.71	365.30	366.01	385.25	385.96	0.00	Below Splice	
323	U1341	B	41	H	CC	0.00	0.23	366.01	366.24	385.96	386.19	0.00	Below Splice	
323	U1341	B	42	H	1	1.50	1.50	367.80	369.30	387.75	389.25	1.56	Below Splice	
323	U1341	B	42	H	2	1.50	1.50	369.30	370.80	389.25	390.75	0.00	Below Splice	
323	U1341	B	42	H	3	1.50	1.50	370.80	372.30	390.75	392.25	0.00	Below Splice	
323	U1341	B	42	H	4	1.50	1.50	372.30	373.80	392.25	393.75	0.00	Below Splice	
323	U1341	B	42	H	5	1.00	1.00	373.80	374.80	393.75	394.75	0.00	Below Splice	
323	U1341	B	42	H	6	0.62	0.62	374.80	375.42	394.75	395.37	0.00	Below Splice	
323	U1341	B	42	H	CC	0.26	0.26	375.42	375.68	395.37	395.63	0.00	Below Splice	
323	U1341	B	43	H	1	0.44	0.44	375.80	376.24	395.75	396.19	0.12	Below Splice	Disturbed; not oriented
323	U1341	B	43	H	2	1.50	1.50	376.24	377.74	396.19	397.69	0.00	Below Splice	Split Liner
323	U1341	B	43	H	3	1.50	1.50	377.74	379.24	397.69	399.19	0.00	Below Splice	Split Liner
323	U1341	B	43	H	4	0.72	0.72	379.24	379.96	399.19	399.91	0.00	Below Splice	Disturbed; not oriented
323	U1341	B	43	H	5	1.40	1.40	379.96	381.36	399.91	401.31	0.00	Below Splice	Disturbed; not oriented
323	U1341	B	43	H	6	1.50	1.50	381.36	382.86	401.31	402.81	0.00	Below Splice	Split liner
323	U1341	B	43	H	7	1.50	1.50	382.86	384.36	402.81	404.31	0.00	Below Splice	Split liner
323	U1341	B	43	H	8	0.87	0.87	384.36	385.23	404.31	405.18	0.00	Below Splice	Split liner
323	U1341	B	43	H	CC	0.25	0.25	385.23	385.48	405.18	405.43	0.00	Below Splice	
323	U1341	B	44	H	1	1.50	1.50	385.30	386.80	405.25	406.75	-0.18	Below Splice	
323	U1341	B	44	H	2	1.50	1.50	386.80	388.30	406.75	408.25	0.00	Below Splice	
323	U1341	B	44	H	3	1.50	1.50	388.30	389.80	408.25	409.75	0.00	Below Splice	
323	U1341	B	44	H	4	1.50	1.50	389.80	391.30	409.75	411.25	0.00	Below Splice	
323	U1341	B	44	H	5	1.50	1.50	391.30	392.80	411.25	412.75	0.00	Below Splice	Shattered Liner
323	U1341	B	44	H	6	1.50	1.50	392.80	394.30	412.75	414.25	0.00	Below Splice	Shattered Liner
323	U1341	B	44	H	7	0.56	0.56	394.30	394.86	414.25	414.81	0.00	Below Splice	Split Liner
323	U1341	B	44	H	CC	0.26	0.26	394.86	395.12	414.81	415.07	0.00	Below Splice	
323	U1341	B	45	H	1	1.50	1.50	394.80	396.30	414.75	416.25	-0.32	Below Splice	
323	U1341	B	45	H	2	1.50	1.50	396.30	397.80	416.25	417.75	0.00	Below Splice	
323	U1341	B	45	H	3	1.50	1.50	397.80	399.30	417.75	419.25	0.00	Below Splice	
323	U1341	B	45	H	4	1.50	1.50	399.30	400.80	419.25	420.75	0.00	Below Splice	
323	U1341	B	45	H	5	1.50	1.50	400.80	402.30	420.75	422.25	0.00	Below Splice	
323	U1341	B	45	H	6	0.96	0.96	402.30	403.26	422.25	423.21	0.00	Below Splice	
323	U1341	B	45	H	CC	0.33	0.33	403.26	403.59	423.21	423.54	0.00	Below Splice	
323	U1341	B	46	H	1	1.50	1.50	403.80	405.30	423.75	425.25	0.21	Below Splice	

U1341 Permanent Archive List
------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1341	B	46	H	2	1.50	1.50	405.30	406.80	425.25	426.75	0.00	Below Splice	
323	U1341	B	46	H	3	1.50	1.50	406.80	408.30	426.75	428.25	0.00	Below Splice	
323	U1341	B	46	H	4	1.50	1.50	408.30	409.80	428.25	429.75	0.00	Below Splice	
323	U1341	B	46	H	5	1.50	1.50	409.80	411.30	429.75	431.25	0.00	Below Splice	
323	U1341	B	46	H	6	1.50	1.50	411.30	412.80	431.25	432.75	0.00	Below Splice	
323	U1341	B	46	H	7	0.59	0.59	412.80	413.39	432.75	433.34	0.00	Below Splice	
323	U1341	B	46	H	CC	0.31	0.31	413.39	413.70	433.34	433.65	0.00	Below Splice	
323	U1341	B	47	H	1	1.02	1.02	413.30	414.32	433.25	434.27	-0.40	Below Splice	
323	U1341	B	47	H	CC	0.21	0.21	414.32	414.53	434.27	434.48	0.00	Below Splice	
323	U1341	B	48	H	1	1.50	1.50	414.60	416.10	434.55	436.05	0.07	Below Splice	
323	U1341	B	48	H	2	1.50	1.50	416.10	417.60	436.05	437.55	0.00	Below Splice	
323	U1341	B	48	H	3	1.50	1.50	417.60	419.10	437.55	439.05	0.00	Below Splice	
323	U1341	B	48	H	4	1.50	1.50	419.10	420.60	439.05	440.55	0.00	Below Splice	
323	U1341	B	48	H	5	1.50	1.50	420.60	422.10	440.55	442.05	0.00	Below Splice	
323	U1341	B	48	H	6	0.52	0.52	422.10	422.62	442.05	442.57	0.00	Below Splice	
323	U1341	B	48	H	CC	0.22	0.22	422.62	422.84	442.57	442.79	0.00	Below Splice	
323	U1341	B	49	H	1	0.32	0.32	422.80	423.12	442.75	443.07	-0.04	Below Splice	
323	U1341	B	49	H	CC	0.17	0.17	423.12	423.29	443.07	443.24	0.00	Below Splice	
323	U1341	B	50	H	1	1.50	1.50	423.30	424.80	443.25	444.75	0.01	Below Splice	
323	U1341	B	50	H	2	1.50	1.50	424.80	426.30	444.75	446.25	0.00	Below Splice	
323	U1341	B	50	H	3	1.50	1.50	426.30	427.80	446.25	447.75	0.00	Below Splice	
323	U1341	B	50	H	4	1.50	1.50	427.80	429.30	447.75	449.25	0.00	Below Splice	
323	U1341	B	50	H	5	1.30	1.30	429.30	430.60	449.25	450.55	0.00	Below Splice	
323	U1341	B	50	H	6	0.40	0.40	430.60	431.00	450.55	450.95	0.00	Below Splice	
323	U1341	B	50	H	CC	0.18	0.18	431.00	431.18	450.95	451.13	0.00	Below Splice	
323	U1341	B	51	H	1	1.50	1.50	431.20	432.70	451.15	452.65	0.02	Below Splice	
323	U1341	B	51	H	2	1.50	1.50	432.70	434.20	452.65	454.15	0.00	Below Splice	
323	U1341	B	51	H	3	1.50	1.50	434.20	435.70	454.15	455.65	0.00	Below Splice	
323	U1341	B	51	H	4	1.50	1.50	435.70	437.20	455.65	457.15	0.00	Below Splice	
323	U1341	B	51	H	5	1.20	1.20	437.20	438.40	457.15	458.35	0.00	Below Splice	
323	U1341	B	51	H	6	0.40	0.40	438.40	438.80	458.35	458.75	0.00	Below Splice	
323	U1341	B	51	H	CC	0.24	0.24	438.80	439.04	458.75	458.99	0.00	Below Splice	
323	U1341	B	52	H	1	1.50	1.50	439.00	440.50	458.95	460.45	-0.04	Below Splice	
323	U1341	B	52	H	2	1.50	1.50	440.50	442.00	460.45	461.95	0.00	Below Splice	
323	U1341	B	52	H	3	1.50	1.50	442.00	443.50	461.95	463.45	0.00	Below Splice	
323	U1341	B	52	H	4	1.50	1.50	443.50	445.00	463.45	464.95	0.00	Below Splice	
323	U1341	B	52	H	5	1.50	1.50	445.00	446.50	464.95	466.45	0.00	Below Splice	
323	U1341	B	52	H	6	1.50	1.50	446.50	448.00	466.45	467.95	0.00	Below Splice	
323	U1341	B	52	H	7	0.58	0.58	448.00	448.58	467.95	468.53	0.00	Below Splice	
323	U1341	B	52	H	CC	0.28	0.28	448.58	448.86	468.53	468.81	0.00	Below Splice	
323	U1341	B	53	H	1	1.50	1.50	448.50	450.00	468.45	469.95	-0.36	Below Splice	
323	U1341	B	53	H	2	1.50	1.50	450.00	451.50	469.95	471.45	0.00	Below Splice	
323	U1341	B	53	H	3	1.50	1.50	451.50	453.00	471.45	472.95	0.00	Below Splice	
323	U1341	B	53	H	4	1.50	1.50	453.00	454.50	472.95	474.45	0.00	Below Splice	
323	U1341	B	53	H	5	1.50	1.50	454.50	456.00	474.45	475.95	0.00	Below Splice	
323	U1341	B	53	H	6	1.00	1.00	456.00	457.00	475.95	476.95	0.00	Below Splice	
323	U1341	B	53	H	7	0.53	0.53	457.00	457.53	476.95	477.48	0.00	Below Splice	
323	U1341	B	53	H	CC	0.27	0.27	457.53	457.80	477.48	477.75	0.00	Below Splice	
323	U1341	B	54	H	1	0.54	0.34	457.80	458.14	477.75	478.09	0.00	Below Splice	
323	U1341	B	54	H	CC	0.19	0.19	458.14	458.33	478.09	478.28	0.00	Below Splice	
323	U1341	B	55	H	CC	0.06	0.06	458.30	458.36	478.25	478.31	-0.03	Below Splice	
323	U1341	B	56	H	CC	0.02	0.02	458.40	458.42	478.35	478.37	0.04	Below Splice	
323	U1341	B	57	X	1	1.50	1.50	458.40	459.90	478.35	479.85	-0.02	Below Splice	
323	U1341	B	57	X	2	1.50	1.50	459.90	461.40	479.85	481.35	0.00	Below Splice	
323	U1341	B	57	X	3	1.50	1.50	461.40	462.90	481.35	482.85	0.00	Below Splice	
323	U1341	B	57	X	4	1.50	1.50	462.90	464.40	482.85	484.35	0.00	Below Splice	
323	U1341	B	57	X	5	1.50	1.50	464.40	465.90	484.35	485.85	0.00	Below Splice	
323	U1341	B	57	X	6	1.14	1.14	465.90	467.04	485.85	486.99	0.00	Below Splice	
323	U1341	B	57	X	CC	0.29	0.29	467.04	467.33	486.99	487.28	0.00	Below Splice	
323	U1341	B	58	X	1	1.50	1.50	467.00	469.20	487.65	489.15	0.37	Below Splice	
323	U1341	B	58	X	2	1.50	1.50	469.20	470.70	489.15	490.65	0.00	Below Splice	
323	U1341	B	58	X	3	1.50	1.50	470.70	472.20	490.65	492.15	0.00	Below Splice	
323	U1341	B	58	X	4	1.50	1.50	472.20	473.70	492.15	493.65	0.00	Below Splice	
323	U1341	B	58	X	5	1.50	1.50	473.70	475.20	493.65	495.15	0.00	Below Splice	
323	U1341	B	58	X	6	1.28	1.28	475.20	476.48	495.15	496.43	0.00	Below Splice	
323	U1341	B	58	X	CC	0.27	0.27	476.48	476.75	496.43	496.70	0.00	Below Splice	
323	U1341	B	59	X	1	1.50	1.50	477.00	478.50	496.95	498.45	0.25	Below Splice	
323	U1341	B	59	X	2	1.50	1.50	478.50	480.00	498.45	499.95	0.00	Below Splice	
323	U1341	B	59	X	3	1.50	1.50	480.00	481.50	499.95	501.45	0.00	Below Splice	

<b>U1341 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1341	B	59	X	4	1.50	1.50	481.50	483.00	501.45	502.95	0.00	Below Splice	
323	U1341	B	59	X	5	1.50	1.50	483.00	484.50	502.95	504.45	0.00	Below Splice	
323	U1341	B	59	X	6	1.50	1.50	484.50	486.00	504.45	505.95	0.00	Below Splice	
323	U1341	B	59	X	7	0.49	0.49	486.00	486.49	505.95	506.44	0.00	Below Splice	
323	U1341	B	59	X	CC	0.00	0.28	486.49	486.77	506.44	506.72	0.00	Below Splice	
323	U1341	B	60	X	1	1.50	1.50	486.77	488.20	506.65	508.15	-0.07	Below Splice	
323	U1341	B	60	X	2	1.50	1.50	488.20	489.70	508.15	509.65	0.00	Below Splice	
323	U1341	B	60	X	3	1.50	1.50	489.70	491.20	509.65	511.15	0.00	Below Splice	
323	U1341	B	60	X	4	1.50	1.50	491.20	492.70	511.15	512.65	0.00	Below Splice	
323	U1341	B	60	X	5	1.50	1.50	492.70	494.20	512.65	514.15	0.00	Below Splice	
323	U1341	B	60	X	6	1.00	1.00	494.20	495.20	514.15	515.15	0.00	Below Splice	
323	U1341	B	60	X	7	0.97	0.97	495.20	496.17	515.15	516.12	0.00	Below Splice	
323	U1341	B	60	X	CC	0.29	0.29	496.17	496.46	516.12	516.41	0.00	Below Splice	
323	U1341	B	61	X	1	1.50	1.50	496.20	497.70	516.15	517.65	-0.26	Below Splice	
323	U1341	B	61	X	2	1.50	1.50	497.70	499.20	517.65	519.15	0.00	Below Splice	
323	U1341	B	61	X	3	1.50	1.50	499.20	500.70	519.15	520.65	0.00	Below Splice	
323	U1341	B	61	X	4	1.50	1.50	500.70	502.20	520.65	522.15	0.00	Below Splice	
323	U1341	B	61	X	5	1.30	1.30	502.20	503.50	522.15	523.45	0.00	Below Splice	
323	U1341	B	61	X	6	0.54	0.54	503.50	504.04	523.45	523.99	0.00	Below Splice	
323	U1341	B	61	X	CC	0.00	0.30	504.04	504.34	523.99	524.29	0.00	Below Splice	
323	U1341	B	62	X	1	1.50	1.50	505.90	507.40	525.85	527.35	1.56	Below Splice	
323	U1341	B	62	X	2	1.50	1.50	507.40	508.90	527.35	528.85	0.00	Below Splice	
323	U1341	B	62	X	3	1.50	1.50	508.90	510.40	528.85	530.35	0.00	Below Splice	
323	U1341	B	62	X	4	1.50	1.50	510.40	511.90	530.35	531.85	0.00	Below Splice	
323	U1341	B	62	X	5	1.50	1.50	511.90	513.40	531.85	533.35	0.00	Below Splice	
323	U1341	B	62	X	6	1.50	1.50	513.40	514.90	533.35	534.85	0.00	Below Splice	
323	U1341	B	62	X	7	0.49	0.49	514.90	515.39	534.85	535.34	0.00	Below Splice	
323	U1341	B	62	X	CC	0.00	0.33	515.39	515.72	535.34	535.67	0.00	Below Splice	
323	U1341	B	63	X	1	1.50	1.50	515.60	517.10	535.55	537.05	-0.12	Below Splice	
323	U1341	B	63	X	2	1.50	1.50	517.10	518.60	537.05	538.55	0.00	Below Splice	
323	U1341	B	63	X	3	1.50	1.50	518.60	520.10	538.55	540.05	0.00	Below Splice	
323	U1341	B	63	X	4	1.50	1.50	520.10	521.60	540.05	541.55	0.00	Below Splice	
323	U1341	B	63	X	5	1.50	1.50	521.60	523.10	541.55	543.05	0.00	Below Splice	
323	U1341	B	63	X	6	1.50	1.50	523.10	524.60	543.05	544.55	0.00	Below Splice	
323	U1341	B	63	X	7	0.49	0.49	524.60	525.09	544.55	545.04	0.00	Below Splice	
323	U1341	B	63	X	CC	0.00	0.37	525.09	525.46	545.04	545.41	0.00	Below Splice	
323	U1341	B	64	X	1	1.50	1.50	525.20	526.70	545.15	546.65	-0.26	Below Splice	
323	U1341	B	64	X	2	1.50	1.50	526.70	528.20	546.65	548.15	0.00	Below Splice	
323	U1341	B	64	X	3	1.50	1.50	528.20	529.70	548.15	549.65	0.00	Below Splice	
323	U1341	B	64	X	4	1.50	1.50	529.70	531.20	549.65	551.15	0.00	Below Splice	
323	U1341	B	64	X	5	1.50	1.50	531.20	532.70	551.15	552.65	0.00	Below Splice	
323	U1341	B	64	X	6	1.20	1.20	532.70	533.90	552.65	553.85	0.00	Below Splice	
323	U1341	B	64	X	7	0.65	0.65	533.90	534.55	553.85	554.50	0.00	Below Splice	
323	U1341	B	64	X	CC	0.00	0.31	534.55	534.86	554.50	554.81	0.00	Below Splice	
323	U1341	B	65	X	1	1.50	1.50	534.80	536.30	554.75	556.25	-0.06	Below Splice	
323	U1341	B	65	X	2	1.50	1.50	536.30	537.80	556.25	557.75	0.00	Below Splice	
323	U1341	B	65	X	3	1.50	1.50	537.80	539.30	557.75	559.25	0.00	Below Splice	
323	U1341	B	65	X	4	1.50	1.50	539.30	540.80	559.25	560.75	0.00	Below Splice	
323	U1341	B	65	X	5	1.50	1.30	540.80	542.10	560.75	562.05	0.00	Below Splice	
323	U1341	B	65	X	6	1.30	0.53	542.10	542.63	562.05	562.58	0.00	Below Splice	
323	U1341	B	65	X	CC	0.00	0.39	542.63	543.02	562.58	562.97	0.00	Below Splice	
323	U1341	B	66	X	1	1.50	1.50	544.40	545.90	564.35	565.85	1.38	Below Splice	
323	U1341	B	66	X	2	1.50	1.50	545.90	547.40	565.85	567.35	0.00	Below Splice	
323	U1341	B	66	X	3	1.50	1.50	547.40	548.90	567.35	568.85	0.00	Below Splice	
323	U1341	B	66	X	CC	0.00	0.46	548.90	549.36	568.85	569.31	0.00	Below Splice	
323	U1341	B	67	X	1	1.50	1.50	554.00	555.50	573.95	575.45	4.64	Below Splice	
323	U1341	B	67	X	2	1.50	1.50	555.50	557.00	575.45	576.95	0.00	Below Splice	
323	U1341	B	67	X	3	1.50	1.50	557.00	558.50	576.95	578.45	0.00	Below Splice	
323	U1341	B	67	X	4	1.50	1.50	558.50	560.00	578.45	579.95	0.00	Below Splice	
323	U1341	B	67	X	5	1.50	1.50	560.00	561.50	579.95	581.45	0.00	Below Splice	
323	U1341	B	67	X	6	1.50	1.50	561.50	563.00	581.45	582.95	0.00	Below Splice	
323	U1341	B	67	X	7	0.45	0.45	563.00	563.45	582.95	583.40	0.00	Below Splice	
323	U1341	B	67	X	CC	0.00	0.23	563.45	563.68	583.40	583.63	0.00	Below Splice	
323	U1341	B	68	X	1	1.50	1.50	563.70	565.20	583.65	585.15	0.02	Below Splice	
323	U1341	B	68	X	2	1.50	1.50	565.20	566.70	585.15	586.65	0.00	Below Splice	
323	U1341	B	68	X	3	1.50	1.50	566.70	568.20	586.65	588.15	0.00	Below Splice	
323	U1341	B	68	X	4	1.50	1.50	568.20	569.70	588.15	589.65	0.00	Below Splice	
323	U1341	B	68	X	5	1.50	1.50	569.70	571.20	589.65	591.15	0.00	Below Splice	
323	U1341	B	68	X	6	1.40	1.40	571.20	572.60	591.15	592.55	0.00	Below Splice	

<b>U1341 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1341	B	68	X	7	0.52	0.52	572.60	573.12	592.55	593.07	0.00	Below Splice	
323	U1341	B	68	X	CC	0.36	0.36	573.12	573.48	593.07	593.43	0.00	Below Splice	
323	U1341	B	69	X	CC	0.24	0.24	573.30	573.54	593.25	593.49	-0.18	Below Splice	
323	U1341	B	70	X	1	1.50	1.50	582.90	584.40	602.85	604.35	9.36	Below Splice	
323	U1341	B	70	X	2	1.50	1.50	584.40	585.90	604.35	605.85	0.00	Below Splice	
323	U1341	B	70	X	3	1.50	1.50	585.90	587.40	605.85	607.35	0.00	Below Splice	
323	U1341	B	70	X	4	1.50	1.50	587.40	588.90	607.35	608.85	0.00	Below Splice	
323	U1341	B	70	X	5	1.50	1.50	588.90	590.40	608.85	610.35	0.00	Below Splice	
323	U1341	B	70	X	6	1.20	1.20	590.40	591.60	610.35	611.55	0.00	Below Splice	
323	U1341	B	70	X	7	0.55	0.55	591.60	592.15	611.55	612.10	0.00	Below Splice	
323	U1341	B	70	X	CC	0.41	0.41	592.15	592.56	612.10	612.51	0.00	Below Splice	
323	U1341	B	71	X	1	1.50	1.50	592.50	594.00	612.45	613.95	-0.06	Below Splice	
323	U1341	B	71	X	2	1.50	1.50	594.00	595.50	613.95	615.45	0.00	Below Splice	
323	U1341	B	71	X	3	1.50	1.50	595.50	597.00	615.45	616.95	0.00	Below Splice	
323	U1341	B	71	X	4	1.50	1.50	597.00	598.50	616.95	618.45	0.00	Below Splice	
323	U1341	B	71	X	5	1.50	1.50	598.50	600.00	618.45	619.95	0.00	Below Splice	
323	U1341	B	71	X	6	1.00	1.00	600.00	601.00	619.95	620.95	0.00	Below Splice	
323	U1341	B	71	X	7	0.59	0.59	601.00	601.59	620.95	621.54	0.00	Below Splice	
323	U1341	B	71	X	CC	0.28	0.28	601.59	601.87	621.54	621.82	0.00	Below Splice	