

<b>U1410 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1410	C	1	H	1	1.50	1.50	0.00	1.50	0.15	1.65		accommodates splice	
342	U1410	C	1	H	2	1.50	1.50	1.50	3.00	1.65	3.15	0.00	accommodates splice	
342	U1410	C	1	H	3	1.50	1.50	3.00	4.50	3.15	4.65	0.00	accommodates splice	
342	U1410	C	1	H	4	1.30	1.30	4.50	5.80	4.65	5.95	0.00	accommodates splice	
342	U1410	C	1	H	5	0.62	0.62	5.80	6.42	5.95	6.57	0.00	accommodates splice	
342	U1410	C	1	H	CC	0.40	0.40	6.42	6.82	6.57	6.97	0.00	accommodates splice	
342	U1410	C	2	H	1	1.50	1.50	6.80	8.30	6.95	8.45	-0.02	accommodates splice	
342	U1410	C	2	H	2	1.50	1.50	8.30	9.80	8.45	9.95	0.00	accommodates splice	
342	U1410	C	2	H	3	1.50	1.50	9.80	11.30	9.95	11.45	0.00	accommodates splice	
342	U1410	C	2	H	4	1.50	1.50	11.30	12.80	11.45	12.95	0.00	accommodates splice	
342	U1410	C	2	H	5	1.50	1.50	12.80	14.30	12.95	14.45	0.00	accommodates splice	
342	U1410	C	2	H	6	1.20	1.20	14.30	15.50	14.45	15.65	0.00	accommodates splice	
342	U1410	C	2	H	7	0.53	0.53	15.50	16.03	15.65	16.18	0.00	accommodates splice	
342	U1410	C	2	H	CC	0.16	0.16	16.03	16.19	16.18	16.34	0.00	accommodates splice	
342	U1410	A	2	H	7	0.70	0.70	17.50	18.20	16.70	17.40	0.36	accommodates splice	
342	U1410	A	2	H	CC	0.21	0.21	18.20	18.41	17.40	17.61	0.00	accommodates splice	
342	U1410	C	3	H	1	1.50	1.50	16.30	17.80	17.65	19.15	0.04	accommodates splice	
342	U1410	C	3	H	2	1.50	1.50	17.80	19.30	19.15	20.65	0.00	accommodates splice	
342	U1410	C	3	H	3	1.50	1.50	19.30	20.80	20.65	22.15	0.00	accommodates splice	
342	U1410	C	3	H	4	1.50	1.50	20.80	22.30	22.15	23.65	0.00	accommodates splice	
342	U1410	C	3	H	5	1.50	1.50	22.30	23.80	23.65	25.15	0.00	accommodates splice	
342	U1410	C	3	H	6	1.20	1.20	23.80	25.00	25.15	26.35	0.00	accommodates splice	
342	U1410	C	3	H	7	0.57	0.57	25.00	25.57	26.35	26.92	0.00	accommodates splice	
342	U1410	C	3	H	CC	0.21	0.21	25.57	25.78	26.92	27.13	0.00	accommodates splice	
342	U1410	A	3	H	7	0.69	0.69	27.00	27.69	27.70	28.39	0.57	accommodates splice	
342	U1410	A	3	H	CC	0.22	0.22	27.69	27.91	28.39	28.61	0.00	accommodates splice	
342	U1410	C	4	H	2	1.50	1.50	27.30	28.80	28.87	30.37	0.26	accommodates splice	
342	U1410	C	4	H	3	1.50	1.50	28.80	30.30	30.37	31.87	0.00	accommodates splice	
342	U1410	C	4	H	4	1.50	1.50	30.30	31.80	31.87	33.37	0.00	accommodates splice	
342	U1410	C	4	H	5	1.50	1.50	31.80	33.30	33.37	34.87	0.00	accommodates splice	
342	U1410	A	4	H	5	1.50	1.50	33.50	35.00	34.95	36.45	0.08	accommodates splice	
342	U1410	A	4	H	6	1.50	1.50	35.00	36.50	36.45	37.95	0.00	accommodates splice	
342	U1410	A	4	H	7	0.71	0.71	36.50	37.21	37.95	38.66	0.00	accommodates splice	
342	U1410	A	5	H	1	1.50	1.50	37.00	38.50	38.20	39.70	-0.46	accommodates splice	
342	U1410	C	5	H	3	1.50	1.50	38.30	39.80	39.87	41.37	0.17	accommodates splice	
342	U1410	C	5	H	4	1.50	1.50	39.80	41.30	41.37	42.87	0.00	accommodates splice	
342	U1410	C	5	H	5	1.50	1.50	41.30	42.80	42.87	44.37	0.00	accommodates splice	
342	U1410	A	5	H	5	1.50	1.50	43.00	44.50	44.20	45.70	-0.17	accommodates splice	
342	U1410	A	5	H	6	1.11	1.11	44.50	45.61	45.70	46.81	0.00	accommodates splice	
342	U1410	A	5	H	7	0.49	0.49	45.61	46.10	46.81	47.30	0.00	accommodates splice	
342	U1410	A	5	H	CC	0.40	0.40	46.10	46.50	47.30	47.70	0.00	accommodates splice	
342	U1410	A	6	H	1	1.50	1.50	46.50	48.00	48.00	49.50	0.30	accommodates splice	
342	U1410	C	6	H	3	1.50	1.50	47.80	49.30	49.77	51.27	0.27	accommodates splice	
342	U1410	C	6	H	4	1.50	1.50	49.30	50.80	51.27	52.77	0.00	accommodates splice	
342	U1410	C	6	H	5	1.50	1.50	50.80	52.30	52.77	54.27	0.00	accommodates splice	
342	U1410	C	6	H	6	1.14	1.14	52.30	53.44	54.27	55.41	0.00	accommodates splice	
342	U1410	C	6	H	CC	0.32	0.32	53.44	53.76	55.41	55.73	0.00	accommodates splice	
342	U1410	A	6	H	7	0.56	0.56	55.41	55.97	56.91	57.47	1.18	accommodates splice	
342	U1410	A	6	H	CC	0.27	0.27	55.97	56.24	57.47	57.74	0.00	accommodates splice	
342	U1410	C	7	H	1	1.50	1.50	54.30	55.80	57.29	58.79	-0.45	accommodates splice	
342	U1410	C	7	H	2	1.50	1.50	55.80	57.30	58.79	60.29	0.00	accommodates splice	
342	U1410	C	7	H	3	1.50	1.50	57.30	58.80	60.29	61.79	0.00	accommodates splice	
342	U1410	C	7	H	4	1.50	1.50	58.80	60.30	61.79	63.29	0.00	accommodates splice	
342	U1410	C	7	H	5	1.50	1.50	60.30	61.80	63.29	64.79	0.00	accommodates splice	
342	U1410	C	7	H	6	1.50	1.50	61.80	63.30	64.79	66.29	0.00	accommodates splice	
342	U1410	C	7	H	7	0.63	0.63	63.30	63.93	66.29	66.92	0.00	accommodates splice	
342	U1410	C	7	H	CC	0.15	0.15	63.93	64.08	66.92	67.07	0.00	accommodates splice	
342	U1410	A	7	H	CC	0.66	0.66	65.05	65.71	67.40	68.06	0.33	accommodates splice	
342	U1410	A	8	H	1	1.50	1.50	65.50	67.00	67.85	69.35	-0.21	accommodates splice	
342	U1410	A	8	H	2	1.50	1.50	67.00	68.50	69.35	70.85	0.00	accommodates splice	

<b>U1410 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1410	A	8	H	3	1.50	1.50	68.50	70.00	70.85	72.35	0.00	accommodates splice	
342	U1410	A	8	H	4	1.50	1.50	70.00	71.50	72.35	73.85	0.00	accommodates splice	
342	U1410	A	8	H	5	1.50	1.50	71.50	73.00	73.85	75.35	0.00	accommodates splice	
342	U1410	A	8	H	6	1.50	1.50	73.00	74.50	75.35	76.85	0.00	accommodates splice	
342	U1410	A	8	H	7	0.61	0.61	74.50	75.11	76.85	77.46	0.00	accommodates splice	
342	U1410	A	8	H	CC	0.33	0.33	75.11	75.44	77.46	77.79	0.00	accommodates splice	
342	U1410	B	9	H	6	1.50	1.50	74.30	75.80	78.55	80.05	0.76	accommodates splice	
342	U1410	A	9	H	1	1.50	1.50	75.00	76.50	79.45	80.95	-0.60	accommodates splice	
342	U1410	A	9	H	2	1.50	1.50	76.50	78.00	80.95	82.45	0.00	accommodates splice	
342	U1410	A	9	H	3	0.65	0.65	78.00	78.65	82.45	83.10	0.00	accommodates splice	
342	U1410	A	9	H	4	1.50	1.50	78.65	80.15	83.10	84.60	0.00	accommodates splice	
342	U1410	A	9	H	5	1.50	1.50	80.15	81.65	84.60	86.10	0.00	accommodates splice	
342	U1410	A	9	H	6	1.50	1.50	81.65	83.15	86.10	87.60	0.00	accommodates splice	
342	U1410	A	9	H	7	0.84	0.84	83.15	83.99	87.60	88.44	0.00	accommodates splice	
342	U1410	A	9	H	CC	0.62	0.62	83.99	84.61	88.44	89.06	0.00	accommodates splice	
342	U1410	B	10	H	6	1.30	1.30	83.80	85.10	88.23	89.53	-0.83	accommodates splice	
342	U1410	B	10	H	7	0.69	0.69	85.10	85.79	89.53	90.22	0.00	accommodates splice	
342	U1410	A	10	H	1	0.50	0.50	84.50	85.00	90.04	90.54	-0.18	accommodates splice	
342	U1410	A	10	H	2	0.68	0.68	85.00	85.68	90.54	91.22	0.00	accommodates splice	
342	U1410	A	10	H	3	1.47	1.47	85.68	87.15	91.22	92.69	0.00	accommodates splice	
342	U1410	A	10	H	4	1.10	1.10	87.15	88.25	92.69	93.79	0.00	accommodates splice	
342	U1410	A	10	H	5	1.40	1.40	88.25	89.65	93.79	95.19	0.00	accommodates splice	
342	U1410	A	10	H	6	1.41	1.41	89.65	91.06	95.19	96.60	0.00	accommodates splice	
342	U1410	A	10	H	7	1.43	1.43	91.06	92.49	96.60	98.03	0.00	accommodates splice	
342	U1410	A	10	H	CC	0.72	0.72	92.49	93.21	98.03	98.75	0.00	accommodates splice	
342	U1410	A	11	H	1	1.50	1.50	94.00	95.50	98.54	100.04	-0.21	accommodates splice	
342	U1410	B	12	H	4	1.50	1.50	95.30	96.80	100.22	101.72	0.18	accommodates splice	
342	U1410	B	12	H	5	1.50	1.50	96.80	98.30	101.72	103.22	0.00	accommodates splice	
342	U1410	B	12	H	6	1.50	1.50	98.30	99.80	103.22	104.72	0.00	accommodates splice	
342	U1410	B	12	H	7	0.64	0.64	99.80	100.44	104.72	105.36	0.00	accommodates splice	
342	U1410	C	12	H	1	1.50	1.50	99.30	100.80	105.11	106.61	-0.25	accommodates splice	
342	U1410	C	12	H	2	1.50	1.50	100.80	102.30	106.61	108.11	0.00	accommodates splice	
342	U1410	C	12	H	3	1.50	1.50	102.30	103.80	108.11	109.61	0.00	accommodates splice	
342	U1410	C	12	H	4	1.51	1.51	103.80	105.31	109.61	111.12	0.00	accommodates splice	
342	U1410	C	12	H	5	1.51	1.51	105.31	106.82	111.12	112.63	0.00	accommodates splice	
342	U1410	C	12	H	6	0.69	0.69	106.82	107.51	112.63	113.32	0.00	accommodates splice	
342	U1410	C	12	H	CC	0.33	0.33	107.51	107.84	113.32	113.65	0.00	accommodates splice	
342	U1410	B	13	H	6	1.50	1.50	107.80	109.30	113.42	114.92	-0.23	accommodates splice	
342	U1410	C	13	H	1	1.50	1.50	108.80	110.30	114.96	116.46	0.04	accommodates splice	
342	U1410	A	12	H	6	1.50	1.50	111.00	112.50	116.04	117.54	-0.42	accommodates splice	
342	U1410	A	12	H	7	0.61	0.61	112.50	113.11	117.54	118.15	0.00	accommodates splice	
342	U1410	A	12	H	CC	0.31	0.31	113.11	113.42	118.15	118.46	0.00	accommodates splice	
342	U1410	A	13	H	1	0.47	0.47	113.00	113.47	117.99	118.46	-0.47	accommodates splice	
342	U1410	A	13	H	2	1.50	1.50	113.47	114.97	118.46	119.96	0.00	accommodates splice	
342	U1410	A	13	H	3	1.50	1.50	114.97	116.47	119.96	121.46	0.00	accommodates splice	
342	U1410	C	13	H	5	1.50	1.50	114.80	116.30	120.96	122.46	-0.50	accommodates splice	
342	U1410	C	13	H	6	1.40	1.40	116.30	117.70	122.46	123.86	0.00	accommodates splice	
342	U1410	C	13	H	7	0.71	0.71	117.70	118.41	123.86	124.57	0.00	accommodates splice	
342	U1410	C	14	H	1	1.50	1.50	118.30	119.80	125.86	127.36	1.29	accommodates splice	
342	U1410	C	14	H	2	1.50	1.50	119.80	121.30	127.36	128.86	0.00	accommodates splice	
342	U1410	C	14	H	3	1.50	1.50	121.30	122.80	128.86	130.36	0.00	accommodates splice	
342	U1410	C	14	H	4	1.50	1.50	122.80	124.30	130.36	131.86	0.00	accommodates splice	
342	U1410	C	14	H	5	1.50	1.50	124.30	125.80	131.86	133.36	0.00	accommodates splice	
342	U1410	C	14	H	6	1.50	1.50	125.80	127.30	133.36	134.86	0.00	accommodates splice	
342	U1410	C	14	H	7	0.59	0.59	127.30	127.89	134.86	135.45	0.00	accommodates splice	
342	U1410	C	14	H	CC	0.34	0.34	127.89	128.23	135.45	135.79	0.00	accommodates splice	
342	U1410	C	15	H	1	1.01	1.01	127.80	128.81	136.76	137.77	0.97	accommodates splice	
342	U1410	C	15	H	2	1.47	1.47	128.81	130.28	137.77	139.24	0.00	accommodates splice	
342	U1410	C	15	H	3	1.47	1.47	130.28	131.75	139.24	140.71	0.00	accommodates splice	
342	U1410	C	15	H	4	1.45	1.45	131.75	133.20	140.71	142.16	0.00	accommodates splice	

**U1410 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1410	C	15	H	5	1.47	1.47	133.20	134.67	142.16	143.63	0.00	accommodates splice	
342	U1410	C	15	H	6	1.46	1.46	134.67	136.13	143.63	145.09	0.00	accommodates splice	
342	U1410	C	15	H	CC	0.75	0.75	136.13	136.88	145.09	145.84	0.00	accommodates splice	
342	U1410	A	15	H	7	1.03	1.03	140.49	141.52	145.88	146.91	0.04	accommodates splice	
342	U1410	C	16	H	1	1.50	1.50	137.30	138.80	147.36	148.86	0.45	accommodates splice	
342	U1410	C	16	H	2	1.50	1.50	138.80	140.30	148.86	150.36	0.00	accommodates splice	
342	U1410	C	16	H	3	1.50	1.50	140.30	141.80	150.36	151.86	0.00	accommodates splice	
342	U1410	C	16	H	4	1.50	1.50	141.80	143.30	151.86	153.36	0.00	accommodates splice	
342	U1410	C	16	H	5	1.50	1.50	143.30	144.80	153.36	154.86	0.00	accommodates splice	
342	U1410	C	16	H	6	1.50	1.50	144.80	146.30	154.86	156.36	0.00	accommodates splice	
342	U1410	C	16	H	7	0.63	0.63	146.30	146.93	156.36	156.99	0.00	accommodates splice	
342	U1410	C	16	H	CC	0.46	0.46	146.93	147.39	156.99	157.45	0.00	accommodates splice	
342	U1410	C	17	X	1	1.50	1.50	146.80	148.30	156.86	158.36	-0.59	accommodates splice	
342	U1410	C	17	X	2	1.50	1.50	148.30	149.80	158.36	159.86	0.00	accommodates splice	
342	U1410	C	17	X	3	1.50	1.50	149.80	151.30	159.86	161.36	0.00	accommodates splice	
342	U1410	C	17	X	4	1.50	1.50	151.30	152.80	161.36	162.86	0.00	accommodates splice	
342	U1410	C	17	X	5	1.50	1.50	152.80	154.30	162.86	164.36	0.00	accommodates splice	
342	U1410	C	17	X	6	1.03	1.03	154.30	155.33	164.36	165.39	0.00	accommodates splice	
342	U1410	C	17	X	7	0.93	0.93	155.33	156.26	165.39	166.32	0.00	accommodates splice	
342	U1410	C	17	X	CC	0.36	0.36	156.26	156.62	166.32	166.68	0.00	accommodates splice	
342	U1410	A	17	X	7	0.54	0.54	159.91	160.45	166.55	167.09	-0.13	accommodates splice	
342	U1410	A	17	X	CC	0.39	0.39	160.45	160.84	167.09	167.48	0.00	accommodates splice	
342	U1410	A	18	X	1	1.50	1.50	160.60	162.10	167.24	168.74	-0.24	accommodates splice	
342	U1410	A	18	X	2	1.50	1.50	162.10	163.60	168.74	170.24	0.00	accommodates splice	
342	U1410	A	18	X	3	1.50	1.50	163.60	165.10	170.24	171.74	0.00	accommodates splice	
342	U1410	A	18	X	4	1.50	1.50	165.10	166.60	171.74	173.24	0.00	accommodates splice	
342	U1410	A	18	X	5	1.50	1.50	166.60	168.10	173.24	174.74	0.00	accommodates splice	
342	U1410	A	18	X	6	1.32	1.32	168.10	169.42	174.74	176.06	0.00	accommodates splice	
342	U1410	A	18	X	7	0.59	0.59	169.42	170.01	176.06	176.65	0.00	accommodates splice	
342	U1410	A	18	X	CC	0.34	0.34	170.01	170.35	176.65	176.99	0.00	accommodates splice	
342	U1410	A	19	X	1	1.50	1.50	170.20	171.70	176.84	178.34	-0.15	accommodates splice	
342	U1410	A	19	X	2	1.50	1.50	171.70	173.20	178.34	179.84	0.00	accommodates splice	
342	U1410	A	19	X	3	1.50	1.50	173.20	174.70	179.84	181.34	0.00	accommodates splice	
342	U1410	A	19	X	4	1.50	1.50	174.70	176.20	181.34	182.84	0.00	accommodates splice	
342	U1410	A	19	X	5	1.50	1.50	176.20	177.70	182.84	184.34	0.00	accommodates splice	
342	U1410	A	19	X	6	1.31	1.31	177.70	179.01	184.34	185.65	0.00	accommodates splice	
342	U1410	A	19	X	7	0.54	0.54	179.01	179.55	185.65	186.19	0.00	accommodates splice	
342	U1410	A	19	X	CC	0.46	0.46	179.55	180.01	186.19	186.65	0.00	accommodates splice	
342	U1410	A	20	X	1	1.50	1.50	179.80	181.30	186.59	188.09	-0.06	accommodates splice	
342	U1410	A	20	X	2	1.50	1.50	181.30	182.80	188.09	189.59	0.00	accommodates splice	
342	U1410	A	20	X	3	1.50	1.50	182.80	184.30	189.59	191.09	0.00	accommodates splice	
342	U1410	A	20	X	4	1.50	1.50	184.30	185.80	191.09	192.59	0.00	accommodates splice	
342	U1410	A	20	X	5	1.50	1.50	185.80	187.30	192.59	194.09	0.00	accommodates splice	
342	U1410	A	20	X	6	1.31	1.31	187.30	188.61	194.09	195.40	0.00	accommodates splice	
342	U1410	A	20	X	7	0.62	0.62	188.61	189.23	195.40	196.02	0.00	accommodates splice	
342	U1410	A	20	X	CC	0.41	0.41	189.23	189.64	196.02	196.43	0.00	accommodates splice	
342	U1410	A	21	X	1	0.64	0.64	189.40	190.04	196.19	196.83	-0.24	accommodates splice	
342	U1410	A	21	X	2	1.50	1.50	190.04	191.54	196.83	198.33	0.00	accommodates splice	
342	U1410	A	21	X	3	1.46	1.46	191.54	193.00	198.33	199.79	0.00	accommodates splice	
342	U1410	A	21	X	4	1.37	1.37	193.00	194.37	199.79	201.16	0.00	accommodates splice	
342	U1410	A	21	X	5	1.50	1.50	194.37	195.87	201.16	202.66	0.00	accommodates splice	
342	U1410	A	21	X	6	1.50	1.50	195.87	197.37	202.66	204.16	0.00	accommodates splice	
342	U1410	A	21	X	7	1.33	1.33	197.37	198.70	204.16	205.49	0.00	accommodates splice	
342	U1410	A	21	X	CC	0.45	0.45	198.70	199.15	205.49	205.94	0.00	accommodates splice	
342	U1410	C	21	X	CC	0.27	0.27	199.15	199.54	205.94	206.31	-0.24	accommodates splice	
342	U1410	C	22	X	1	1.50	1.50	194.80	196.30	205.96	207.46	-0.01	accommodates splice	
342	U1410	C	22	X	2	1.50	1.50	196.30	197.80	207.46	208.96	0.00	accommodates splice	
342	U1410	C	22	X	3	1.50	1.50	197.80	199.30	208.96	210.46	0.00	accommodates splice	
342	U1410	C	22	X	4	1.50	1.50	199.30	200.80	210.46	211.96	0.00	accommodates splice	
342	U1410	C	22	X	5	1.50	1.50	200.80	202.30	211.96	213.46	0.00	accommodates splice	

<b>U1410 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curator Comments
342	U1410	C	22	X	6	1.11	1.11	202.30	203.41	213.46	214.57	0.00	accommodates splice	
342	U1410	C	22	X	7	0.56	0.56	203.41	203.97	214.57	215.13	0.00	accommodates splice	
342	U1410	C	22	X	CC	0.35	0.35	203.97	204.32	215.13	215.48	0.00	accommodates splice	
342	U1410	C	23	X	1	1.50	1.50	204.40	205.90	216.56	218.06	1.08	accommodates splice	
342	U1410	B	25	X	5	1.50	1.50	212.80	214.30	219.67	221.17	1.61	accommodates splice	
342	U1410	B	25	X	6	1.11	1.11	214.30	215.41	221.17	222.28	0.00	accommodates splice	
342	U1410	B	25	X	7	0.52	0.52	215.41	215.93	222.28	222.80	0.00	accommodates splice	
342	U1410	B	25	X	CC	0.40	0.40	215.93	216.33	222.80	223.20	0.00	accommodates splice	
342	U1410	C	24	X	1	1.50	1.50	214.00	215.50	230.96	232.46	7.76	accommodates splice	
342	U1410	A	23	X	7	0.58	0.58	217.50	218.08	235.29	235.87	2.83	accommodates splice	
342	U1410	A	23	X	CC	0.37	0.37	218.08	218.45	235.87	236.24	0.00	accommodates splice	
342	U1410	A	24	X	1	1.50	1.50	218.00	219.50	236.64	238.14	0.40	accommodates splice	
342	U1410	A	24	X	2	1.50	1.50	219.50	221.00	238.14	239.64	0.00	accommodates splice	
342	U1410	A	24	X	3	1.50	1.50	221.00	222.50	239.64	241.14	0.00	accommodates splice	
342	U1410	A	24	X	4	1.50	1.50	222.50	224.00	241.14	242.64	0.00	accommodates splice	
342	U1410	A	24	X	5	1.50	1.50	224.00	225.50	242.64	244.14	0.00	accommodates splice	
342	U1410	A	24	X	6	1.20	1.20	225.50	226.70	244.14	245.34	0.00	accommodates splice	
342	U1410	A	24	X	CC	0.38	0.38	226.70	227.08	245.34	245.72	0.00	accommodates splice	
342	U1410	B	26	X	CC	0.29	0.29	225.49	225.78	245.66	245.95	-0.06	accommodates splice	
342	U1410	B	27	X	1	1.50	1.50	226.00	227.50	246.17	247.67	0.22	accommodates splice	
342	U1410	A	25	X	1	1.50	1.50	227.50	229.00	247.79	249.29	0.12	accommodates splice	
342	U1410	A	25	X	2	1.50	1.50	229.00	230.50	249.29	250.79	0.00	accommodates splice	
342	U1410	A	25	X	3	1.50	1.50	230.50	232.00	250.79	252.29	0.00	accommodates splice	
342	U1410	A	25	X	4	0.90	0.90	232.00	232.90	252.29	253.19	0.00	accommodates splice	
342	U1410	A	25	X	CC	0.33	0.33	232.90	233.23	253.19	253.52	0.00	accommodates splice	
342	U1410	B	27	X	6	1.21	1.21	233.50	234.71	253.67	254.88	0.15	accommodates splice	
342	U1410	B	27	X	7	0.63	0.63	234.71	235.34	254.88	255.51	0.00	accommodates splice	
342	U1410	B	27	X	CC	0.31	0.31	235.34	235.65	255.51	255.82	0.00	accommodates splice	
342	U1410	B	28	X	1	1.50	1.50	235.60	237.10	255.77	257.27	-0.05	accommodates splice	
342	U1410	B	28	X	2	1.50	1.50	237.10	238.60	257.27	258.77	0.00	accommodates splice	
342	U1410	B	28	X	3	1.50	1.50	238.60	240.10	258.77	260.27	0.00	accommodates splice	
342	U1410	B	28	X	4	1.50	1.50	240.10	241.60	260.27	261.77	0.00	accommodates splice	
342	U1410	B	28	X	5	1.50	1.50	241.60	243.10	261.77	263.27	0.00	accommodates splice	
342	U1410	A	26	X	5	1.50	1.50	243.10	244.60	263.39	264.89	0.12	accommodates splice	
342	U1410	A	26	X	6	1.20	1.20	244.60	245.80	264.89	266.09	0.00	accommodates splice	
342	U1410	A	26	X	CC	0.33	0.33	245.80	246.13	266.09	266.42	0.00	accommodates splice	
342	U1410	A	27	X	1	1.50	1.50	246.70	248.20	266.99	268.49	0.57	Single hole below splice	
342	U1410	A	27	X	2	1.50	1.50	248.20	249.70	268.49	269.99	0.00	Single hole below splice	
342	U1410	A	27	X	3	1.50	1.50	249.70	251.20	269.99	271.49	0.00	Single hole below splice	
342	U1410	A	27	X	4	1.50	1.50	251.20	252.70	271.49	272.99	0.00	Single hole below splice	
342	U1410	A	27	X	5	1.50	1.50	252.70	254.20	272.99	274.49	0.00	Single hole below splice	
342	U1410	A	27	X	6	0.72	0.72	254.20	254.92	274.49	275.21	0.00	Single hole below splice	
342	U1410	A	27	X	CC	0.28	0.28	254.92	255.20	275.21	275.49	0.00	Single hole below splice	
342	U1410	A	28	X	1	1.50	1.50	256.30	257.80	276.59	278.09	1.10	Single hole below splice	
342	U1410	A	28	X	2	0.53	0.53	257.80	258.33	278.09	278.62	0.00	Single hole below splice	
342	U1410	A	28	X	CC	0.58	0.58	258.33	258.91	278.62	279.20	0.00	Single hole below splice	