

<b>U1430 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1430	C	1	H	1	1.5	1.5	0	1.5	0.11	1.61	-291.25	accommodates splice	
346	U1430	C	1	H	2	1.5	1.5	1.5	3	1.61	3.11	0	accommodates splice	
346	U1430	C	1	H	3	0.81	0.81	3	3.81	3.11	3.92	0	accommodates splice	
346	U1430	C	1	H	4	0.81	0.81	3.81	4.62	3.92	4.73	0	accommodates splice	
346	U1430	C	1	H	CC	0.16	0.16	4.62	4.78	4.73	4.89	0	accommodates splice	
346	U1430	C	2	H	1	1.5	1.5	4.8	6.3	5.02	6.52	0.13	accommodates splice	
346	U1430	C	2	H	2	1.5	1.5	6.3	7.8	6.52	8.02	0	accommodates splice	
346	U1430	C	2	H	3	1.5	1.5	7.8	9.3	8.02	9.52	0	accommodates splice	
346	U1430	C	2	H	4	1.43	1.43	9.3	10.73	9.52	10.96	0	accommodates splice	
346	U1430	C	2	H	5	1.49	1.49	10.73	12.22	10.96	12.44	0	accommodates splice	
346	U1430	C	2	H	6	1.5	1.5	12.22	13.72	12.44	13.94	0	accommodates splice	
346	U1430	C	2	H	7	0.53	0.53	13.72	14.25	13.94	14.48	0	accommodates splice	
346	U1430	C	2	H	CC	0.15	0.15	14.25	14.4	14.48	14.62	0	accommodates splice	
346	U1430	C	3	H	1	1.5	1.5	14.3	15.8	15.14	16.64	0.52	accommodates splice	
346	U1430	C	3	H	2	1.5	1.5	15.8	17.3	16.64	18.14	0	accommodates splice	
346	U1430	C	3	H	3	1.5	1.5	17.3	18.8	18.14	19.64	0	accommodates splice	
346	U1430	C	3	H	4	1.5	1.5	18.8	20.3	19.64	21.14	0	accommodates splice	
346	U1430	C	3	H	5	1.5	1.5	20.3	21.8	21.14	22.64	0	accommodates splice	
346	U1430	C	3	H	6	1.5	1.5	21.8	23.3	22.64	24.14	0	accommodates splice	
346	U1430	C	3	H	7	0.64	0.64	23.3	23.94	24.14	24.78	0	accommodates splice	
346	U1430	C	3	H	CC	0.26	0.26	23.94	24.2	24.78	25.04	0	accommodates splice	
346	U1430	C	4	H	1	1.5	1.5	23.8	25.3	24.67	26.17	-0.37	accommodates splice	
346	U1430	C	4	H	2	1.5	1.5	25.3	26.8	26.17	27.67	0	accommodates splice	
346	U1430	C	4	H	3	1.5	1.5	26.8	28.3	27.67	29.17	0	accommodates splice	
346	U1430	C	4	H	4	1.5	1.5	28.3	29.8	29.17	30.67	0	accommodates splice	
346	U1430	C	4	H	5	1.5	1.5	29.8	31.3	30.67	32.17	0	accommodates splice	
346	U1430	C	4	H	6	1.5	1.5	31.3	32.8	32.17	33.67	0	accommodates splice	
346	U1430	C	4	H	7	0.6	0.6	32.8	33.4	33.67	34.27	0	accommodates splice	
346	U1430	C	4	H	CC	0.21	0.21	33.4	33.61	34.27	34.48	0	accommodates splice	
346	U1430	C	5	H	1	1.5	1.5	33.3	34.8	34.07	35.57	-0.41	accommodates splice	
346	U1430	C	5	H	2	1.5	1.5	34.8	36.3	35.57	37.07	0	accommodates splice	
346	U1430	C	5	H	3	1.5	1.5	36.3	37.8	37.07	38.57	0	accommodates splice	
346	U1430	C	5	H	4	1.5	1.5	37.8	39.3	38.57	40.07	0	accommodates splice	
346	U1430	C	5	H	5	1.5	1.5	39.3	40.8	40.07	41.57	0	accommodates splice	
346	U1430	C	5	H	6	1.5	1.5	40.8	42.3	41.57	43.07	0	accommodates splice	
346	U1430	C	5	H	7	0.65	0.65	42.3	42.95	43.07	43.72	0	accommodates splice	
346	U1430	C	5	H	CC	0.23	0.23	42.95	43.18	43.72	43.95	0	accommodates splice	
346	U1430	C	6	H	1	1.5	1.5	42.8	44.3	44.3	47.4	1.95	accommodates splice	
346	U1430	C	6	H	2	1.5	1.5	44.3	45.8	47.4	48.9	0	accommodates splice	
346	U1430	C	6	H	3	1.5	1.5	45.8	47.3	48.9	50.4	0	accommodates splice	
346	U1430	C	6	H	4	1.5	1.5	47.3	48.8	50.4	51.9	0	accommodates splice	
346	U1430	C	6	H	5	1.5	1.5	48.8	50.3	51.9	53.4	0	accommodates splice	
346	U1430	C	6	H	6	1.5	1.5	50.3	51.8	53.4	54.9	0	accommodates splice	
346	U1430	C	6	H	7	0.52	0.52	51.8	52.32	54.9	55.42	0	accommodates splice	
346	U1430	C	6	H	CC	0.27	0.27	52.32	52.59	55.42	55.69	0	accommodates splice	
346	U1430	C	7	H	1	1.5	1.5	52.3	53.8	56.44	57.94	0.75	accommodates splice	
346	U1430	C	7	H	2	1.5	1.5	53.8	55.3	57.94	59.44	0	accommodates splice	
346	U1430	C	7	H	3	1.5	1.5	55.3	56.8	59.44	60.94	0	accommodates splice	
346	U1430	C	7	H	4	1.5	1.5	56.8	58.3	60.94	62.44	0	accommodates splice	
346	U1430	C	7	H	5	1.5	1.5	58.3	59.8	62.44	63.94	0	accommodates splice	
346	U1430	C	7	H	6	1.5	1.5	59.8	61.3	63.94	65.44	0	accommodates splice	
346	U1430	C	7	H	7	0.5	0.5	61.3	61.8	65.44	65.94	0	accommodates splice	
346	U1430	C	7	H	CC	0.16	0.16	61.8	61.96	65.94	66.1	0	accommodates splice	
346	U1430	C	8	H	1	1.5	1.5	61.8	63.3	66.44	67.94	0.34	accommodates splice	
346	U1430	C	8	H	2	1.5	1.5	63.3	64.8	67.94	69.44	0	accommodates splice	
346	U1430	C	8	H	3	1.5	1.5	64.8	66.3	69.44	70.94	0	accommodates splice	
346	U1430	C	8	H	4	1.5	1.5	66.3	67.8	70.94	72.44	0	accommodates splice	
346	U1430	C	8	H	5	1.5	1.5	67.8	69.3	72.44	73.94	0	accommodates splice	
346	U1430	C	8	H	6	1.5	1.5	69.3	70.8	73.94	75.44	0	accommodates splice	
346	U1430	C	8	H	7	0.7	0.7	70.8	71.5	75.44	76.14	0	accommodates splice	
346	U1430	C	8	H	CC	0.33	0.33	71.5	71.83	76.14	76.48	0	accommodates splice	
346	U1430	C	9	H	1	1.5	1.5	71.3	72.8	76.36	77.86	-0.12	accommodates splice	
346	U1430	C	9	H	2	1.5	1.5	72.8	74.3	77.86	79.36	0	accommodates splice	
346	U1430	C	9	H	3	1.5	1.5	74.3	75.8	79.36	80.86	0	accommodates splice	
346	U1430	C	9	H	4	1.5	1.5	75.8	77.3	80.86	82.36	0	accommodates splice	
346	U1430	C	9	H	5	1.5	1.5	77.3	78.8	82.36	83.86	0	accommodates splice	
346	U1430	C	9	H	6	1.5	1.5	78.8	80.3	83.86	85.36	0	accommodates splice	
346	U1430	C	9	H	7	0.63	0.63	80.3	80.93	85.36	85.99	0	accommodates splice	
346	U1430	C	9	H	CC	0.2	0.2	80.93	81.13	85.99	86.19	0	accommodates splice	
346	U1430	C	10	H	1	1.5	1.5	80.8	82.3	86.76	88.26	0.57	accommodates splice	
346	U1430	C	10	H	2	1.5	1.5	82.3	83.8	88.26	89.76	0	accommodates splice	
346	U1430	C	10	H	3	1.5	1.5	83.8	85.3	89.76	91.26	0	accommodates splice	
346	U1430	C	10	H	4	1.5	1.5	85.3	86.8	91.26	92.76	0	accommodates splice	
346	U1430	C	10	H	5	1.5	1.5	86.8	88.3	92.76	94.26	0	accommodates splice	

<b>U1430 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1430	C	10	H	6	1.5	1.5	88.3	89.8	94.26	95.76	0	accommodates splice	
346	U1430	C	10	H	7	0.58	0.58	89.8	90.38	95.76	96.34	0	accommodates splice	
346	U1430	C	10	H	CC	0.2	0.2	90.38	90.58	96.34	96.54	0	accommodates splice	
346	U1430	C	11	H	1	1.5	1.5	90.3	91.8	97.06	98.56	0.52	accommodates splice	
346	U1430	C	11	H	2	1.5	1.5	91.8	93.3	98.56	100.06	0	accommodates splice	
346	U1430	C	11	H	3	1.51	1.51	93.3	94.81	100.06	101.57	0	accommodates splice	
346	U1430	C	11	H	4	1.5	1.5	94.81	96.31	101.57	103.07	0	accommodates splice	
346	U1430	C	11	H	5	1.5	1.5	96.31	97.81	103.07	104.57	0	accommodates splice	
346	U1430	C	11	H	6	1.5	1.5	97.81	99.31	104.57	106.07	0	accommodates splice	
346	U1430	C	11	H	7	0.68	0.68	99.31	99.99	106.07	106.75	0	accommodates splice	
346	U1430	C	11	H	CC	0.18	0.18	99.99	100.17	106.75	106.93	0	accommodates splice	
346	U1430	C	12	H	1	1.5	1.5	99.8	101.3	107.27	108.77	0.34	accommodates splice	
346	U1430	C	12	H	2	1.5	1.5	101.3	102.8	108.77	110.27	0	accommodates splice	
346	U1430	C	12	H	3	1.5	1.5	102.8	104.3	110.27	111.77	0	accommodates splice	
346	U1430	C	12	H	4	1.5	1.5	104.3	105.8	111.77	113.27	0	accommodates splice	
346	U1430	C	12	H	5	1.5	1.5	105.8	107.3	113.27	114.77	0	accommodates splice	
346	U1430	C	12	H	6	1.5	1.5	107.3	108.8	114.77	116.27	0	accommodates splice	
346	U1430	C	12	H	7	0.63	0.63	108.8	109.43	116.27	116.9	0	accommodates splice	
346	U1430	C	12	H	CC	0.15	0.15	109.43	109.58	116.9	117.05	0	accommodates splice	
346	U1430	C	13	H	1	1.5	1.5	109.3	110.8	117.42	118.92	0.37	accommodates splice	
346	U1430	C	13	H	2	1.5	1.5	110.8	112.3	118.92	120.42	0	accommodates splice	
346	U1430	C	13	H	3	1.5	1.5	112.3	113.8	120.42	121.92	0	accommodates splice	
346	U1430	C	13	H	4	1.5	1.5	113.8	115.3	121.92	123.42	0	accommodates splice	
346	U1430	C	13	H	5	1.5	1.5	115.3	116.8	123.42	124.92	0	accommodates splice	
346	U1430	C	13	H	6	1.5	1.5	116.8	118.3	124.92	126.42	0	accommodates splice	
346	U1430	C	13	H	7	0.53	0.53	118.3	118.83	126.42	126.95	0	accommodates splice	
346	U1430	C	13	H	CC	0.13	0.13	118.83	118.96	126.95	127.08	0	accommodates splice	
346	U1430	C	14	H	1	1.5	1.5	118.8	120.3	127.59	129.09	0.51	accommodates splice	
346	U1430	C	14	H	2	1.5	1.5	120.3	121.8	129.09	130.59	0	accommodates splice	
346	U1430	C	14	H	3	1.01	1.01	121.8	122.81	130.59	131.6	0	accommodates splice	
346	U1430	C	14	H	4	0.69	0.69	122.81	123.5	131.6	132.29	0	accommodates splice	
346	U1430	C	14	H	CC	0.28	0.28	123.5	123.78	132.29	132.57	0	accommodates splice	
346	U1430	C	15	H	1	1.5	1.5	123.5	125	132.56	134.06	-0.01	accommodates splice	
346	U1430	C	15	H	2	1.5	1.5	125	126.5	134.06	135.56	0	accommodates splice	
346	U1430	C	15	H	3	1.5	1.5	126.5	128	135.56	137.06	0	accommodates splice	
346	U1430	C	15	H	4	1.5	1.5	128	129.5	137.06	138.56	0	accommodates splice	
346	U1430	C	15	H	5	1.5	1.5	129.5	131	138.56	140.06	0	accommodates splice	
346	U1430	C	15	H	6	1.5	1.5	131	132.5	140.06	141.56	0	accommodates splice	
346	U1430	C	15	H	7	0.66	0.66	132.5	133.16	141.56	142.22	0	accommodates splice	
346	U1430	C	15	H	CC	0.22	0.22	133.16	133.38	142.22	142.44	0	accommodates splice	
346	U1430	C	16	H	1	1.5	1.5	133	134.5	143.48	144.98	1.04	accommodates splice	
346	U1430	C	16	H	2	1.5	1.5	134.5	136	144.98	146.48	0	accommodates splice	
346	U1430	C	16	H	3	1.5	1.5	136	137.5	146.48	147.98	0	accommodates splice	
346	U1430	C	16	H	4	1.5	1.5	137.5	139	147.98	149.48	0	accommodates splice	
346	U1430	C	16	H	5	1.5	1.5	139	140.5	149.48	150.98	0	accommodates splice	
346	U1430	C	16	H	6	1.5	1.5	140.5	142	150.98	152.48	0	accommodates splice	
346	U1430	C	16	H	7	0.66	0.66	142	142.66	152.48	153.14	0	accommodates splice	
346	U1430	C	16	H	CC	0.29	0.29	142.66	142.95	153.14	153.43	0	accommodates splice	
346	U1430	C	17	H	1	1.5	1.5	142.5	144	153.87	155.37	0.44	accommodates splice	
346	U1430	C	17	H	2	1.5	1.5	144	145.5	155.37	156.87	0	accommodates splice	
346	U1430	C	17	H	3	1.5	1.5	145.5	147	156.87	158.37	0	accommodates splice	
346	U1430	C	17	H	4	1.5	1.5	147	148.5	158.37	159.87	0	accommodates splice	
346	U1430	C	17	H	5	1.5	1.5	148.5	150	159.87	161.37	0	accommodates splice	
346	U1430	C	17	H	6	1.5	1.5	150	151.5	161.37	162.87	0	accommodates splice	
346	U1430	C	17	H	7	0.63	0.63	151.5	152.13	162.87	163.5	0	accommodates splice	
346	U1430	C	17	H	CC	0.22	0.22	152.13	152.35	163.5	163.72	0	accommodates splice	
346	U1430	C	18	H	1	1.5	1.5	152	153.5	163.4	164.9	-0.32	accommodates splice	
346	U1430	C	18	H	2	1.5	1.5	153.5	155	164.9	166.4	0	accommodates splice	
346	U1430	C	18	H	3	1.5	1.5	155	156.5	166.4	167.9	0	accommodates splice	
346	U1430	C	18	H	4	1.5	1.5	156.5	158	167.9	169.4	0	accommodates splice	
346	U1430	C	18	H	5	1.5	1.5	158	159.5	169.4	170.9	0	accommodates splice	
346	U1430	C	18	H	6	1.5	1.5	159.5	161	170.9	172.4	0	accommodates splice	
346	U1430	C	18	H	7	0.62	0.62	161	161.62	172.4	173.02	0	accommodates splice	
346	U1430	C	18	H	CC	0.27	0.27	161.62	161.89	173.02	173.29	0	accommodates splice	
346	U1430	C	19	H	1	1.5	1.5	161.5	163	173.2	174.7	-0.09	accommodates splice	
346	U1430	C	19	H	2	1.5	1.5	163	164.5	174.7	176.2	0	accommodates splice	
346	U1430	C	19	H	3	1.5	1.5	164.5	166	176.2	177.7	0	accommodates splice	
346	U1430	C	19	H	4	1.5	1.5	166	167.5	177.7	179.2	0	accommodates splice	
346	U1430	C	19	H	5	1.5	1.5	167.5	169	179.2	180.7	0	accommodates splice	
346	U1430	C	19	H	6	1.5	1.5	169	170.5	180.7	182.2	0	accommodates splice	
346	U1430	C	19	H	7	0.71	0.71	170.5	171.21	182.2	182.91	0	accommodates splice	
346	U1430	C	19	H	CC	0.24	0.24	171.21	171.45	182.91	183.15	0	accommodates splice	
346	U1430	C	20	H	1	1.5	1.5	171	172.5	183.33	184.83	0.18	accommodates splice	
346	U1430	C	20	H	2	1.5	1.5	172.5	174	184.83	186.33	0	accommodates splice	

**U1430 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1430	C	20	H	3	1.5	1.5	174	175.5	186.33	187.83	0	accommodates splice	
346	U1430	C	20	H	4	1.5	1.5	175.5	177	187.83	189.33	0	accommodates splice	
346	U1430	C	20	H	5	1.5	1.5	177	178.5	189.33	190.83	0	accommodates splice	
346	U1430	C	20	H	6	1.4	1.4	178.5	179.9	190.83	192.23	0	accommodates splice	
346	U1430	C	20	H	7	0.58	0.58	179.9	180.48	192.23	192.81	0	accommodates splice	
346	U1430	C	20	H	CC	0.26	0.26	180.48	180.74	192.81	193.07	0	accommodates splice	
346	U1430	C	21	H	1	1.5	1.5	180.5	182	193.87	195.37	0.8	accommodates splice	
346	U1430	C	21	H	2	1.5	1.5	182	183.5	195.37	196.87	0	accommodates splice	
346	U1430	C	21	H	3	1.5	1.5	183.5	185	196.87	198.37	0	accommodates splice	
346	U1430	C	21	H	4	1.5	1.5	185	186.5	198.37	199.87	0	accommodates splice	
346	U1430	C	21	H	5	1.5	1.5	186.5	188	199.87	201.37	0	accommodates splice	
346	U1430	C	21	H	6	1.5	1.5	188	189.5	201.37	202.87	0	accommodates splice	
346	U1430	C	21	H	7	0.63	0.63	189.5	190.13	202.87	203.5	0	accommodates splice	
346	U1430	C	21	H	CC	0.23	0.23	190.13	190.36	203.5	203.73	0	accommodates splice	
346	U1430	C	22	H	1	1.5	1.5	190	191.5	204.88	206.38	1.15	accommodates splice	
346	U1430	C	22	H	2	1.5	1.5	191.5	193	206.38	207.88	0	accommodates splice	
346	U1430	C	22	H	3	1.5	1.5	193	194.5	207.88	209.38	0	accommodates splice	
346	U1430	C	22	H	4	1.5	1.5	194.5	196	209.38	210.88	0	accommodates splice	
346	U1430	C	22	H	5	1.5	1.5	196	197.5	210.88	212.38	0	accommodates splice	
346	U1430	C	22	H	6	1.5	1.5	197.5	199	212.38	213.88	0	accommodates splice	
346	U1430	C	22	H	7	0.68	0.68	199	199.68	213.88	214.56	0	accommodates splice	
346	U1430	C	22	H	CC	0.24	0.24	199.68	199.92	214.56	214.8	0	accommodates splice	
346	U1430	C	23	H	1	1.5	1.5	199.5	201	214.49	215.99	-0.31	accommodates splice	
346	U1430	C	23	H	2	1.5	1.5	201	202.5	215.99	217.49	0	accommodates splice	
346	U1430	C	23	H	3	1.5	1.5	202.5	204	217.49	218.99	0	accommodates splice	
346	U1430	C	23	H	4	1.5	1.5	204	205.5	218.99	220.49	0	accommodates splice	
346	U1430	C	23	H	5	1.5	1.5	205.5	207	220.49	221.99	0	accommodates splice	
346	U1430	C	23	H	6	1.5	1.5	207	208.5	221.99	223.49	0	accommodates splice	
346	U1430	C	23	H	7	0.65	0.65	208.5	209.15	223.49	224.14	0	accommodates splice	
346	U1430	C	23	H	CC	0.25	0.25	209.15	209.4	224.14	224.39	0	accommodates splice	
346	U1430	C	24	H	1	1.5	1.5	209	210.5	224.21	225.71	-0.18	accommodates splice	
346	U1430	C	24	H	2	1.5	1.5	210.5	212	225.71	227.21	0	accommodates splice	
346	U1430	C	24	H	3	1.5	1.5	212	213.5	227.21	228.71	0	accommodates splice	
346	U1430	C	24	H	4	1.5	1.5	213.5	215	228.71	230.21	0	accommodates splice	
346	U1430	C	24	H	5	1.5	1.5	215	216.5	230.21	231.71	0	accommodates splice	
346	U1430	C	24	H	6	1.5	1.5	216.5	218	231.71	233.21	0	accommodates splice	
346	U1430	C	24	H	7	0.67	0.67	218	218.67	233.21	233.88	0	accommodates splice	
346	U1430	C	25	H	1	1.5	1.5	218.5	220	233.35	234.85	-0.53	accommodates splice	
346	U1430	C	25	H	2	1.5	1.5	220	221.5	234.85	236.35	0	accommodates splice	
346	U1430	C	25	H	3	1.5	1.5	221.5	223	236.35	237.85	0	accommodates splice	
346	U1430	C	25	H	4	1.5	1.5	223	224.5	237.85	239.35	0	accommodates splice	
346	U1430	C	25	H	5	1.5	1.5	224.5	226	239.35	240.85	0	accommodates splice	
346	U1430	C	25	H	6	1.24	1.24	226	227.24	240.85	242.09	0	accommodates splice	
346	U1430	C	26	H	CC	0.13	0.13	227.2	227.33	242.66	242.79	0.57	accommodates splice	
346	U1430	C	27	X	1	0.05	0.05	227.3	227.35	242.76	242.81	-0.03	accommodates splice	Opal-CT hard layer; platy material recovered placed in bag and sent to KCC, not put into core liner
346	U1430	C	28	H	1	1.5	1.5	228.8	230.3	244.38	245.88	1.57	accommodates splice	
346	U1430	C	28	H	2	1.5	1.5	230.3	231.8	245.88	247.38	0	accommodates splice	
346	U1430	C	28	H	3	1.02	1.02	231.8	232.82	247.38	248.4	0	accommodates splice	
346	U1430	C	28	H	4	0.62	0.62	232.82	233.44	248.4	249.02	0	accommodates splice	
346	U1430	C	28	H	CC	0.18	0.18	233.44	233.62	249.02	249.2	0	accommodates splice	
346	U1430	C	29	H	1	1.5	1.5	233.5	235	249.39	250.89	0.19	accommodates splice	
346	U1430	C	29	H	2	1.5	1.5	235	236.5	250.89	252.39	0	accommodates splice	
346	U1430	C	29	H	3	1.12	1.12	236.5	237.62	252.39	253.51	0	accommodates splice	
346	U1430	C	29	H	4	0.59	0.59	237.62	238.21	253.51	254.1	0	accommodates splice	
346	U1430	C	29	H	CC	0.31	0.31	238.21	238.52	254.1	254.41	0	accommodates splice	
346	U1430	C	30	H	1	1.5	1.5	238.52	239.7	254.49	255.99	0.08	accommodates splice	SHATTERED LINER; LINER PATCH
346	U1430	C	30	H	2	1.5	1.5	239.7	241.2	255.99	257.49	0	accommodates splice	SHATTERED LINER; LINER PATCH
346	U1430	C	30	H	3	1.02	1.02	241.2	242.22	257.49	258.51	0	accommodates splice	SHATTERED LINER; LINER PATCH
346	U1430	C	30	H	4	0.63	0.63	242.22	242.85	258.51	259.14	0	accommodates splice	SHATTERED LINER; LINER PATCH
346	U1430	C	30	H	CC	0.21	0.21	242.85	243.06	259.14	259.35	0	accommodates splice	SHATTERED LINER; LINER PATCH
346	U1430	C	31	H	1	1.45	1.45	242.9	244.35	259.19	260.64	-0.16	accommodates splice	
346	U1430	C	31	H	CC	0.31	0.31	244.35	244.66	260.64	260.95	0	accommodates splice	
346	U1430	C	32	H	1	1.5	1.5	244.6	246.1	261.38	262.88	0.43	accommodates splice	
346	U1430	C	32	H	2	1.5	1.5	246.1	247.6	262.88	264.38	0	accommodates splice	
346	U1430	C	32	H	3	0.84	0.84	247.6	248.44	264.38	265.22	0	accommodates splice	
346	U1430	C	32	H	CC	0.15	0.15	248.44	248.59	265.22	265.37	0	accommodates splice	
346	U1430	C	33	H	1	0.77	0.77	248.6	249.37	265.38	266.15	0.01	accommodates splice	SAND
346	U1430	C	34	H	1	0.92	0.92	249.1	250.02	265.88	266.8	-0.27	accommodates splice	SAND
346	U1430	B	32	X	1	1.49	1.49	250	251.49	266.34	267.83	-0.46	below splice	
346	U1430	B	32	X	CC	0.47	0.47	251.49	251.96	267.83	268.3	0	below splice	
346	U1430	B	33	X	1	0.99	0.99	255.7	256.69	272.04	273.03	3.74	below splice	

<b>U1430 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1430	B	36	X	1	0.61	0.61	272.4	273.01	288.74	289.35	15.71	below splice	
346	U1430	B	37	H	1	0.92	0.92	274.1	275.02	290.44	291.36	1.09	below splice	